

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



BIOLOGY

9700/52

Paper 5 Planning, Analysis and Evaluation

May/June 2016

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **10** printed pages and **2** blank pages.

The students also investigated the effect grazing had on the height of one particular species of plant. Their hypothesis was:

The mean height of the plant is greater in the ungrazed grassland than the grazed grassland.

- (c) State the independent and the dependent variables in this investigation.

independent variable

dependent variable [1]

- (d) Table 1.1 shows the results of their investigation.

Table 1.1

sample number	height of plant/mm	
	grazed area	ungrazed area
1	586	858
2	549	873
3	526	864
4	589	901
5	545	847
6	538	862
7	573	864
8	549	879
9	604	864
10	611	888
mean	567	870
mode	549	
median	561	

- (i) Complete Table 1.1 by writing the values of the mode and median for the ungrazed area. [1]

(ii) Use the information and formula below to calculate the standard error for these results.

Give your answers to 3 significant figures.

$$S_M = \frac{s}{\sqrt{n}}$$

S_M = standard error

s = standard deviation

n = sample size (number of observations)

grazed area: $s = 29.5$

ungrazed area: $s = 15.7$

standard error, grazed area =

standard error, ungrazed area = [2]

Standard error is used to calculate 95% Confidence Intervals (CI).

The values for the grazed area are 548.3 mm to 585.7 mm.

(iii) Use the formula below to calculate the confidence intervals for the **ungrazed** area.

$$95\% \text{ CI} = \text{mean} \pm 2 S_M$$

Show your working.

ungrazed areamm tomm [2]

(iv) State what information is gained by calculating the confidence intervals.

.....

 [2]

- (e) The students used the mark-release-recapture method to estimate the population of an invertebrate animal found living on the grassland. They used the formula:

$$\frac{\text{number of animals marked in the first sample} \times \text{total number of animals in the second sample}}{\text{number of marked animals in the second sample}}$$

State two precautions the students should have taken to ensure that the results they obtained were valid.

1.
.....
.....
2.
.....
..... [2]

- (f) The population of an invertebrate that feeds on seeds was estimated in both the grazed and ungrazed areas. Predict which area would have the greatest population and give a reason for your choice.

choice

reason [1]

[Total: 21]

Question 2 starts on page 8

- 2 Medical researchers carried out an investigation into the effect of smoking in a country. A group of male volunteers had their peak expiratory flow rate (PEFR) measured as shown in Fig. 2.1.



Fig. 2.1

PEFR measures the maximum speed of airflow through the bronchi during breathing out in dm^3 per minute ($\text{dm}^3 \text{min}^{-1}$). Peak flow readings are lower when the airways are constricted.

The volunteers were grouped according to the number of packets of cigarettes that they smoked per year. Each packet contains 20 cigarettes.

Table 2.1 shows the results of the investigation.

Table 2.1

group	1	2	3	4	5
number of packets of cigarettes smoked per year	0	1–50	51–100	101–150	151–230
mean number of packets smoked per group $\pm s$	0	30.61 ± 10.47	73.80 ± 16.52	127.27 ± 9.66	189.22 ± 27.51
mean age of volunteers $\pm s$ /years	26.42 ± 5.61	22.82 ± 3.28	26.66 ± 3.59	28.90 ± 4.20	36.22 ± 3.21
mean PEFR $\pm s$ / $\text{dm}^3 \text{min}^{-1}$	513.43 ± 87.58	494.70 ± 79.22	443.33 ± 45.14	350.90 ± 32.38	300.00 ± 46.90
number of volunteers tested	64	14	15	12	8

s = standard deviation

- (c) (i) State a null hypothesis for a statistical test to find out whether the data in Table 2.1 supports the conclusion that:

An increase in the number of packets smoked decreases the PEFR measurement.

.....
.....
..... [1]

- (ii) State **two** ways in which the data for **group 5** is less trustworthy compared with the data for the other groups.

.....
.....
.....
.....
..... [2]

[Total: 9]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.