#### **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

GCE Advanced Subsidiary Level and GCE Advanced Level

### MARK SCHEME for the October/November 2012 series

## 9700 BIOLOGY

9700/21

Paper 2 (AS Structured Questions), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9700	21

#### Mark scheme abbreviations:

separates marking points

alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

**AW** alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants excepted)

max indicates the maximum number of marks that can be given

**ora** or reverse argument

**mp** marking point (with relevant number)

ecf error carried forward

I ignore

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9700	21

# 1 (a) one mark per row penalise once for stated ecf and then mark to max 4

[6]

	<u>,                                      </u>	•
	name of organelle	function
A	cell surface membrane	control of movement of substances into and out of the cell
В	nucleolus	production of, ribosomes / rRNA / tRNA ;
С	mitochondrion  A mitochondria	one from ; aerobic respiration ATP synthesis/ production / AW link reaction Krebs cycle oxidative phosphorylation R produces energy / ATP energy
D	smooth endoplasmic reticulum <b>R</b> SER or smooth ER	lipid / sterol / cholesterol / steroid, synthesis ; ecf if SER, or Golgi is named organelle
E	rough endoplasmic reticulum <b>R</b> RER or rough ER	one from; protein / polypeptide, synthesis translation modification of protein / described (e.g. folding, glycosylation) protein transport (to Golgi) ecf if RER
F	Golgi (body / complex /apparatus)	one from; modification of protein glycosylation / described modification of lipid pack(ag)ing (of), protein / lipids production of, (Golgi / secretory) vesicles / lysosomes ignore synthesis of protein  allow ecf if smooth endoplasmic reticulum
G	lysosome or Golgi / secretory, vesicle	contains /storage of, hydrolytic / digestive, enzymes or if Golgi vesicle transfer / transport, of, protein / lipids;

Page 4	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9700	21

(b) max 3 if only structure or only explanations given

polysaccharide;

chains of  $\alpha$ -glucose (residues) ; only need  $\alpha$  once  $\alpha$ 1–4 glycosidic bonds / links ;

branches;

(because of)  $\alpha$  1–6 glycosidic bonds; only need glycosidic once

idea that many 'ends' to easily, add / remove, glucose ; compact / AW ; insoluble ; will not affect, water potential /  $\psi$  ;  $\,$  AW  $\,$ 

AVP; [max 4]

[Total: 10]

- 2 (a) (i) 1 diffusion through (freely permeable) cell wall;
  - 2 membrane is partially permeable; A selectively
  - 3 osmosis across membrane (into cell)
  - 4 (only) some water may pass between phospholipids (across membrane);
  - 5 movement across membrane facilitated by aquaporins;
  - ref. down water potential gradient / from high water potential to low water potential; **A** from a higher / to a lower, water potential *if in context*
  - 7 AVP; e.g. further detail about aquaporin (hydrophilic channel) [max 3]
  - (ii) 1 increases permeability of membrane to water;
    - 2 idea that osmosis across bilayer does not supply cell rapidly enough with water (that needs to pass on to surrounding cells);
    - 3 idea that phospholipids are relatively impermeable to water;
    - 4 idea that water cannot pass / only some water passes, through <u>hydrophobic</u> region of membrane / AW; [max 1]
  - (b) pathway via, cells of cortex / cortical cells, and endodermis / endodermal cells;

symplast pathway, described as cytoplasm and, plasmodesmata / vacuole(s);

(out of cell to) apoplast pathway, described as cell wall pathway;

Casparian strip / suberised cell wall, of endodermis, impermeable to water; (so) pathway only via, symplast / cytoplasm;

AVP; e.g. reference to pericycle reference to passage cells of endodermis vacuolar pathway (unless given in mp 2)

[max 3]

de for photosynthesis) ; ora [1]	(i)	(c)
matal transpiration; same for both; cuticle;	(ii)	
[max 3]		
[Total: 11]		
ed ; I division ; [2]	(i)	(a)
[1]	(ii)	
46 / AW ; ignore description of events [1]	(iii	
co gene switching	pro pro	(b)
[max 3]	ad	
ne) responses ;  psis) ; cing, clone / many cells ; result econdary response ;  [max 3]	se <u>lyn</u> clo <b>A</b>	(c)
asma cells; <b>A</b> idea that leads to enhanced ponse; <b>A</b> angry macrophages;	an en	(d)

Mark Scheme
GCE AS/A LEVEL – October/November 2012

Syllabus

9700

Paper 21

Page 5

Page 6	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9700	21

T memory / Tm already exposed to antigen; reference to role in secondary response;

AVP;; e.g. T suppressor cells function of suppressor cells

[max 3]

[Total: 13]

4 (a) ignore reference to, first / third / fourth, trophic level

(primary) producer;

secondary consumer ; A second / 2°, consumer

tertiary consumer; **A** third / 3°, consumer

[3]

- **(b)** 1 polar bear is, tertiary / quaternary consumer / top carnivore; **A** in fourth / fifth, trophic level
  - 2 feeds (only) on ringed seals;
  - 3 therefore limited, food / energy, supply;
  - 4 reference to ringed seals competing for food / food for seals shared with, others / named ;
  - reference to energy loss, within / between, trophic levels; **A** approx 90% loss from one trophic level to the next
  - 6 any two examples of, energy / heat, loss in lower trophic levels; e.g. heat loss from, respiration / movement / digestion / excretion / egestion / indigestible parts / to decomposers / death but not eaten [max 4]
- (c) decrease in population of Arctic cod so higher trophic levels
  - 1 less, food / energy, (for consumers of cod / higher consumers);
  - 2 more competition for food;
  - 3 consumers / named consumers, of cod feed on other levels;
  - 4 starvation / decrease in population / extinction(s) (of other species);
  - 5 migration to areas where food is more plentiful;

#### lower trophic levels

- 6 increase in numbers of either, copepods / AW or arrow worms / AW;
- 7 (so) decrease in population of phytoplankton; only if mp 4 not scored
- 8 (so) increased competition with bivalve molluscs; only if mp 2 not scored

[max 3]

[Total: 10]

Page 7	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9700	21

**5 (a)** *closed* blood travels, inside blood vessels / AW;

double blood travels through the heart twice during one, complete circuit / circulation of the body; AW

A pulmonary and systemic, systems / circuits

[2]

(b) P to right atrium;

**Q** to (semilunar) pulmonary or aortic valve;

**R** to, vena cava / pulmonary artery;

**S** to, septum / wall(s) of ventricles;

[4]

(c) (i) 75 (beats per minute);;

if incorrect answer or no answer allow one mark for extraction from Fig. 5.2 or for correct working

e.g.10 beats in 8 seconds

 $10/8 \times 60$  [2]

(ii) max 3 if only description or only explanation given

lowest pressure in aorta, is 10.8 kPa / varies between 10.8-11.2 kPa v in left ventricle is 0 KPa ;

difference between highest and lowest is greater in the ventricle / AW;

4.8 – 5.2 kPa for aorta, 16.0 kPa in left ventricle;

reference pressure differences (in left ventricle) as a direct result of ventricular systole and diastole;

semilunar / aortic, valve prevents backflow from aorta into ventricle;

(so) no / little, blood in ventricle, when fully contracted / AW:

elastic recoil of artery maintains (diastolic) blood pressure;

AVP; [max 4]

(d) (i) coronary arteries;

[1]

(ii) insufficient, glucose / oxygen (to, cardiac / heart, muscle);

angina ;

heart attack / myocardial infarction / cardiac arrest;

description of anaerobic conditions in muscle;

[max 1]

(e) coronary (artery) by-pass (graft) operation;

**R** by-pass unless qualified

A described

insertion of a (coronary) stent; A described

heart transplant;

angioplasty; A described

AVP; e.g. calcium-channel blockers / named

further detail of treatments e.g. anticoagulants after angioplasty

[max 2]

[Total: 16]