UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

Specimen for 2007

GCE A LEVEL

MARK SCHEME

MAXIMUM MARK: 100

SYLLABUS/COMPONENT: 9700/04

BIOLOGY STRUCTURED QUESTIONS



| Page 2 | | Page 2 | Mark S | Syllabus | Paper | |
|--------|-----|---|---|----------------------|----------------|-----------|
| | | | GCE A LEV | /EL – 2007 | 9700 | 4 |
| 1 | (a) | | e of carbon dioxide given off; e of oxygen taken up | R amount | A moles | [1] |
| | (b) | (i) 18H ₂ O; 18CO ₂ ; | | | | [2] |
| | | (ii) 18/26; = 0.69 – | 0.70; | allow 2 marks | for correct a | nswer [2] |
| | (c) | carbohydrate | substrate; 1 some anaerobic respiration e 1/protein 0.9/fat 0.7 ;; metabolic processes using ox | 2 out of 3 | | [2 max] |
| | (d) | record level of change in known repeat; open clip and ref. units; ref. to boiled | seeds as a control; absorbs carbon dioxide give | n off; | | [4 max] |
| | (e) | | iment/ref. to comparison; er manometer rose or fell; | | | [2 max] |
| | (f) | ref. <u>named</u> et | temperature on <u>enzymes in re</u> ffect of temperature e.g. incre | <u></u> | ergy/more sul | ostrate |
| | | molecules wi ref. to $Q_{10} = 2$ | ith activation energy; 2 | | | [2 max] |
| | | | | | | Total: 15 |
| 2 | (a) | stroma of chl | oroplast; | | | [1] |
| | (b) | | th (5C compound) RuBP; able 6C compound/forms 2 m rubisco; | olecules of (3C) GP; | | [2 max] |
| | (c) | (reduced NA) ref. use of A7 | DP and ATP; rce of energy; DP is for) reduction of GP(PG FP in regeneration of RuBP; e of phosphate/phosphorylation | , | P); | [3 max] |
| | (d) | due to reduce | nulates/goes up; ed combination with CO ₂ /AW | | P or GP, not b | ooth |
| | | due to conve | wn/not as much being formed rsion to TP; | 1, | | [2 max] |
| | | | | | | Total: 8 |

| Page 3 | Page 3 Mark Scheme S | | Paper |
|--------|----------------------|------|-------|
| | GCE A LEVEL – 2007 | 9700 | 4 |

3 (a) Either

If genetic diagram used

Penalise once for incorrect symbols

orange dominant to black (for converse);

orange scallop

| parents gametes | S° | S°Sb | S ^b | Χ | S° | S°Sb | S ^b |
|-----------------------|-------|-----------|-----------------------------|-------------------------------|-------|----------------|--|
| genotype phenotype | S° S° | | S° S ^b orange | | S° Sb | | S ^b S ^b black |
| black scallop | | $S^b S^b$ | | Χ | | $S^b S^b$ | |
| parent | | | | | | | |
| gametes | | | (| S ^b | | S ^b |) |
| genotype | | | | S ^b S ^b | | | |
| phenotype | | | | black | | | |

<u>Or</u>

If text explanation given

orange dominant to black (or converse);

orange are heterozygous;

(because) ref. 3:1 ratio;

link data to ratio;

black are homozygous;

because all offspring are black;

[6]

(b) separate orange scallops produced from first cross/test cross orange with black; some will produce only orange offspring;

these will be homozygous for orange allele/pure breeding;

[2max]

Total: 8

4 (a) Fungi; (accept fungus)

Protoctista; (accept Protista)

Animalia; (accept animal)

Prokaryotae; (accept Prokaryote, bacteria)

Plantae; (accept plant)

[5]

(b) advantages

IDEA of simplicity;

easy to classify most organisms into the correct kingdom;

consistent with the traditional literature / AW;

| Page 4 | Page 4 Mark Scheme S | | Paper |
|--------|----------------------|------|-------|
| | GCE A LEVEL – 2007 | 9700 | 4 |

disadvantages

plant kingdom, is artificial / contains unrelated organisms / organisms that are not fundamentally similar;

ref. to prokaryotes and eukaryotes in the same kingdom;

ref. to other valid example of very differently organised organisms in the same kingdom; problem of what to do with protoctists / AW;

detail of difficulty with protoctists (e.g. Euglena is motile (animal-like) but autotrophic (plant-like); [4 max]

(c) (i) IDEA that biodiversity is about the variety of different kinds of organisms;
 BUT there are far more than hundreds of sorts of organisms / there are millions of species;

AND biodiversity is all kinds of organisms / not just animals; (independent points)

- maintaining biodiversity is important because
 IDEA of extinction is forever / once they are gone they are gone;
 Any two from it is, a source of genes for future use / medicines not yet known / foods not yet known / the means of retaining stability of ecosystems;;
- iii) argues that protected species can be successfully protected in artificial environments / zoos / botanic gardens / seed banks; argues that species can be successfully protected in controlled natural environments / conserved areas / national parks / AW; a specific, named, example of successful conservation (e.g. golden lion tamarins in zoos);

Mark straight through

[6 max]

Total: 15

5 (a) restriction (endonuclease) enzyme;

named example; e.g. EcoR1 specific, sequence of bases/point;

ref. to sticky ends/exposed bases;

[3 max]

(b) sticky ends added to insulin gene;

ref. to complimentary base pairing/C and G bases pair up;

ref. H bonds;

(DNA) ligase;

formation of phosphodiester bond/seals sugar phosphate backbone;

[3 max]

(c) identical to human insulin (ref. to bovine/porcine insulin used previously);

ref. to reduced immune response/side effects;

cheaper to produce;

more rapid response;

pure/uncontaminated;

regular production not dependent on livestock;

ethical issues:

AVP; e.g. tolerance

[2 max]

| Page 5 | Page 5 Mark Scheme S | | Paper |
|--------|----------------------|------|-------|
| | GCE A LEVEL – 2007 | 9700 | 4 |

Total: 8

6 (a) anaerobic / in absence of oxygen;

glycolysis;

IDEA OF because if it was aerobic, no ethanol / only carbon dioxide and water, would be produced;

sugar(s) / named sugar is respiratory substrate;

ethanol produced;

carbon dioxide produced;

[3 max]

(b) (i) end product not contaminated;

enzyme, more stable/less likely to be denatured;

enzyme recovery easier;

idea of enzyme being reused;

AVP; e.g. cost

[3 max]

(ii) α amylase;

more maltose produce;

use of figures;

[2 max]

Total: 8

7 (a) no petals;

no nectaries;

no scent produced;

large stigma;

feathery stigma;

to trap pollen;

stamens hang outside flowers;

flowers held on tall inflorescences;

pollen light and smooth;

[4 max]

(b) self pollination

reliable;

if plants widely scattered;

effective in harsh environments;

e.g. high mountains

max 2

cross pollination

genetic variation;

ref. outbreeding;

genes shuffled every generation;

species more likely to survive environmental change; max 2

[4 max]

Total: 8

8 (a) (i) anterior pituitary gland;

(ii) follicles in ovary; (both required)

(iii) corpus luteum (in ovary);

pituitary + ovary + ovary = 1

[3]

(b) (i) FSH is an oestrogen agonist / AW;

| Page 6 | Mark Scheme | Syllabus | Paper |
|--------|--------------------|----------|-------|
| | GCE A LEVEL – 2007 | 9700 | 4 |

FSH stimulates follicles to develop (in ovary);

as follicles grow they contain more (granulosa) cells;

(granulosa) cells secrete oestrogen;

oestrogen inhibits FSH production;

peak in oestrogen stimulates LH release;

LH triggers ovulation;

ref. hormones circulate / reach target organs, in blood;

[4 max]

(ii) rise / peak in oestrogen (before ovulation);

causes proliferation / growth of uterus lining;

rise / peak in progesterone (after ovulation);

maintains uterus lining;

IDEA OF transforms uterus lining from proliferative to secretory;

Drop in progesterone, causes uterus lining to break down / initiates menstruation; correct ref. figures e.g. oestrogen peak at 10 days / progesterone peak at 21 days;

ref. endometrium;

(c) (i)
$$\frac{4.0-2.2 \, cm^3}{4y}$$
 = 0.45; cm³ per year; (accept 1.8 cm³ per 4 years for 1 mark) [2]

(ii)
$$\frac{0.45}{2.2}$$
 = 0.20 or 0.2;; (accept errors carried forward) [2]

Total: 15

[9]

[6]

- 9 (a) Explain how a synapse functions.
 - (b) Describe the role of glucagon in regulating blood glucose.
 - (a) 1 depolarisation/action potential;
 - 2 of presynaptic membrane/synaptic knob;
 - 3 opening calcium ion channels;
 - 4 calcium ions in;
 - 5 vesicles containing transmitter/acetylcholine;
 - 6 fuse with membrane;
 - 7 contents emptied into synaptic cleft/exocytosis;
 - 8 transmitter/acetylcholine diffuses across synaptic cleft;
 - 9 transmitter/acetychloine binds to receptor; **R** protein channel
 - 10 on post synaptic membrane;
 - 11 Na⁺ channels open/NA⁺ enters;
 - 12 depolarises post synaptic membrane;
 - 13 action potential set up/impulse transmitted
 - 14 breakdown/hydrolysis of transmitter/acetylcholine by enzyme/cholinesterase; [9 max]

| Page 7 | Page 7 Mark Scheme S | | Paper |
|--------|----------------------|------|-------|
| | GCE A LEVEL – 2007 | 9700 | 4 |

- (b) 15 when blood glucose levels low;
 - 16 glucagon released from alpha cells (in pancreas);
 - 17 (acts on) liver (cells);
 - 18 breakdown of glycogen to glucose;
 - 19 use of fatty acides in respiration; R fats
 - 20 production of glucose from other compounds/fats/amino acids/gluconeogenesis;
 - 21 liver releases glucose into blood;
 - 22 glucose levels rise/return to normal;
 - 23 switching off glucagon secretion;
 - 24 antagonistic to insulin;

[6 max]

Total: 15

- **10** (a) 1 ref. continuous/discontinuous variation;
 - 2 genetic/inherited variation;
 - 3 variation in phenotype/characteristics/AW;
 - 4 (can be due to) interaction of genotype and environment;
 - 5 e.g. of characteristic that influences survival;
 - 6 ref. intraspecific competition/struggle for existence;
 - 7 those with favourable characteristics survive/AW;
 - 8 pass on favourable characteristics to offspring;
 - 9 those with disadvantageous characteristics die;

[6 max]

- (b) 10 ref. to definition of species;
 - 11 ref. allopatric;
 - 12 geographical isolation;
 - 13 ref. to examples e.g. islands/lakes/mountain chains/idea of barrier;
 - 14 ref. to example organism;
 - 15 ref. to populations prevented from interbreeding;
 - 16 isolated populations subjected to different selection pressures/conditions;
 - 17 over time sufficient differences to prevent interbreeding;
 - 18 ref. sympatric;
 - 19 ref. to reproductive isolation;
 - 20 ref. behavioural barriers (within a population);
 - 21 e.g. day active/night active;
 - 22 correct ref. to gene pool;
 - 23 change to allele frequencies;

[9 max]

Total: 15