Centre Number	Candidate Number	Name	
	General Cer	GE INTERNATIONAL EXAMINATION rtificate of Education ry Level and Advanced Level	٧S
CHEMISTRY		970	1/05
Paper 5 Pract	ical Test	October/Novembe	r 2006
	er on the Question Papales: As listed in Instruction		inutes
appropriate, in the space Write in dark blue or blac You may use a soft penci Do not use staples, pape Answer all questions. You are advised to show Use of a Data Booklet is At the end of the examina	s provided. k pen. l for any diagrams, grap r clips, highlighters, glue all working in calculatior unnecessary. ation, fasten all your wor	e or correction fluid. ns. rk securely together. he end of each question or part question.	boratory where Session aboratory
		For E	aminer's Use
		2	
		Total	
Th SP (SLM) T20656/2 © UCLES 2006	UNIVE	f 7 printed pages and 1 blank page. RSITY of CAMBRIDGE ational Examinations	[Turn over

FB 1 is a solution of sulphuric acid.
 FB 2 is 2.00 mol dm⁻³ sodium hydroxide, NaOH.

Determining the concentration of sulphuric acid by thermometric titration.

Record the temperature of each solution, taking care to wash and dry the thermometer before measuring the temperature of the second solution. Read the temperature to the nearest 0.5 °C, and record the temperature of each solution in Table 1.1. Calculate the average temperature of the two solutions.

Table 1.1

	/ °C
temperature of solution FB 1	
temperature of solution FB 2	
average temperature	

[2]

Support the plastic cup in a 250 cm^3 beaker. Use one of the measuring cylinders to transfer 40 cm^3 of **FB 2**, sodium hydroxide solution, into the plastic cup.

Replace the stopper or cover over **FB 2** to prevent any reaction of carbon dioxide in the air with the sodium hydroxide.

Using the second measuring cylinder transfer 10 cm^3 of **FB 1**, sulphuric acid, into the sodium hydroxide in the plastic cup. Stir the mixture with the thermometer and note the highest temperature obtained.

This temperature should be recorded in Table 1.2 for experiment 1.

Empty, rinse and dry the plastic cup. Repeat the experiment with the other mixtures shown in Table 1.2 and record the highest temperature reached in each mixture.


	experiment	1	2	3	4	5	6	
	volume of FB 2 / cm ³	40	35	30	25	20	15	
*	volume of FB 1 / cm ³	10	15	20	25	30	35	*
	maximum temperature / °C							

Table 1.2

For each experiment use the average initial temperature from Table 1.1 to calculate and record the temperature rise after mixing the solutions.

	experiment	1	2	3	4	5	6	
*	moles of sodium hydroxide	0.08	0.07	0.06	0.05	0.04	0.03	*
	temperature rise / °C							

© UCLES 2006



-

.....mol [1]

https://xtremepape.rs/

end-point.

3

(d) Use your answer to (c) and data from the lines in Table 1.2 marked with asterisks (*) to calculate the volume of sulphuric acid, **FB 1**, reacting at the end-point.

[1]

(e) Calculate how many moles of sulphuric acid reacted with the sodium hydroxide at the end-point.

$$2NaOH(aq) + H_2SO_4(aq) \rightarrow Na_2SO_4(aq) + 2H_2O(I)$$

[1]

(f) Calculate, in mol dm⁻³, the concentration of the sulphuric acid in **FB 1**.

[1]

Determining the enthalpy change for the reaction $H^+(aq) + NaOH(s) \rightarrow H_2O(I) + Na^+(aq)$

Empty, rinse and dry the plastic cup used in the first part of the question. Using a measuring cylinder transfer 50 cm^3 of **FB 1** into the cup. When the temperature is steady, record its value in Table 1.3.

Weigh the tube labelled **FB 3** which contains solid sodium hydroxide. Record the mass in Table 1.3. Tip the contents of the tube into the plastic cup, stir, and record the highest temperature achieved in Table 1.3.

Weigh the empty tube and record its mass in Table 1.3.

Table	1	.3
-------	---	----

initial temperature of FB 1 / °C	
maximum temperature after mixing FB 1 and FB 3 / °C	
mass of tube + FB 3 / g	
mass of empty tube / g	

Complete the table by calculating the temperature rise and mass of FB 3 added.

temperature rise / °C	
mass of FB 3 added / g	

5

energy released

- [1]
- (h) Use data from Table 1.3 and your answer to (f) to calculate which of sodium hydroxide or sulphuric acid is in excess. If you are unable to obtain a value in (f) use 1.50 mol dm⁻³ as the concentration of the sulphuric acid.

$$2NaOH(s) + H_2SO_4(aq) \rightarrow Na_2SO_4(aq) + 2H_2O(l)$$

[A_r: Na, 23.0; O, 16.0; H, 1.0]

..... is in excess.

[1]

(i) Calculate the enthalpy change, ΔH , for the following reaction.

 $H^+(aq) + NaOH(s) \rightarrow H_2O(I) + Na^+(aq)$

 $\Delta H = \dots kJ \, \text{mol}^{-1}$ [1]

[Total: 20]

2 ASSESSMENT OF PLANNING SKILLS

A sample of a mineral is found, on analysis, to contain the four elements, carbon, copper, hydrogen and oxygen.

The mineral is believed to be **either** azurite, 2CuCO₃.Cu(OH)₂

or malachite, CuCO₃.Cu(OH)₂

Both of these minerals decompose on heating to form copper(II) oxide (CuO), carbon dioxide and water vapour.

(a) Complete the equation, including state symbols, for the thermal decomposition of each mineral.

azurite $2CuCO_3.Cu(OH)_2(s) \rightarrow$

malachite $CuCO_3.Cu(OH)_2(s) \rightarrow$

- [2]
- (b) Using **only** a chemical balance, a boiling-tube and a Bunsen burner, outline **all** the steps, in the correct order, that you would take to determine if the sample was azurite or malachite.

DO NOT CARRY OUT YOUR PLAN

	а	
	b	
	с	
	d	
	е	
[5]		

(c)	7 Using the equations you have written in (a), explain by calculation, how you would	Exa	For aminer's Use
	process your experimental results to show if the sample of mineral was azurite or malachite.		
	[<i>A</i> _r : C, 12.0; Cu, 63.5; H, 1.0; O, 16.0]		
		f	
		g	
	[2]		
(al)			
(a)	If additional apparatus was available, what further measurement could be made during the thermal decomposition to confirm the identity of the mineral?		
	[1]		
	[Total: 10]		

BLANK PAGE

8

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.