CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Level

MARK SCHEME for the October/November 2013 series

9701 CHEMISTRY

9701/51

Paper 5 (Planning, Analysis, Evaluation), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	51

Question	Expected Answer	Mark
1 (a) (i)	(The temperature would) decrease	
	The lattice enthalpy is more negative/exothermic than the (sum of the) enthalpies/energies of hydration.	
(ii)		
	temperature change change conc	2
	OR	
	25°C conc 25°C temperature temp	
	conc	
	OR ecf from 1(a)(i)	
	See to compare the set of the set	
	The most transport of the control of	
	Description .	

Page 3	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	51

(b) (i)	concentration/concentration change		
(ii)	temperature change/decrease in temperature (allow ecf on (a)(i))		
(c)	Diagram shows a container labelled with its capacity (between 25 cm ³ and 250 cm ³) and with the thermometer in a solution.	1	
	The apparatus is insulated and has a lid.	1	
	Thermometer range must include 25 °C and with a precision of between 0.1 °C and 0.5 °C.	1	
(d)	A minimum of 5 workable experiments using masses or concentrations.	1	
	Measures initial and final temperatures.	1	
	Measures a volume of water AND the volume of water will fit into container labelled in (c) .	1	
	States a mass which is the maximum for a volume of water stated.	1	
(e)	Ammonium nitrate may cause a fire/explosion so must not be ground up OR dilute to less than 0.5 mol dm ⁻³ before disposal.	1	
(f)	Columns must include units: Mass of ammonium nitrate used / any mass unit Volume / mass of water used / any volume or mass units Initial temperature / °C Final temperature / °C Temperature fall / change in temperature / °C Concentration of ammonium nitrate / any concentration units		
	Four columns correct Five or six columns correct	1 1	
		[Total: 15]	

Page 4	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	51

(a)	F	G	H solubility	
	D–C / g	C–B / g	[(F×100)] / G / g/	
			100 g	
	1.25	25.00	5.00	
	1.25	20.00	6.25	
	5.00	25.00	20.00	
	7.76	19.40	40.00	
	11.11	23.00	48.30	
	11.75	25.00	47.00	
	9.62	21.00	45.81	
	9.10	20.00	45.50	
	11.25	25.00	45.00	
	13.35	30.00	44.50	
	_	n calculating the solub	oility is given correctly with	1
	units.			1
	All data is to 2 decimal	places Allow 1 error		
	7 iii data io to 2 dooimai	piacoc. 7 movi i circi.		1
	Data in final column is o	correct. Allow 1 error in	n computation.	•
(b)	The x-axis must start at	zero and be labelled	'temperature / °C' OR T /	
	°C and <i>y</i> -axis as 'solubility (of sodium sulfate) g/100g'.			
	Plotted points must cover at least half the grid in both directions.			1
	All 10 points plotted correctly.			1
	First (left-hand) curve is	smooth passing thro	ugh (or extremely close to)	
	all the points and does			
	incorrect point. Curve intersects with a second curve at or above the			
	candidate's solubility for experiment 5.			1
	Second curve (right har			
	, .	and does not deviate to	o accommodate a mis-plot	
	or incorrect point.			1
(c)	the temperature is read correctly		1	
` ,	the solubility is read cor	rectly		1
(d) (i)	Cross is on the 40 g / 10	00 g line and to the rig	ht of the point plotted at	
(*) ()	30°C.	3	, , , , , , , , , , , , , , , , , , ,	1
(ii)	Transition temperature	would be higher as in	tersection of curves would	
	be at a higher temperat			1
		·		
(e)	Solubility is 47.6 (g / 10	0g)		1

Page 5	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – October/November 2013	9701	51

(f)	Na ₂ SO ₄ .10H ₂ O endothermic because solubility increases with increasing temperature (or reverse argument) Na ₂ SO ₄ exothermic because solubility decreases with increasing temperature (or reverse argument)	
	For endothermic and exothermic correctly assigned For providing the correct reasons	1 1
		[Total: 15]