

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Level

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
COMPUTING		9691/31
Paper 3		October/November 2012
		2 hours
Candidates ans	swer on the Question Paper.	
No additional m	naterials are required.	
No calculators	allowed.	

## READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

## Answer all questions.

No marks will be awarded for using brand names for software packages or hardware.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 15 printed pages and 1 blank page.



1	(a)	In d	latabase design:	For
		(i)	Describe what is meant by a <b>foreign key</b> .	Use
			[2]	
		(ii)	Explain how keys are used to implement a one-to-many relationship between the two entities X and Y shown below:	
			Entity X Entity Y	
			[3]	

https://xtremepape.rs/

's

(b) A company has a number of products for sale and receives orders from customers. For Examiner's Use Customers are given a CustomerID and other customer data are recorded Each product has a ProductID and other product data are recorded Over a period of time a customer will place many orders, and each product can appear on many customer orders You should assume: all orders are for one product only, 0 on any given day a customer will place at most one order. 0 A table description can be expressed as: TableName (Attribute1, Attribute2, Attribute3, ...) The primary key is indicated by underlining one or more attributes. (i) Describe the given data model by adding two attributes to the Customer table and two attributes to the Product table. Customer(<u>CustomerID</u>, \_\_\_\_\_, ) Product(ProductID, \_\_\_\_\_, \_\_\_\_) [2] (ii) Give the attributes for the Order table, showing the primary key. You should **not** create an OrderID for this table. Order(\_\_\_\_\_, \_\_\_\_, \_\_\_\_, \_\_\_\_, \_\_\_\_) [2] (c) In database design, unnecessary data duplication should be avoided. Explain, using an example, what is meant by data duplication. [2] .....

2	(a)	Bin	ary representation is used for many different data values.	For
		Cor	nsider the binary pattern 1001 0100	Examiner's Use
		Wh	at is its value if it represents:	
		(i)	an 8-bit two's complement integer?	
			[1]	
		(ii)	a binary coded decimal (BCD) number?	
			[1]	
	(b)	A c bits exp	omputer system stores real numbers in floating point format with 12 bits. The first 8 are the mantissa and the final 4 bits the exponent. Both the mantissa and the onent use two's complement format.	
		Cor	nsider the binary pattern 0100 1010 0111	
		(i)	What is the exponent in denary?	
			[1]	
		(ii)	What real number is being represented? (Show your working.)	
			[2]	

(c)	An	attempt at representing 16 ½ gave the binary pattern:		For Examinar's
	0010 0001 0110			Use
	whi	ch correctly represents 16 ½ but is <b>not</b> in normalised form.		
	(i)	What is the normalised form for 16 $\frac{1}{2}$ ?		
			[2]	
	(ii)	Explain why normalised form should be used for floating point representation.		
			[1]	

Mos	t modern computers are designed using Von Neumann architecture.
(a)	Describe what is meant by Von Neumann architecture.
	[2]
(b)	The sequence of operations below shows the fetch stage of the fetch-execute cycle in register transfer notation.
	1. MAR $\leftarrow$ [PC]
	2. $PC \leftarrow [PC] + 1$ 3. $MDR \leftarrow [[MAR]]$
	4. $CIR \leftarrow [MDR]$
	Note:
	<ul> <li>[register] denotes the contents of the specified register</li> <li>Step 1 above is read as 'The contents of the Program Counter are copied to the Memory Address Register'.</li> </ul>
	(i) Explain what is happening at step 2.
	[1]
	(ii) Explain what is happening at step 3.
	[1]
(	iii) Describe the <b>two</b> remaining steps needed to complete the fetch-execute cycle.

6

(c) A processor will allow the use of a variety of modes of addressing.Explain these terms, using an example in each case. You may wish to illustrate your answer with a diagram.

an		
(i)	Direct addressing	
		[2]
(ii)	Indirect addressing	
		[2]
(iii)	Indexed addressing	
		[2]

For Examiner's

Use

4	Two an i	o types of software which are used to translate high-level programs are a compiler and interpreter.	For Examiner's Use
	(a)	Explain how an interpreter executes a high-level language program.	
		[3]	
	(b)	State <b>two</b> advantages of using a compiler rather than an interpreter.	
		1	
		2[2]	
	(c)	Describe what happens during the lexical analysis stage of translation.	
		[3]	
	(d)	Explain what is meant by code optimisation.	
		[2]	

8

9

5 (a) Describe the operation of a stack data structure	
--	--

[1]

(b) A stack is to be implemented to store data using the following variables.

Identifier	Data Type	Description
MyStack	ARRAY[100]: STRING	Stores the data values
TopOfStack	INTEGER	Stores the index position of the item
		currently at the top of MyStack
NewItem	STRING	Stores a data value to be added to
		MyStack

The diagram shows the state of MyStack and TopOfStack after three values were inserted (Owl, Lion and Tiger), a value was deleted, then the value Leopard inserted.



Inserting and deleting a single item to/from the stack are to be implemented with two procedures PushToStack and PopFromStack respectively.

Shown below is the incomplete pseudocode for the PushToStack procedure. Using the variables given above, fill in the missing code.

PROCEDURE PushToStack



For Examiner's Use

(c) Describe an application in the operation of a computer system where a stack data structure would be required.

For Examiner's Use

[3]

- **6** The operating system for a computer which supports multiprogramming will have several programs loaded into main memory at any one time. Segmentation is used to manage main memory.
  - (a) (i) Describe how main memory is managed when a program terminates.

(ii) Describe how the operating system will decide where in main memory to load a new program. [2]

(b)	A p prio	processor is capable of receiving and handling interrupts. Each interrupt has a prity.
	(i)	Describe what is meant by an interrupt.
		[2]
	(ii)	State <b>two</b> possible sources of an interrupt. Give a reason for each.
		Source 1
		Reason
		Source 2
		Reason
		[4]
	(iii)	Describe the sequence of steps the processor would carry out after receiving an
		interrupt.
		interrupt.
		interrupt.

For Examiner's Use 7 (a) Describe two different media used for the transmission of data across a wide area network.

For Examiner's Use

1	
2	[4]
	[4]

- (b) A company has three retail shops Shop A, Shop B and Shop C located in different towns.
  - Shop A has a Local Area Network (LAN) consisting of five computers.
    - A file server on this network (ServerX) contains all the administration and order processing data for all three shops.
    - A second file server (ServerY) authenticates all logons.
  - Shop B and Shop C each have a single computer which connect to the network of Shop A.

The shops are connected over a Wide Area Network (WAN) using a star topology.

Complete the diagram showing the additional hardware needed for this LAN and WAN.



Shop B





Shop C

[4]

(c)	) The LAN in Shop A is to be expanded to 40 computers. The computers are to be organised as two network segments.		
	Wha	at additional hardware is required? Explain its purpose.	
	Har	dware	
	Explanation		
		[2]	
(d)	The	management is considering setting up a company intranet.	
	(i)	Describe <b>two</b> benefits to the company that an intranet could provide.	
		1	
		-	
		2	
		[2]	
	(ii)	Intranet content will be viewed with browser software available on all computers.	
		Name the type of file server used to make the intranet pages available.	
		[1]	

https://xtremepape.rs/

For Examiner's Use

ChangeString(ThisString1: String, ThisString2: String) RETURNS String				
will return the String value ThisString2 <space>first character of ThisString1</space>				
For Example:				
ChangeString("Ben", "Pollard") will return "Pollard B"				
If the function is not properly formed an error is generated.				
(i) State the function identifier and parameters for the above function.				
Function identifier				
Parameters				
[2]				
What value is returned from the following function calls?				
<pre>(ii) ChangeString("Wesley", "Lyons")</pre>				
[1]				
(iii) ChangeString("923", "SMITH")				
[1]				
(iv) ChangeString("Zawinal")				
[1]				
(b) Describe two similarities between a user-defined function and a procedure.				
1				
2				
[2]				

(a) A high-level programming language has the following built-in function ChangeString defined as follows:

https://xtremepape.rs/

8

9	(a)	Many high-level languages use a procedural paradigm.	For
		Explain the term procedural programming language.	Examiner's Use
		[2]	
	(b)	Some high-level languages use a declarative paradigm. The clauses 1 to 12 show some of the facts to be implemented with a declarative programming language. Clause 13 is a rule which uses variable X.	
		<pre>1. car(a1). 2. car(a2). 3. car(a3). 4. part(motorA). 5. part(motorB). 6. part(gearbox1). 7. part(gearbox2). 8. supplier_part(motorA, dealerD). 9. supplier_part(gearbox1, thirdpartyE). 10. combination(gearbox1, a1). 11. combination(motorA, a2). 12. combination(motorB, a2). 13. guaranteed_part(X) IF part(X) AND supplier_part(X, dealerD). Note: car(a1) means al is a car. supplier_part(motorA, dealerD) means motorA is supplied by dealerD.</pre>	
		(i) Write a new clause for each of the following facts:	
		There is a car 'zx6'.	
		14.	
		'gearbox2' is a part required for the 'a3' car.	
		16	
		(ii) Explain the rule given by clause 13	
		[1]	

https://xtremepape.rs/

## **BLANK PAGE**

16

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2012