

Cambridge International AS & A Level

INFORMATION TECHNOLOGY

9626/04

Paper 4 Advanced Practical

February/March 2023

MARK SCHEME
Maximum Mark: 90

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the February/March 2023 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of 15 printed pages.

© UCLES 2023 [Turn over

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit
 is given for valid answers which go beyond the scope of the syllabus and mark scheme,
 referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these
 features are specifically assessed by the question as indicated by the mark scheme. The
 meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2023 Page 2 of 15

Task	Answer	Marks
See Task 1 be	low for examples of graphics.	
Rocket Body	Body – curved, smooth symmetrical sides, fatter middle, horizontal bottom	1
*	Body – light grey/blue	1
	Body – Darker shading on right fits body cleanly	1
Rocket cone	Cone – peaked not sharp, symmetrical, bottom horizontal, fits cleanly	1
<u></u>	Cone – 5 dark circular rivets, 3 sizes in correct positions	1
Rocket door	Door shape – outline fits body cleanly – no gap/overlap	1
	Door – 3 dark circular rivets equal size, in line, spaced evenly	1
Rocket	Window – concentric circular rims, darker fill, black outline	1
window	Window – light blue fill	1
	Window – pale lens flare added – correct position	1
Rocket seam	Seam – vertical/straight, not through window, line matches/meets cone	1
	Seam – 7 dark circular rivets equal size, 2/5 split, in line, spaced evenly	1
Rocket Fins	Fins – Right/Left identical, red fill/black line, meets body – in correct place	1
	Fins – central fin shape/same colour, line/elbows/tops in line	1
	Fins – aligned at foot – All 3	1

© UCLES 2023 Page 3 of 15

Task	Answer	Marks
Rocket	Thruster – correct size/shape	1
thruster	Thruster – fits body – colour/outline, 4 complete even divisions	1
Rocket Flame	Flame – correct 3 colours – Rust/Orange/Yellow	1
manue 20	Flame – Outer (only) has thin Black outline Correct symmetrical shape	1
50 100 100 100 100 100 100 100 100 100 1	Flame – meets neatly and fills thruster – all of mid fin visible	1
	Available marks	20

Task	Answer	Marks
See task 2 belo	ow for animation screenshots	
Stage	Stage – set to 400px by 900px	1
	Stage – Set to dark blue	1
	Stage – stars added in correct position	1
	Stage – all 4 stars remain static throughout	1
	Stage – Gantry added at bottom – remains static throughout	1
Rocket entry	Rocket – entry point – from left – above halfway	1
and ascent	Rocket – orientation – smooth angle to upright during path to the top	1
	Rocket – path to top – 1 movement	1
	Rocket – time to top 1 second	1
	Rocket – partly offstage at the top	1
	Rocket – passes in front of the stars	1

© UCLES 2023 Page 4 of 15

Task	Answer	Marks
Rocket	Rocket – change to a bigger flame during descent stage 1	-
descent	Rocket – change to 3 flames only during descent stage 2	
	Rocket – flame 3 parts are the correct size/shape – maintains size/shape/position	
	Rocket – single flame on landing – must stay – flame must have changed from 3 parts	
	Rocket – single flame duration 1sec after landing – independent	
	Rocket – flame changes (to off) only after landing – the rocket must remain	
	Rocket – descent path is vertical/smooth – the fins meet the ground at the 1st stop	
	Rocket – descent to landing time is 4 seconds – Must land and be static	
Rocket	Rocket – remains the same size throughout	
landing	Stage – Gantry – the rocket is positioned to the right – Covered but no overlap to the left	
	Stage – Gantry – Rocket proportions – the cone is at the top gantry level – (if fully landed)	
	Stage – the gantry is in front of the rocket	
	Animation – The animation does not loop	
	Animation – There is no background reset (stars/gantry move) at any time	
	Available marks	25

Task	Answer	Marks
See task 3 bel	ow for spreadsheet screenshots and formulae	
3(a)	Names -Workbook and 1st worksheet are named correctly (SalesData, SelectPeriod)	1
	Names – 3 ranges are named correctly (data, day, times)	1
	Dropdown Menu – there are the 3 correct options (Morning, Afternoon, All day)	1
	Formulae – an absolute reference is used for \$J\$4	1
	Results – All results are correct for Morning (40, 38, 41,43,36)	1
	Results – All results are correct for Afternoon (19, 19, 18, 17, 12)	1
	Results – All results are correct for All day (59, 57, 59, 60, 48)	1
3(b)	Names – the 2nd worksheet is named correctly – (SelectDay) – Not as a new workbook	
	Worksheet- Cells A1:G14 (only) are copied from the Select Period worksheet	1
	A new table is created (I:K) and formatted correctly (centring, fill, bold, colours, gridlines)	1
	Dropdown Menu – there are the 5 correct options (Mon, Tue, Wed, Thu, Fri)	1
	Results – correct for Mon (40, 19, 59)	1
	Results – correct for Tue (38, 19, 57)	1
	Results – correct for Wed (41, 18, 59)	1
	Results – correct for Thurs (43, 17, 60)	1
	Results – correct for Fri (36, 12, 48)	1

Task	Answer	Marks
3(c)	Names – the 3rd worksheet is named correctly – (SelectAll)	1
	A new table is created (I:K) and formatted correctly (centring, fill, bold, colours, gridlines)	1
	Dropdown Menu for Day has the correct 5 options	1
	Dropdown Menu for time period has the correct 3 options	1
	Results – correct for each day Morning (40, 38, 41, 43, 36)	1
	Results – correct for each day Afternoon (19, 19, 18, 17, 12)	1
	Results – correct for each day All day (59, 57, 59, 60, 48)	1
	Formulae – Efficiency – e.g. All Nested IF()s have 2 levels only	1
	Formulae - Efficiency - e.g. SUMIF()/SUMIFS() and IFS() are used	1
	Available marks	25


Task Answer Marks See task 4 below for JavaScript and results 4 1 Button click populates all total cells 1 Button click totals sales correctly Selection button blanks entries or sets cells to zero 1 Selection button blanks page fully – both entries and totals blanked 1 1 Page is fully refreshed – accepts new entries 1 <Script> tags correct, in <head> or <body> onclick condition added to Button code/calls function() for totals -1 (original line 99) function() for totals created – Any name but must match the onclick name 1 Variables created for – total for am – total for pm – final total 1 am8:pm12 ids, pm1:pm5 ids are used 1 1 Valid method to convert to numerical values – e.g. .values *1, parseInt(), number() 1 document.getElementById used to display the results document.getElementByld(amtotal) used 1 document.getElementById(pmtotal) used 1 document.getElementById(total) used 1 .innerhtml=morning/afternoon/total their variables used 1 onchange/onclick condition added to Day Selection code - (original line 1 25) onchange calls a function() for clearing the form 1 function() for clearing form is created – the names must match 1 Valid method to create null values for all variables - e.g. value="" 1 20 **Available marks**


Task 1 – graphics

Body	Cone	Door	Window
Section of the sectio			
Body – curved, smooth symmetrical sides, fatter middle, horizontal bottom Body – light grey/blue Body – Darker shading on right fits body cleanly	Cone – peaked not sharp, symmetrical, bottom horizontal, fits cleanly Cone -5 dark circular rivets, 3 sizes in correct positions	Door shape – outline fits body cleanly – no gap/overlap Door – 3 dark circular rivets equal size, in line, spaced evenly	Window – concentric circular rims, darker fill, black outline Window – light blue fill Window – pale lens flare added – correct position
Seam	Fins	Thruster	Flame
			10 10 10 10 10 10 10 10 10 10 10 10 10 1
Seam – vertical/ straight, not through window, line matches/meets cone Seam – 7 dark circular rivets equal size, 2/5 split, in line, spaced evenly	Fins – Right/Left identical, red fill/black line, meets body – in correct place Fins – central fin shape/same colour, line/elbows/tops in line Fins – aligned at foot – All 3	Thruster – correct size/shape Thruster – fits body – colour/outline, 4 complete even divisions	Flame – correct 3 colours- Rust/Orange/Yellow Flame – Outer (only) has thin Black outline – Correct symmetrical shape Flame – meets neatly and fills thruster – all of mid fin visible

© UCLES 2023 Page 9 of 15

Task 2 - Animation






Note:

- Rocket entry point from left – above halfway
- Rocket partly offstage at the top
- Rocket change to a bigger flame during descent stage 1
- Rocket change to 3 flames only during descent stage 2
- Rocket single flame on landing
- Rocket flame change (off) only after landing – rocket must remain
- Rocket remains the same size throughout
- Stage Gantry Rocket positioned to right – Covered but no overlap to left
- Stage Gantry Rocket proportions – cone at top gantry level – (if fully landed).

© UCLES 2023 Page 10 of 15



© UCLES 2023 Page 11 of 15





_ A	В	С	D	E	F	G	ŀ
3							
4		Mon	Tue	Wed	Thu	Fri	
5	8 AM	8	10	12	12	10	
6	9 AM	9	10	10	11	9	
7 Morning	10 AM	8	6	5	7	6	
8	11 AM	7	6	5	5	4	
9	12 PM	8	6	9	8	7	
10	1 PM	10	11	8	9	7	
11	2 PM	2	4	4	6	5	
12 Afternoon	3 PM	2	0	2	0	0	
13	4 PM	3	4	3	2	0	
14	5 PM	2	0	1	0	0	
15							
16 ← →	SelectF	eriod S	electDay	SelectAll	Sheet1	+	
Ready							

	Day
Mon	Sales
Morning	=SUMIF(times,"<=12:00",INDEX(data,,MATCH(J4,days,0)))
Afternoon	=SUMIF(times,">12:00",INDEX(data,,MATCH(J4,days,0)))
All Day	=SUM(INDEX(data,,MATCH(J4,days,0)))

Day		
Mon Sales		
Morning	40	
Afternoon	19	
All Day	59	

Day		
Tue Sales		
Morning	38	
Afternoon	19	
All Day	57	

Day		
Wed Sales		
Morning	41	
Afternoon	18	
All Day	59	


Day		
Thu	Sales	
Morning	43	
Afternoon	17	
All Day	60	


Day			
Fri Sales			
Morning	36		
Afternoon	12		
All Day	48		

3b	Names – the 2 nd worksheet is named correctly - (SelectDay) - Not as a new workbook	1		
	Worksheet- Cells A1:G14 (only) are copied from the Select Period worksheet	1		
	A new table is created (I:K) and formatted correctly (centring, fill, bold, colours, gridlines)			
	Dropdown Menu - there are the 5 correct options (Mon, Tue, Wed, Thu, Fri)			
	Results - correct for Mon (40, 19, 59)			
	Results - correct for Tue (38, 19, 57)			
	Results - correct for Wed (41, 18, 59)			
	Results - correct for Thurs (43, 17, 60)			
	Results - correct for Fri (36, 12, 48)	1		
	 	-		

© UCLES 2023 Page 12 of 15

Task 3(c)





	Mon	Tue	Wed	Thu	Fri
Morning	40	38	41	43	36
Afternoon	19	19	18	17	12
Whole day	59	57	59	60	48

	1		
3с	Names – the 3 rd worksheet is named correctly - (SelectAll)	1	
	A new table is created (I:K) and formatted correctly (centring, fill, bold, colours, gridlines)	1	
	Dropdown Menu for Day has the correct 5 options		
	Dropdown Menu for time period has the correct 3 options		
	Results - correct for each day Morning (40, 38, 41, 43, 36)		
	Results - correct for each day Afternoon (19, 19, 18, 17, 12)		
	Results - correct for each day All day (59, 57, 59, 60, 48)		

All day		Mon			
Sales		=IF(\$J\$4="Morning",SUM(C5:C9),IF(\$J\$4="Afternoon",SUM(C10:C14),SUM(C5:C14))			
	Day				
Thu	Thu Sales				
Morning	=IFUS="Moming",SUMIF(times,"<=12:00",INDEX(data,,MATCH(\$154,days,0))),IFUS="Afternoon",SUMIF(times,">12:00",INDEX(data,,MATCH(\$154,days,0))),SUM(INDEX(data,,MATCH(\$154,days,0))))				

= IF(J5 = "Morning", SUMIF(times, "<=12:00", INDEX(data,, MATCH(\$J\$4, days, 0))), IF(J5 = "Afternoon", SUMIF(times, ">12:00", INDEX(data,, MATCH(\$J\$4, days, 0)))), SUM(INDEX(data,, MATCH(\$J\$4, days, 0)))))

	Available marks	25
	Formulae - Efficiency - e.g. SUMIF()/SUMIFS() and IF()/IFS() are used	1
	Formulae - Efficiency - e.g. All Nested IF()s have 2 levels only	1

© UCLES 2023 Page 13 of 15

Task 4 - JavaScript

Tawara UK (Trial) Sales Recording form

Please complete all the information daily

Sales for (Select day)

Monday ~

Please enter the morning sale numbers here

8am	9am	10am	11am	12pm
11 🗘	4	6 0	1 0	13

Please enter the afternoon sale numbers here

1pm	2pm	3pm	4pm	5pm
10 0	9 🗘	3 0	3 0	1 0

Afternoon Sales figures	Total Sales figures
26	61

Click to total the sales

After new selection of the day

Tuesday 🗸

Please enter the morning sale numbers here

	8am	9am	10am	11am	12pm
ſ	0	0	0	0	0

Please enter the afternoon sale numbers here

1pm	2pm	3pm	4pm	5 pm
0	0	0	0	0

Morning Sales figures	Afternoon Sales figures	Total Sales figures

4	Button click populates all total cells	
	Button click totals sales correctly	1
	Selection button blanks entries or sets cells to zero	
	Selection button blanks page fully – both entries and totals blanked	1
	Page is fully refreshed - accepts new entries	1

© UCLES 2023 Page 14 of 15

PUBLISHED

Task4 – JavaScript <h2><button style="font-size:24px; height:50px; width:300px"; Click to total the sales </button></h2> <script> onclick condition added to Button code/calls function() for totals - (original line 99) 1 <Script> tags correct, in <head> or <body> 1 function totals() var morning = am8.value*1+am9.value*1+am10.value*1+am11.value*1+pm12.value*1; var afternoon = pm1.value*1+pm2.value*1+pm3.value*1+pm4.value*1+pm5.value*1; var total = morning+afternoon; function() for totals created - Any name but must match the onclick name Variables created for - total for am - total for pm - final total 1 am8:pm12 ids, pm1:pm5 ids are used 1 Valid method to convert to numerical values - e.g. .values *1, parseInt(), number() 1 document.getElementById("amtotal").innerHTML = morning; document.getElementById("pmtotal").innerHTML = afternoon; document.getElementById("total").innerHTML = total; 1 document.getElementById used to display the results document.getElementByld(amtotal) used 1 document.getElementById(pmtotal) used 1 document.getElementById(total) used 1 .innerhtml=morning/afternoon/total their variables used 1 <select name="day" id="day" onchange="clearform()"> onchange/onclick condition added to Day Selection code - (original line 25) 1 onchange calls a function() for clearing the form 1 function clearform() am8.value="";am9.value="";am10.value="";am11.value="";pm12.value="";pm1.value=""; pm2.value="";pm3.value="";pm5.value=""; window.location.reload()

function() for clearing form is created - the names must match	1
Valid method to create null values for all variables - e.g. value=""	1

Available marks	20
-----------------	----

© UCLES 2023 Page 15 of 15