

---

**INFORMATION TECHNOLOGY**

**9626/31**

Paper 3 Advanced Theory

**May/June 2018**

MARK SCHEME

Maximum Mark: 90

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

---

IGCSE™ is a registered trademark.

This document consists of **11** printed pages.

**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

the specific content of the mark scheme or the generic level descriptors for the question  
the specific skills defined in the mark scheme or in the generic level descriptors for the question  
the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate  
marks are awarded when candidates clearly demonstrate what they know and can do  
marks are not deducted for errors  
marks are not deducted for omissions  
answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Question	Answer	Marks
1	<p><b>Four from:</b></p> <p>Open master document/letter Insert (new) merge field at appropriate position</p> <p><i>Either:</i> Insert SKIPIF merge command/skip record if Select merge field 'email' Set comparison to 'is blank'/not present.</p> <p><i>Or, if attempt at writing a merge field, max 2:</i></p> <p><i>The mergefield formula is: {SKIPIF {MERGEFIELD email field} = "" }</i></p> <p><i>Marks awarded :</i> {SKIPIF = "" } {MERGEFIELD email field}</p>	4

Question	Answer	Marks
2(a)	<p><b>Two from:</b></p> <p>(The data type is) hard-coded/built-in Cannot be altered/is fixed Have no additional properties.</p>	2
2(b)	<p><b>Three from:</b></p> <p>String is a series of characters Number is any number, with or without decimal places Boolean has only two possible values, true or false Undefined is a variable without a value Null is 'nothing' but it is still an object in JavaScript, it is usually empty Symbol has a unique identifier, is static.</p>	3

Question	Answer	Marks
3	<p><b>Four from:</b></p> <p>Use a (suitable) name ... that is not a reserved word Declare the variable with 'var' (command word) Declared once only in the script/code Use as global or local variable but not both Initialise the variable with a value Do not use quotes around the variable name.</p>	4

Question	Answer	Marks
4(a)	<p><b>Four from:</b></p> <p>The purpose of the software and its intended audience  The functions and capabilities of the software to be developed  The operational/user environment in which it will/should be used  The user interfaces to be used  The hardware interfaces that will be needed/hardware requirements  The software interfaces/interfaces to other software that will be needed  Communication protocols/interfaces  The performance levels of the software  The structure of the data elements to be used/developed  The reliability of the software  The security and privacy systems to be used  The safety systems/backup protocols/systems/methods to be used  The constraints/limitations of the software.</p>	<b>4</b>
4(b)	<p><b>Four from:</b></p> <p>To be part of the contract between the developers and the end user/purchaser/commissioning company  To provide a mandate/terms of reference for the design and development of the software/contain all the information to define the function of the new software  To provide a list of (testable) design criteria for the software/features to be included in the software  To list what the user expects the new software to be able to do  To ensure that all mandatory features (e.g. accessibility options) are included  To rank the features (required by end user) in order of mandatory, desirable, optional and possible future developments  To provide a set of success criteria against which the software can be tested/evaluated.</p>	<b>4</b>
4(c)	<p><b>One from:</b></p> <p>The wrong user may have been chosen so the user requirements are not accurate  The user requirements may change during the development cycle/lifetime of the project so the project becomes more complex/'mission creep'.</p>	<b>1</b>

Question	Answer	Marks
5	<p>This question to be marked as a Level of Response.</p> <p><b>Level 3 (7–8 marks)</b></p> <p>Candidates will discuss in detail, giving both benefits and drawbacks, of the use of the use of satellite technology in global positioning systems (GPS). The information will be relevant, clear, organised and presented in a structured and coherent format. There will be a reasoned conclusion/opinion. Subject specific terminology will be used accurately and appropriately.</p> <p><b>Level 2 (4–6 marks)</b></p> <p>Candidates will explain the use, giving a benefit and drawback, of the use of satellite technology in global positioning systems (GPS). For the most part, the information will be relevant and presented in a structured and coherent format. There may be a reasoned conclusion/opinion. Subject specific terminology will be used appropriately and for the most part correctly.</p> <p><b>Level 1 (1–3 marks)</b></p> <p>Candidates will describe, with a least one benefit/ drawback, of the use of the use of satellite technology in global positioning systems (GPS). Answers may be in the form of a list. There will be little or no use of specialist terms.</p> <p><b>Level 0 (0 marks):</b> Response with no valid content.</p> <p><i>Answers may make reference to e.g.:</i></p> <p><i>Benefits include:</i> Access to satellite signals is available over most of surface of earth unlike signals from terrestrial transmitters Transmission of GPS signals is not dependent on political boundaries Satellite signals are accessible over oceans where terrestrial transmissions are difficult to receive due to the long distances from land Signals are available to anyone who wishes to use them (unless switched off by operator of satellite) Satellites are vandal-proof/ inaccessible to those who would physically attempt to disrupt their function</p> <p><i>Drawbacks include:</i> Requires a large number (c.25 to 35) of satellites to be in orbit to provide adequate coverage of terrain Cannot easily be repaired if malfunctioning Requires at least 3, preferably 4, satellites to be visible to / received by GPS receiver to achieve reliable/accurate positioning Satellite signals are blocked by solid objects/buildings/in tunnels/trees/dense clouds/ snow storms so, in these circumstances, GPS receivers may... ...fail to provide locations ...may provide erroneous locations.</p>	8

Question	Answer	Marks
6	<p><b>Five from:</b></p> <p><i>Choice of CPU: CPU 1</i>            Reference to CPU 1 running JavaScript faster than CPU 2            Tablets are often used to view web pages            Reference to CPU 1 having higher/better score on graphics performance than CPU 2            As tablets are often used to view video/movies            Reference to CPU 1 having higher/better score on physics calculation performance than CPU 2            Reference to CPU 1 having a worse/poorer physics calculation performance than its graphics performance            ...which does not really matter in this context/use            As tablets are not used for/do not need to carry out 'heavy'/intensive gaming/complex modelling.</p>	5

Question	Answer	Marks
7	<p><b>Six from:</b></p> <p>Accept/parse input from user            Check for a (single) space            Check that the characters are all alphanumeric/there are no non-alphanumeric characters (apart from the space)            Check that all letters are in upper case            (Separate and) check the first two characters of outward section/area code are letters            ...and remainder of outward section/district code is '1 number' or '1 number + 1 letter'            (Separate and) check the inward section is in format '1 number + two letters'/check (sector code) is a number followed by two letters (for Unit code)            Use of length check to ensure that there are no more than 8 characters and no less than 7.</p>	6

Question	Answer	Marks
8	<p><b>Eight from:</b></p> <p><i>Advantages:</i>  Eliminates the ‘researcher effect’/Hawthorne Effect where the presence of a researcher may affect the observed data  May provide a larger sample for analysis  Provides access to data that may be inaccessible in any other way e.g. people may be unwilling to discuss/mention details  Cost of the research is relatively low compared to other methods of gathering data  Documentation may be highly detailed containing vast repositories of data gathered over long periods of time/tracking over time/previous observations/questionnaires  Documentation may contain spontaneous comments of recorders e.g. personal feelings/comments/observations/notes that give greater insight into the operations of a company/stock control system</p> <p><i>Disadvantages:</i>  Can be subjective/based on views of the researcher  Can be time-consuming compared to other methods of gathering data  Documents are not usually designed for research purposes so may be difficult to comprehend/follow by researcher  Documentation may be incomplete as documents can be misfiled/lost over time  Documentation can vary in quality of information  Researcher may lose/damage/misplace important documents during the research process</p> <p><i>Max 6 for all advantages or all disadvantages.  1 mark available for a reasoned conclusion/opinion.</i></p>	8

Question	Answer	Marks
9	<p><b>Six from:</b></p> <p>Information about what is to be drawn/instruction to draw circles/use of (Bezier) curves to draw shape  Location of the centre point of the (outer/larger) circle at 400,300  Radius of the (outer/larger) circle as 200 pixels  Location of the inner/smaller circle at 500, 300  Radius of the inner/smaller circle as 100 pixels  Style/weight of the lines to be drawn  Colour(s) of the circle fill(s)  Degree of opacity/transparency of the circles.</p>	6

Question	Answer	Marks																																																																		
10	<p><b>Eight from:</b></p> <p>E.g.:</p> <table border="1" data-bbox="338 383 1294 1184"> <thead> <tr> <th data-bbox="338 383 528 465">Entity</th> <th data-bbox="528 383 836 465">Attribute</th> <th data-bbox="836 383 1177 465">Data type</th> <th data-bbox="1177 383 1294 465">Field size</th> </tr> </thead> <tbody> <tr> <td data-bbox="338 465 528 548">Pupil(s)</td> <td data-bbox="528 465 836 548">Pupil_ID</td> <td data-bbox="836 465 1177 548">As appropriate e.g. integer</td> <td data-bbox="1177 465 1294 548"></td> </tr> <tr> <td data-bbox="338 548 528 600"></td> <td data-bbox="528 548 836 600">Given_name</td> <td data-bbox="836 548 1177 600">Alphanumeric/ Text</td> <td data-bbox="1177 548 1294 600"></td> </tr> <tr> <td data-bbox="338 600 528 651"></td> <td data-bbox="528 600 836 651">Second_given_name</td> <td data-bbox="836 600 1177 651">Alphanumeric/ Text</td> <td data-bbox="1177 600 1294 651"></td> </tr> <tr> <td data-bbox="338 651 528 703"></td> <td data-bbox="528 651 836 703">Family_name</td> <td data-bbox="836 651 1177 703">Alphanumeric/ Text</td> <td data-bbox="1177 651 1294 703"></td> </tr> <tr> <td data-bbox="338 703 528 754"></td> <td data-bbox="528 703 836 754">Date_of_Birth</td> <td data-bbox="836 703 1177 754">Date</td> <td data-bbox="1177 703 1294 754"></td> </tr> <tr> <td data-bbox="338 754 528 806"></td> <td data-bbox="528 754 836 806">Subject_1</td> <td data-bbox="836 754 1177 806">Alphanumeric/ Text</td> <td data-bbox="1177 754 1294 806"></td> </tr> <tr> <td data-bbox="338 806 528 857"></td> <td data-bbox="528 806 836 857">Subject_2</td> <td data-bbox="836 806 1177 857">Alphanumeric/ Text</td> <td data-bbox="1177 806 1294 857"></td> </tr> <tr> <td data-bbox="338 857 528 909"></td> <td data-bbox="528 857 836 909">Subject_3</td> <td data-bbox="836 857 1177 909">Alphanumeric/ Text</td> <td data-bbox="1177 857 1294 909"></td> </tr> <tr> <td data-bbox="338 909 528 983">Teacher(s)</td> <td data-bbox="528 909 836 983">Teacher_ID</td> <td data-bbox="836 909 1177 983">As appropriate e.g. integer</td> <td data-bbox="1177 909 1294 983"></td> </tr> <tr> <td data-bbox="338 983 528 1034"></td> <td data-bbox="528 983 836 1034">Given_name</td> <td data-bbox="836 983 1177 1034">Alphanumeric/ Text</td> <td data-bbox="1177 983 1294 1034"></td> </tr> <tr> <td data-bbox="338 1034 528 1086"></td> <td data-bbox="528 1034 836 1086">Family_name</td> <td data-bbox="836 1034 1177 1086">Alphanumeric/ Text</td> <td data-bbox="1177 1034 1294 1086"></td> </tr> <tr> <td data-bbox="338 1086 528 1137"></td> <td data-bbox="528 1086 836 1137">Room</td> <td data-bbox="836 1086 1177 1137">As appropriate</td> <td data-bbox="1177 1086 1294 1137"></td> </tr> <tr> <td data-bbox="338 1137 528 1184"></td> <td data-bbox="528 1137 836 1184">Subject_taught</td> <td data-bbox="836 1137 1177 1184">Alphanumeric/ Text</td> <td data-bbox="1177 1137 1294 1184"></td> </tr> </tbody> </table> <p data-bbox="316 1220 571 1249"><i>Marks awarded for:</i></p> <table data-bbox="316 1249 1109 1355"> <tr> <td data-bbox="316 1249 1013 1283">Both Pupil(s) and Teacher(s) as entities</td> <td data-bbox="1013 1249 1109 1283">1 mark</td> </tr> <tr> <td data-bbox="316 1283 1013 1317">Inclusion of ID attribute for Pupils(s)</td> <td data-bbox="1013 1283 1109 1317">1 mark</td> </tr> <tr> <td data-bbox="316 1317 1013 1350">Inclusion of ID attribute for Teacher(s)</td> <td data-bbox="1013 1317 1109 1350">1 mark</td> </tr> </table> <table data-bbox="316 1384 1109 1456"> <tr> <td data-bbox="316 1384 933 1417">Valid pupil(s) attributes+data type+field size</td> <td data-bbox="933 1384 1109 1417">max 3 marks</td> </tr> <tr> <td data-bbox="316 1417 933 1451">Valid teacher attributes+data type+field size</td> <td data-bbox="933 1417 1109 1451">max 3 marks</td> </tr> </table>	Entity	Attribute	Data type	Field size	Pupil(s)	Pupil_ID	As appropriate e.g. integer			Given_name	Alphanumeric/ Text			Second_given_name	Alphanumeric/ Text			Family_name	Alphanumeric/ Text			Date_of_Birth	Date			Subject_1	Alphanumeric/ Text			Subject_2	Alphanumeric/ Text			Subject_3	Alphanumeric/ Text		Teacher(s)	Teacher_ID	As appropriate e.g. integer			Given_name	Alphanumeric/ Text			Family_name	Alphanumeric/ Text			Room	As appropriate			Subject_taught	Alphanumeric/ Text		Both Pupil(s) and Teacher(s) as entities	1 mark	Inclusion of ID attribute for Pupils(s)	1 mark	Inclusion of ID attribute for Teacher(s)	1 mark	Valid pupil(s) attributes+data type+field size	max 3 marks	Valid teacher attributes+data type+field size	max 3 marks	8
Entity	Attribute	Data type	Field size																																																																	
Pupil(s)	Pupil_ID	As appropriate e.g. integer																																																																		
	Given_name	Alphanumeric/ Text																																																																		
	Second_given_name	Alphanumeric/ Text																																																																		
	Family_name	Alphanumeric/ Text																																																																		
	Date_of_Birth	Date																																																																		
	Subject_1	Alphanumeric/ Text																																																																		
	Subject_2	Alphanumeric/ Text																																																																		
	Subject_3	Alphanumeric/ Text																																																																		
Teacher(s)	Teacher_ID	As appropriate e.g. integer																																																																		
	Given_name	Alphanumeric/ Text																																																																		
	Family_name	Alphanumeric/ Text																																																																		
	Room	As appropriate																																																																		
	Subject_taught	Alphanumeric/ Text																																																																		
Both Pupil(s) and Teacher(s) as entities	1 mark																																																																			
Inclusion of ID attribute for Pupils(s)	1 mark																																																																			
Inclusion of ID attribute for Teacher(s)	1 mark																																																																			
Valid pupil(s) attributes+data type+field size	max 3 marks																																																																			
Valid teacher attributes+data type+field size	max 3 marks																																																																			



Question	Answer	Marks												
11	<p><b>Five from:</b></p> <table border="1"> <thead> <tr> <th>Position in Flowchart</th> <th>What is happening at the position</th> </tr> </thead> <tbody> <tr> <td><b>A</b></td> <td>(Checks) if the DOOR IS CLOSED, if not, goes back to setting temperature/spin speed/start else moves on to B</td> </tr> <tr> <td><b>B</b></td> <td>(Checks) if the TEMPERATURE IS SET, if not, goes back to setting temperature/spin speed/start else moves on to C</td> </tr> <tr> <td><b>C</b></td> <td>(Checks) if the SPIN SPEED IS SET, if not, goes back to setting temperature/spin speed/start else moves on to load setting and cycle starts</td> </tr> <tr> <td><b>D</b></td> <td>(Checks) if the STOP/CANCEL BUTTON IS PRESSED, if so, goes to STOP else moves to E</td> </tr> <tr> <td><b>E</b></td> <td>(Checks) if the TIME IS UP, if so goes to STOP else moves back to D</td> </tr> </tbody> </table>	Position in Flowchart	What is happening at the position	<b>A</b>	(Checks) if the DOOR IS CLOSED, if not, goes back to setting temperature/spin speed/start else moves on to B	<b>B</b>	(Checks) if the TEMPERATURE IS SET, if not, goes back to setting temperature/spin speed/start else moves on to C	<b>C</b>	(Checks) if the SPIN SPEED IS SET, if not, goes back to setting temperature/spin speed/start else moves on to load setting and cycle starts	<b>D</b>	(Checks) if the STOP/CANCEL BUTTON IS PRESSED, if so, goes to STOP else moves to E	<b>E</b>	(Checks) if the TIME IS UP, if so goes to STOP else moves back to D	<b>5</b>
Position in Flowchart	What is happening at the position													
<b>A</b>	(Checks) if the DOOR IS CLOSED, if not, goes back to setting temperature/spin speed/start else moves on to B													
<b>B</b>	(Checks) if the TEMPERATURE IS SET, if not, goes back to setting temperature/spin speed/start else moves on to C													
<b>C</b>	(Checks) if the SPIN SPEED IS SET, if not, goes back to setting temperature/spin speed/start else moves on to load setting and cycle starts													
<b>D</b>	(Checks) if the STOP/CANCEL BUTTON IS PRESSED, if so, goes to STOP else moves to E													
<b>E</b>	(Checks) if the TIME IS UP, if so goes to STOP else moves back to D													

Question	Answer	Marks
12(a)	<p><b>Five from:</b></p> <p><i>Max three (definition) from:</i>  DNS spoofing is Domain Name System spoofing/Domain Name System cache poisoning  Type of computer hacking  Corrupt data is placed into cache of resolver of DNS/ISP DNS cache so that an incorrect IP address is returned  Network traffic is diverted/redirected to a different computer to that which was requested/to hacker's computer</p> <p><i>Max three (prevention) from:</i>  DNS server configured to ignore request from other DNS servers that are not directly relevant to the query  Use of secure DNS/public key encrypted/digitally signed data to ensure authenticity of DNS requests  Performing end-to-end validation of DNS requests with HTTPS  Defence is at transport layer.</p>	<b>5</b>

Question	Answer	Marks
12(b)	<p><b>Five from:</b></p> <p><i>Max three (definition) from:</i>            DoS is a Denial of Service attack            Where a computer/system is made unavailable by overwhelming the target system with requests for service            Requests for service are superfluous/have no purpose other than to disrupt/overload the system            Can use many IP addresses/multiple computers/devices to carry out a DoS</p> <p><i>Max three (prevention) from:</i>            Use of firewall configured to deny incoming packets with IP addresses/ports from identified attackers            Use of tools to analyse incoming data to identify 'spoof'/ unwanted/illegitimate requests            Use of DNS blackhole/routing to re-route IP addresses intended for attacker to non-existent IP address/server            Use of DNS sinkhole to direct traffic to valid IP address for analysis to reject unwanted packets            Use of a specialised/commercial 'cleaning/scrubbing' servers/centre to separate out unwanted traffic from legitimate traffic            Defence is at application layer.</p>	5
12(c)	<p><b>Four from:</b></p> <p><i>Max three (definition) from:</i>            ARP spoofing is Address Resolution Protocol spoofing            To associate/link MAC address of attacker's device to IP address of e.g. default gateway/another network host            Occurs when IP address is resolved to a MAC address            So that traffic is directed to attacker instead of intended host/device            Data frames may be intercepted and modified/prevent traffic movement</p> <p><i>Max three (prevention) from:</i>            Use of DHCP server configurations to certify that IP addresses are correctly assigned            Use of tools to cross-check ARP resolutions to block incorrect ones            Built into switches/network devices            Configuring the ARP cache in the OS to ignore requests for updates/hard coding the ARP cache in OS to prevent updates.</p>	4

Question	Answer	Marks
13	<p><b>Eight from:</b></p> <p>Locking the room when not in use  ...prevents unauthorised access to devices/computers  ...requires meticulous logging of who has key to room  ...requires strict adherence by users to rules e.g. no unlocking of doors for others to go in</p> <p>Using swipe cards/ keypads to activate locks  ...requires extra items e.g. cards/knowledge of codes  ...cards can be stolen/lost and used by others  ...codes can be forgotten/told to others</p> <p>Biometric tests to unlock doors  ...via keypads/Voice recognition  ...can be time-consuming to collect user data  ...needs to be updated regularly as biometric data can change  ...can be fooled in various ways e.g. recordings of voice</p> <p>Bolting computers to the desk  ...very secure  ...computers not easily moved to other locations  ...computers in fixed positions may be difficult to use</p> <p>Using special pens to mark their postcode/owner details onto the computer/device case  ...can allow retrieval of stolen items  ...can be a deterrent to thieves  ...can deface items preventing resale/reducing asset value</p> <p>Keeping windows shut/locked/barred - especially if on the ground floor  ...prevents thieves from entering  ...reduces access to fresh air</p> <p>Using CCTV video cameras to monitor computer rooms/corridors  ...allows surveillance of large areas  ...needs constant attendance</p> <p>Employing security guards to check passes  ...effective at preventing unknown people from accessing area  ...requires more employees so increases costs  ...relies on integrity/honesty of security guard</p> <p>Positioning screens so passers-by cannot see what is on the screen  ...prevents others knowing/discovering the password  ...position may be unsuitable for long term use</p> <p>Type in passwords out of sight of others  ...prevents others knowing/discovering the password  ...may not be easy to achieve in crowded office/position of keyboard.</p>	8