

## THINKING SKILLS

9694/32 October/November 2019

Paper 3 Problem Analysis and Solution MARK SCHEME Maximum Mark: 50

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2019 series for most Cambridge IGCSE<sup>™</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

## **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

the specific content of the mark scheme or the generic level descriptors for the question the specific skills defined in the mark scheme or in the generic level descriptors for the question the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate

marks are awarded when candidates clearly demonstrate what they know and can do marks are not deducted for errors

marks are not deducted for omissions

answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

## Cambridge International AS/A Level – Mark Scheme PUBLISHED

Question							A	nswer				Marks
1(a)	(20	+ 12	2 + 10	+ 12)	· 2+	16 = 1	24 cm	AG				1
1(b)(i)	10 + 10 + 10 + 10 + 4 = 44 cm						1					
1(b)(ii)	2+	10 +	- 10 +	10 + 1	0 = <u>4</u> 2	<u>2</u> cm						1
1(b)(iii)	40 c	m [	1 mar	k]								4
	Bo			tarts		Red		Blue	White			
	1	~	0			44		40	40	5		
	2		-	24		44		40	40			
	3			<del>24</del> 48		44 42		40	40			
	4			40 72		42			40			
	4					40 40		44	40			
				96				44				
	6			20		40		40	44			
				44		40		40	44			
	8		8	68		42		40	42			
	Box	es 4	4, 5, 6	<u>6, 7</u> [3	mark	s]						
	Awa	ard	of ma	rks fo	r incol	rrect fi	nal ar	swers :				
	/		or ma			10001	, ar ar					
					rrect	1 .						
			1	2	3	4						
		1	0									
		2	0	1								
	(en	3	0	1	2							
	Given	4	0	1	2	3						
		5	0	0	1	2						
		6	0	0	0	1						
1(0)(i)	see	n in the box rela	work corre x ribbo ative t	ing (n ect an on sta o 0 oi	nax 2) nount ( rting l r to the	, if the of red ength e red s	corre for at for a for a section	ct four bo least two it least thr ns)	oxes have r boxes (4 c	e following poin not been given: onwards) beyond 124 (e		
1(c)(i)	strin Diffe	ng u erer	sed = 1ce = (	(30 + (3 · 12	2 · 36 24) – 2	220 = <u>1</u>	16 = <u>52</u> cn	220 cm 1				2
				solutio g 168		ich orr	nits the	e 16 cm fo	or the bow,	but is otherwis	e	
	OR											
	Saving on string will always be 2 bows + the length used on the faces that are together = $2 \cdot 16 + 4 \cdot (20 + 10) = 32 + 120 = 152$ cm											
	1 m box		for ev	videnc	e of re	ecogn	sing t	hat 2 · (2	0 + 10) is s	aved between	two	

Question	Answer	Marks
1(c)(ii)	The saving on string will always be 2 bows + the length used on the faces that are together. These faces do not include any lengths of string equivalent to the height of the box (nor do the bows). <i>Clear explanation required for the mark.</i>	1

Question	Answer	Marks
2(a)(i)	There must be <u>4</u> .	1
2(a)(ii)	All <u>12</u> distinct ordered pairs.	1
2(b)	Both C and E need to trust others, and there are solutions with just 2: EA and CA (or CB or CD or CE), or CA and EC (or EB or ED) 2 marks for any complete and correct diagram (condone omission of given 5 arrows)	2
	1 mark for any diagram in which all trust relationships present, but also superfluous ones but with a maximum of 4 extra connections.	
	SC: 1 mark for links identified but not shown in diagram.	
2(c)(i)	One country has to trust all others, and all others have to trust it: a sixpointed star. $2 \cdot 6 = 12$ policies are required.	2
	1 mark for any directed graph with desired property but which is not minimal	
	SC: 1 mark for correct structure with 6 nodes instead of 7.	
2(c)(ii)	The departure of the central country would <u>remove all trusted links for</u> everyone.	1
2(d)	Rotational symmetry means that we only have to look at one case. Longest chain was 3, is now 5, so difference of 2 <i>Must be supported</i>	1

## Cambridge International AS/A Level – Mark Scheme **PUBLISHED**

Question	Answer	Marks
2(e)		2
	All countries are the same (by symmetry). The minimum steps others are: Skip 1: 1,1,2,2,3,3; Skip 2: 1,2,1,2,3,2 So Skip 2 is better by 1 step in 6 passport checks.	
	1 mark for Skip 2 with supporting evidence of decision. 1 mark for satisfactory quantification of the difference: allow any clear, <u>precise</u> explanation, e.g. average number of checks, total checks for all chains for 1 particular country, etc.	

Question	Answer	Marks
3(a)	Peregrine has been walking 07:00 until $11:00 = 4$ hours = $12$ km other walker could have been walking from 06:00 until 11:00: 5 hours = $15$ km 1 mark for either of $12$ km or $15$ km seen $9 \cdot 3 = \underline{27}$ km	2
3(b)	Effectively 8 am start for other walker : 9 km / 3 hour walk So Peregrine will reach his destination at 11am + 3 hours = <u>14:00</u>	1
3(c)	If he does not meet someone by 12:00 <b>[1]</b> he should turn back. The person he meets may have been walking since 06:00 (18 km travelled) and he may therefore have that far to go <b>[1]</b> .	2
3(d)	Furthest out and back would be 06:00 + 18 km = 12:00. If P left at 9 am he will have walked 9 km by then They walk towards each other and meet at <u>13:30</u> <b>[2]</b> <i>Award 1 mark for considering the distance or time walked by someone</i> <i>starting at any time between 06:00 and 09:00</i>	2
3(e)	At 10:20 the first walkers will have walked for 4 hours 20 minutes = 13 km <b>[1]</b> He has walked 1 hour = 3 km. So 16 km <b>[1]</b> between hostels, so halfway point is 8 km in. This will take Peregrine 2 hours 40 minutes to accomplish: 12:00 <b>[1]</b> Picnickers leave at 10:20 in order to reach halfway point at 13:00 They will meet at <u>12:30</u>	4
3(f)(i)	The family must be at the hostel by nightfall: 14:00 to 18:00 = 4 hours = 8 km = <u>2 hours 40 minutes</u> for Peregrine	1

Question	Answer	Marks
3(f)(ii)	If the family sets off at 6 am, and walks without stopping, they walk '2t' km in the hours after 6 am and he walks $3(t-3)$ km. These are equal when $t = 9$ : at <u>15:00</u>	1
3(g)	Maximum distance to next hostel = 7 hours = 21 km For the runner this is 21/4 <b>[1]</b> hours at 4 km/h. He must have set off no later than <u>12:45</u>	2

Question	Answer	Marks
4(a)	Via Detlie, earliest arrival time is 09:41 + 31 mins = 10:12. Via Toth, earliest is 09:43 + 21 mins = <u>10:04</u> , so earliest is 10:04.	2
	1 mark for either time correct AND an appropriate conclusion from their times if two are given.	
	SC: 1 mark for 10:18 or 10:10 (+6 minutes, uses departure times) SC: 1 mark for 10:06 or 09:58 (–6 minutes, uses sum of travel times from Munro) SC :1 mark for 10:25 or 10:30 (using the departure times from Carleton)	
4(b)	Earliest arrival times are 16:30 + 21 mins = 16:51 aboard <i>Frances</i> and 16:01 (from Ockelman Island) + 12 mins = 16:13 aboard <i>Marie</i> , so <u>38 mins</u> .	2
	1 mark for either time correct OR 44 minutes (6 minutes on Ockelman Island omitted)	
4(c)	By 13:00, <i>Marie</i> had stopped five times at the island. According to the record, $23 + 28 + 37 + 45 + 34 = 167$ visitors had arrived and $(0 +) 7 + 11 + 18 + 26 = 62$ had departed, so there were <u>105</u> visitors on the island at that time.	2
	1 mark for recognition that the first five rows of figures (and only the first five) are involved in the calculation (indicated by '167 arrived' or '62 departed'), or for calculating the number on the island after the 3rd (70), or 4th (97) or 6th (109) ferries have left.	
4(d)	Cost of <i>Day Roamer</i> tickets = $(2 \cdot \$15) + (2 \cdot \$9) = \$48$ Extraction of ticket prices \$5.10 and \$3.00 (Munro – Toth) and \$6.30 and \$3.80 (Ockelman Is.) $2 \cdot (\$5.10 + \$3.00 + \$6.30 + \$3.80) = \$36.40$ Difference $\$11.60$	3
	1 mark each for any of the following (max 2): \$48 [whole family day roamer] \$18.20/\$36.20 [half family/whole family ticket by ticket] \$3.60/\$7.20 [adult(s) difference] \$2.20/\$4.40[child(ren) difference]	
	SC: 2 marks for final answer of \$5.80 (uses one-way tickets OR only buys tickets for 1 · adult + child)	

Question	Answer	Marks
4(e)	52 · \$15 + 31 · \$9 = \$1059 Number of adult tickets = <u>52</u>	2
	Search method: The criteria for the search are tickets = 83 and income = \$1059 1 mark for an initial search that meets either one of the criteria AND for an adjustment that gets closer to the solution	
	Algebraic method (1 mark for parsing algebraically) a + c = 83  AND  15a + 9c = 1059 OR $15x + 9(83 - x) = 1059$	
4(f)	Detlie first [CDMTC] Depart C 10:25, depart D 13:27, arrive M 13:53 Depart M 17:20 3 hours 27 minutes / 207 minutes at Munro	4
	<b>Toth</b> first [CTMDC] Depart C 10:30, depart T 12:57, arrive M 13:14 Depart M 16:24 3 hours 10 minutes / 190 minutes at Munro	
	She should therefore visit the towns in the order Detlie, Munro, Toth.	
	4 marks for 3 hours 27 minutes / 207 minutes and 3 hours 10 minutes / 190 minutes AND statement of the order Detlie, Munro, Toth. 3 marks for 3 hours 27 minutes / 207 minutes OR 3 hours 10 minutes / 190 minutes.	
	2 marks for three or more correct arrival/departure times in Munro. 1 mark for two correct arrival/departure times in Munro (allowing the 6 minute discrepancy)	
	SC: using the departure times from the table rather than the journey times (i.e. 6 minutes later): 1 mark for arrival and departure times from Munro [13:59 and 17:20, 13:20 and 16:24] OR the time spent on Munro for either route [3 h 21 m or 3 h 04 m] 2 marks for 3 h 21 m AND 3 h 04 m	