

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CHEMISTRY 0620/12

Paper 1 Multiple Choice February/March 2015

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.


Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.

This document consists of **15** printed pages and **1** blank page.



1 A crystal of purple potassium manganate(VII) was added to each of the beakers shown in the diagram.



One beaker contained hot water and the other beaker contained cold water.

In both beakers the purple colour of the potassium manganate(VII) spreads out.

Which result and explanation are correct?

| | result | explanation |
|---|-------------------------------------|---|
| Α | colour spreads faster in cold water | particles move faster at a higher temperature |
| В | colour spreads faster in cold water | particles move slower at a higher temperature |
| С | colour spreads faster in hot water | particles move faster at a higher temperature |
| D | colour spreads faster in hot water | particles move slower at a higher temperature |

- 2 During a reaction, the following changes take place.
 - 1 The temperature rises.
 - 2 A gas is given off.

Which apparatus is required to measure the rate of this reaction?

- A balance and burette
- B balance and gas syringe
- C gas syringe and burette
- **D** gas syringe and stopclock
- 3 Which statement about bonding is **not** correct?
 - A Carbon can form four single covalent bonds.
 - **B** Chlorine atoms react to gain a noble gas electronic structure.
 - **C** Covalent bonding involves losing and gaining electrons.
 - **D** Hydrogen molecules have the formula H₂.

4 The table shows the numbers of particles present in the nuclei of four atoms or ions.

| | protons | neutrons | electronic structure |
|---|---------|----------|----------------------|
| 1 | 18 | 22 | 2,8,8 |
| 2 | 19 | 20 | 2,8,8 |
| 3 | 19 | 21 | 2,8,8,1 |
| 4 | 20 | 20 | 2,8,8,2 |

Which two particles belong to the same element?

- **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4

5 Which substance is an ionic compound?

| | volatility | electrical conductivity when molten | solubility in water |
|---|------------|-------------------------------------|---------------------|
| Α | high | good | soluble |
| В | high | poor | insoluble |
| С | low | good | soluble |
| D | low | poor | insoluble |

6 Covalent bonds are formed when electrons are1.....

Most covalent compounds have2..... electrical conductivity.

Which words correctly complete gaps 1 and 2?

| | 1 | 2 |
|---|-------------|------|
| Α | shared | high |
| В | shared | low |
| С | transferred | high |
| D | transferred | low |

7 Which equation for the reaction between sodium carbonate and dilute hydrochloric acid is correct?


A Na₂CO₃(s) + HC
$$l(aq) \rightarrow NaCl(aq) + CO2(g) + H2O(I)$$

B Na₂CO₃(s) + HC
$$l$$
(aq) \rightarrow Na₂C l (aq) + CO₂(g) + H₂O(l)

C Na₂CO₃(s) + 2HC
$$l(aq) \rightarrow NaCl(aq) + CO2(g) + H2O(l)$$

D Na₂CO₃(s) + 2HC
$$l(aq) \rightarrow 2NaCl(aq) + CO2(g) + H2O(I)$$

8 The diagram shows an electrolysis experiment.




During the electrolysis, sodium was formed at electrode P and chlorine at electrode Q.

Which row correctly identifies P, Q and X?

| | Р | Q | Х |
|---|---------|---------|---|
| Α | anode | cathode | concentrated solution of sodium chloride in water |
| В | anode | cathode | molten sodium chloride |
| С | cathode | anode | concentrated solution of sodium chloride in water |
| D | cathode | anode | molten sodium chloride |

9 The diagram shows apparatus for plating a spoon with silver.



Which statement is **not** correct?

- A Silver would stick to the spoon because it is a very reactive metal.
- **B** The electrolyte would be a silver salt dissolved in water.
- **C** The metal electrode would be made from silver.
- **D** The spoon would be connected to the negative terminal of the power supply.

- 10 Limestone can be changed into slaked lime in two chemical reactions.
 - 1 When limestone, CaCO₃, is heated it decomposes into lime, CaO.
 - Water is slowly dripped onto the cooled lime. The lime appears to expand and steam is produced. Slaked lime, Ca(OH)₂, is formed.


Which row shows the correct description of each of the chemical reactions?

| | reaction 1 | reaction 2 |
|---|-------------|-------------|
| Α | endothermic | endothermic |
| В | endothermic | exothermic |
| С | exothermic | endothermic |
| D | exothermic | exothermic |

11 A student investigates the rate of reaction between marble chips and hydrochloric acid.

The mass of the reaction flask is measured.

The graph shows the results of two experiments, P and Q.



Which change explains the difference between P and Q?

- A A catalyst is added in P.
- **B** A higher temperature is used in P.
- C Bigger marble chips are used in Q.
- D Hydrochloric acid is more concentrated in Q.

12 Hydrated cobalt(II) chloride decomposes on heating.

The equation for the reaction is

$$CoCl_2.6H_2O \rightleftharpoons CoCl_2 + 6H_2O$$

The reaction is reversed by adding water.

Which row describes the colour change and the type of reaction for the reverse reaction?

| | colour change | type of reaction |
|---|---------------|------------------|
| Α | blue to pink | endothermic |
| В | blue to pink | exothermic |
| С | pink to blue | endothermic |
| D | pink to blue | exothermic |

13 When copper is heated in air a black coating forms on the copper.

What happens to the copper in this reaction?

- A The copper catches fire.
- **B** The copper decomposes.
- **C** The copper gains oxygen.
- **D** The copper loses oxygen.
- **14** Three chemicals, P, Q and R, were each dissolved in water. The table shows some of the reactions of these solutions.

| solution | reaction when solid sodium carbonate is added | reaction when heated with solid ammonium chloride |
|----------|---|---|
| Р | gas evolved | no reaction |
| Q | no reaction | gas evolved |
| R | no reaction | no reaction |

The pH of the three solutions was also measured.

What are the correct pH values of these solutions?

| | Р | Q | R |
|---|----|----|----|
| Α | 2 | 7 | 13 |
| В | 2 | 13 | 7 |
| С | 7 | 2 | 13 |
| D | 13 | 7 | 2 |

15 The oxide of element X forms a solution with pH4.

The oxide of element Y forms a solution that turns Universal Indicator blue.

Which row correctly classifies elements X and Y?

| | element X | element Y |
|---|-----------|-----------|
| Α | metal | metal |
| В | metal | non-metal |
| С | non-metal | metal |
| D | non-metal | non-metal |

- **16** Which two processes are involved in the preparation of magnesium sulfate from dilute sulfuric acid and an excess of magnesium oxide?
 - A neutralisation and filtration
 - **B** neutralisation and oxidation
 - C thermal decomposition and filtration
 - **D** thermal decomposition and oxidation
- 17 Which statement about aqueous sodium hydroxide is correct?
 - **A** When it is added to a solution containing sulfate ions, a white precipitate is formed.
 - **B** When it is added to a solution of copper(II) ions, a blue precipitate is formed which dissolves in excess to give deep blue solution.
 - **C** When it is added to a solution of iron(II) ions, a green precipitate is formed which does not dissolve in excess.
 - **D** When it is added to ammonium chloride, a gas is produced which turns blue litmus red.
- 18 Which pair of elements will react together most violently?
 - A chlorine and lithium
 - B chlorine and potassium
 - C iodine and lithium
 - **D** iodine and potassium

19 The table shows some information about elements in Group VII of the Periodic Table.

| name | state at room temperature | colour |
|----------|---------------------------|--------------|
| chlorine | gas | yellow-green |
| bromine | liquid | brown |
| iodine | ? | ? |
| astatine | solid | black |


Which information about iodine completes the table?

| | state | colour |
|---|--------|--------|
| Α | liquid | black |
| В | liquid | green |
| С | solid | grey |
| D | solid | yellow |

20 The diagram shows a section of the Periodic Table.

Which element is described below?

'A colourless, unreactive gas that is denser than air.'



- 21 Which is **not** a characteristic property of transition metals?
 - A act as catalysts
 - B form coloured compounds
 - C high melting point
 - **D** low density

| 22 | Which. | statement | ic | correct | for | all | metals' | 7 |
|----|--------|-----------|----|---------|-----|-----|---------|---|
| | | | | | | | | |

- A conduct electricity when molten
- **B** gain electrons when they form ions
- **C** have a low density
- **D** have a low melting point
- 23 Metal X lies between zinc and iron in the reactivity series.

Which statements about metal X are correct?

- 1 It reacts with steam to produce hydrogen gas.
- 2 It does not react with steam but will produce hydrogen with dilute acid.
- 3 The metal can be obtained from its oxide by heating strongly with charcoal.
- 4 The metal oxide cannot be reduced using carbon.
- **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4

24 Which of these gases is an atmospheric pollutant?

- 1 carbon monoxide
- 2 nitrogen dioxide
- 3 sulfur dioxide
- A 1 only
- **B** 2 only
- C 3 only
- **D** 1, 2 and 3
- 25 Molten iron from the blast furnace contains impurities.

The process of turning the impure iron into steel involves blowing oxygen into the molten iron and adding calcium oxide.

What are the reasons for blowing in oxygen and adding calcium oxide?

| | blowing in oxygen | adding calcium oxide |
|---|---|---|
| Α | carbon is removed by reacting with oxygen | reacts with acidic impurities making slag |
| В | carbon is removed by reacting with oxygen | reacts with slag and so removes it |
| С | iron reacts with the oxygen | reacts with acidic impurities making slag |
| D | iron reacts with the oxygen | reacts with slag and so removes it |

- 26 Some properties of aluminium are listed.
 - 1 It has mechanical strength.
 - 2 It is resistant to corrosion.
 - 3 It has a low density.
 - 4 It conducts heat.

Which three properties make aluminium useful for making the bodies of aircraft?

A 1, 2 and 3

B 1, 2 and 4

C 1, 3 and 4

D 2, 3 and 4

27 The table describes three types of water.

| water type | source of water | appearance before treatment | treatment | appearance after treatment | | |
|---------------|-----------------|-----------------------------|-----------------------------|----------------------------|--|--|
| Р | river | muddy | muddy none | | | |
| Q | river | muddy | filtration and chlorination | clear | | |
| R | well | clear | chlorination only | clear | | |


Which statement is correct?

- A Only Q and R are suitable for drinking, while P could be used for irrigation.
- **B** Only Q and R are suitable for drinking, while P is unsuitable for any purpose.
- **C** Only Q is suitable for drinking. R could be used for washing cars and P for irrigation.
- **D** P, Q and R are suitable for irrigation and washing cars, but are not suitable for drinking.
- **28** A sample of air from a town centre was analysed and found to contain mainly nitrogen and oxygen, but also traces of the four gases below.

Which of these gases is a pollutant?

- A argon
- B carbon dioxide
- C sulfur dioxide
- **D** water vapour
- 29 Which elements does an NPK fertiliser contain?
 - A nickel, phosphorus, potassium
 - B nickel, potassium, calcium
 - **C** nitrogen, phosphorus, potassium
 - **D** nitrogen, potassium, calcium

30 The diagram shows experiments involving the rusting of iron.



The following results were suggested.

- 1 In tube P, the iron nails rust.
- 2 In tube Q, the iron nails do not rust.
- 3 In tube R, the iron nails do not rust.

Which results are correct?

- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- **31** Gas X is a waste gas from digestion in animals.

Gas Y is formed when gas X is burnt with a small amount of oxygen.

Gas Z is formed when gas X is burnt with an excess of oxygen.

What are X, Y and Z?


| | Х | Υ | Z | | | |
|---|-----------------|-----------------|-----------------|--|--|--|
| Α | carbon dioxide | methane | carbon monoxide | | | |
| В | carbon monoxide | methane | carbon dioxide | | | |
| С | methane | carbon dioxide | carbon monoxide | | | |
| D | methane | carbon monoxide | carbon dioxide | | | |

- **32** The list gives four experiments carried out with calcium carbonate.
 - 1 acid added
 - 2 alkali added
 - 3 heated strongly
 - 4 water added

Which experiments produce carbon dioxide?

- **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 3
- **D** 2 and 4
- 33 The diagram shows the soil pH range over which a vegetable grows well.

The pH of the soil to be used is 5.5.



Why is lime added to the soil before planting the vegetable?

- A The lime acts as a catalyst.
- **B** The lime changes the soil acidity.
- **C** The lime is an indicator.
- **D** The lime supplies nitrogen.
- **34** The diagram shows the structure of a compound.

Which functional groups does this molecule contain?

| | carboxylic acid | alkene | alcohol | | | |
|---|--------------------|--------|---------|--|--|--|
| Α | no | no | no | | | |
| В | no | yes | yes | | | |
| С | yes | no | yes | | | |
| D | yes | yes | yes | | | |

35 Petroleum is separated into useful fractions by fractional distillation.

Separation occurs in a fractionating column.

Some properties of three of these fractions are shown.

| fraction | boiling point range/°C | number of carbon atoms in the molecules |
|----------|------------------------|---|
| 1 | | 5–10 |
| 2 | 320–350 | 16–24 |
| 3 | 120–210 | |

Which statement is correct?


A Fraction 1 has a higher boiling point range than fraction 2.

B Fraction 2 is removed from a higher point in the fractioning tower than fraction 1.

C Molecules in fraction 3 have shorter chains than those in fraction 2.

D None of the fractions is liquid at room temperature.

36 The structures of four molecules are shown.



Which molecules belong to the same homologous series?

A 1 and 2

B 1 and 3

C 2 and 4

D 3 and 4

37 Which statement about alkanes is correct?

A Ethane has one more carbon atom and one more hydrogen atom than methane.

B They are converted to alcohols by reaction with steam.

C They contain carbon-carbon double bonds.

D They form carbon dioxide and water on combustion.

- **38** Which statement about alkenes is **not** correct?
 - A They are hydrocarbons.
 - **B** They are saturated.
 - **C** They contain a C=C bond.
 - **D** They form polymers.
- **39** Ethene reacts with Y to produce ethanol.

ethene + $Y \rightarrow$ ethanol

What is Y?

- A hydrogen
- **B** oxygen
- C steam
- **D** yeast
- 40 Which description of ethanoic acid is correct?
 - A a clear, colourless and odourless liquid
 - **B** a colourless liquid with a distinctive odour
 - **C** a soft white solid with a distinctive odour
 - **D** a transparent solid with a low melting point

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

| | 0 | 4 He Helium | 20 Ne Ne Ne Ne Af Ar Ar | Argon 18 | 84 K | Krypton 36 | 131 Xe | 54 | Rn Radon 86 | | Lu Lutetium 71 | Lawrencium | 103 |
|-------|-----|--------------------|------------------------------|------------------|-----------------|-----------------|-------------------------------|----|-----------------------------------|------------------------------------|---|---|------------------|
| | VII | | 19 Fluorine 9 35.5 C1 | Chlorine 17 | 80 Br | Bromine 35 | 127 T | 53 | At Astatine 85 | | 173 Yb Ytterbium 70 | Nobelium | |
| | | | 16 Oxygen 8 | Sulfur 16 | 79 Se | Selenium 34 | 128 Te | 52 | Po Polonium 84 | | 169 Tm Thulium 69 | Mendelevium | 101 |
| | > | | Nitrogen 7 31 | Phosphorus 15 | 75 As | Arsenic 33 | Sb Antimony | 51 | 209 Bis Bismuth | | 167 Er Erbium 68 | Fm | |
| | / | | 12 Carbon 6 Carbon 8 Si | Silicon 14 | 73 Ge | Germanium 32 | Sn Tin | 50 | 207 Pb Lead | | 165 Ho Holmium 67 | Einsteinium | 66 |
| | ≡ | | 11 B Boron 5 27 A1 | Aluminium 13 | 70 Ga | Gallium 31 | 115 In | 49 | 204 T 1 Thallium | | 162 Dy Dysprosium 66 | | |
| | | | | | 65 Zn | Zinc 30 | 112 Cd Cadmium | 48 | 201 Hg Mercury 80 | | 159 Tb Terbium 65 | Bk erkelium | |
| | | | | | Cu Cu | Copper 29 | 108 Ag Silver | 47 | 197 Au Gold | | 157 Gd Gadolinium 64 | Cm Curium | 96 |
| Group | | | | | 59 N | Nickel 28 | 106 Pd Palladium | 46 | 195 Pt Ptatinum 78 | | 152 Eu Europium 63 | Am Americium | 95 |
| Gre | | | | | ₅₉ | Cobalt 27 | 103 Rh Rhodium | 45 | 192 Ir Iridium 77 | | Sm Samarium 62 | Pu Plutonium | 94 |
| | | T Hydrogen | | | 56 Fe | lron 26 | 101 Ru Ruthenium | 44 | 190 Os Osmium 76 | | Pm Promethium 61 | Neptunium | 93 |
| | | | | | 55 Mn | Manganese 25 | Tc | 43 | 186 Re Rhenium 75 | | Neodymium 60 | 238 U | |
| | | | | | 52 C | Chromium 24 | 96 Molybdenum | 42 | 184 W Tungsten 74 | | Pr Praseodymium 59 | Pa Protactinium | 91 |
| | | | | | 51 | Vanadium 23 | 93 N | 41 | 181 Ta Tantalum | | 140 Ce Cerium | 232 Th | 06 |
| | | | | | 48 | Titanium 22 | 91 Zr Ziroonium | 40 | 178 Hf Hafnium 72 | | | nic mass bol | IIC) IIUIIIDEI |
| | | | | | 45 Sc | Scandium 21 | 89 Yttrium | 39 | 139 La Lanthanum 57 * | 227 Ac Actinium 89 | series eries | a = relative atomic mass X = atomic symbol b = proton (atomic) number | - prototi (atoti |
| | = | | Be Beryllium 4 24 Mg | Magnesium 12 | O PO | Calcium 20 | Strontium | 38 | 137 Ba Barium 56 | 226 Ra Radium | *58-71 Lanthanoid series 190-103 Actinoid series | e × | 2 |
| | _ | | Lithium 3 23 Na | Sodium 11 | 66 X | Potassium 19 | 85 Rb Rubidium | 37 | 133 Caesium 55 | Francium 87 | *58-71 L _é 190-103 ⁄ | Key | 2 |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.