UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/02

Paper 2

May/June 2006

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page. Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

A copy of the Periodic Table is printed on page 16.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examin	ier's Use
1	
2	
3	
4	
5	
6	_
Total	


This document consists of 15 printed pages and 1 blank page.

IB06 06_0620_02/4RP © UCLES 2006



[Turn over

1 The diagram shows models of various elements.






(a)	Define the term <i>element</i> .	
		 [1]
(b)	Which one of the models A to E represents a solid containing diatomic molecules?	[1]
(c)	Which two of the models A to E represent gases?	[1]
(d)	(i) Which one of the models A to E represents diamond?	

		[1]
(ii)	State the name of the element present in diamond.	
		[1]
(iii)	State a use of diamond other than in jewellery.	
		[1]

(e)	Struct		State three	physical p	roperties which are character	istic of all
						[3]
(f)	Metal	s are sometimes n	nixed with oth	ner element	s in order to change their prop	erties.
	(i) V	Vhat is the name g	iven to a mix	ture of meta	als with other elements?	
						[1]
		latch up the metal ne has been done		es on the le	ft with their uses on the right.	The first
		tin			for making chemical plants	
		_	1			
		mild steel			for plating tin cans	
		stainless ste	eel		for car bodies	
		aluminium	l		for electrical wiring in houses	
		copper			for aircraft bodies	
						[4]

2 The diagram shows a biogas digester. Animal and vegetable waste is fermented by bacteria. The gas produced is a mixture of mainly carbon dioxide and methane.



(a)	State the name given to the energy-releasing process in which organisms use food a	nd
	produce carbon dioxide.	

F.47
111
I
r.1

(b) Hydrogen is also produced during the fermentation.

The hydrogen reacts with the carbon dioxide to form methane and oxygen.

(i) Complete the equation for this reaction.

$$CO_2 + 2H_2 \longrightarrow \dots + \dots$$

(ii) Suggest a use for the methane produced in this reaction.

[4]
111
1 ' 1

(iii) Describe the arrangement and motion of the molecules in methane gas.

arrangement

motion [2]

(iv) State the name of the homologous series to which methane belongs.

[1]

(v) Which **one** of the following compounds belongs to the same homologous series as methane?

Tick one box.

$$C_2H_4$$
 C_2H_6 CH_3OH CH_3CO_2H

[1]

[2]

(c)	Which one of the fo	llowing equations A	4 , B ,	C or D	describes	fermentation?	?
١	_,		noming oquations i	-, -,	• · · •	4000000		٠.

A
$$CH_4 + H_2O \longrightarrow CO + 3H_2$$

B
$$C_6H_{12}O_6 + 6O_2 \longrightarrow 6H_2O + 6CO_2$$

$$C C_6H_{12}O_6 \longrightarrow 2C_2H_5OH + 2CO_2$$

D
$$C_6H_{14}$$
 \longrightarrow C_4H_{10} + C_2H_4

га	
П	
	٠

- (d) Many of the reactions occurring in the biogas digester are catalysed by enzymes.
 - (i) Suggest where the enzymes come from.


F	6 4 T	
'	111	ı
L	. ' .	i


(ii) Define the term catalysis.

(e) The solid residue from the biogas digester can be used as a fertiliser. State the names of two non-metallic elements found in fertilisers which are needed for plant growth.

and	[2]

3 The electronic structures of various atoms are shown below.





a)	(i)	Which one of these structures A to E represents a noble gas?	
			[1]
	(ii)	Which two of these structures represent atoms from the same Group of Periodic Table?	the
		andand	[1]
(iii)	Which one of these structures represents an atom with an atomic number of 8?	
			[1]
(iv)	Which one of these structures forms a stable ion by gaining one electron?	
			[1]
	(v)	Which one of these structures is in Period 3 of the Periodic Table?	
			[1]

(b) Complete the following sentences using words from the list.

		chlorine	diamond	high	low	sharing	
		sodium	strong	1	transfer	weak	
			formed by the				
	mel	ting points. Gia	nt covalent structur	es such as		have many	
		bor	nds and have high r	nelting points	5.		[5]
(c)	The	simplest covale	ent molecule is hydi	ogen.			
	(i)	Draw a diagran	n to show how the	electrons are	arranged in a hy	/drogen molecule.	
	(ii)	Describe a test	for hydrogen.				[1]
							[2]

4 Coal gas is made by heating coal in the absence of air. The table shows the composition of coal gas.


name of gas	% of gas in coal gas			
hydrogen	50			
methane	30			
carbon monoxide	7			
carbon dioxide	4			
nitrogen	4			
ethene	3			
oxygen	2			

(a)	(i)	Which element in this table is a highly flammable gas?	
			[1]
	(ii)	Which compound in the table is an alkene?	
			[1]
	(iii)	Which compound in the table turns limewater milky?	
			[1]
(b)	De	escribe a test you can use to distinguish between ethene and methane.	
	tes	st	
	res	sult with ethene	
	res	sult with methane	[3]

© UCLES 2006 0620/02/M/J//06

(c)	Mol	lecules of ethene can react with each other to make poly(ethene).	
	(i)	What is the name given to this type of reaction?	
		['	1]
	(ii)	Which formula below best represents a molecule of poly(ethene)? Tick one box.	-
-	 	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
		[**	1]
(d)	usi	nene can be manufactured by breaking down hydrocarbons into smaller moleculeing high temperatures and a catalyst. ate the name given to this type of reaction.	es:
		[1]
(e)		quid is also formed when coal is heated in the absence of air. s liquid contains a high percentage of ammonia.	
	(i)	Describe a test for ammonia.	
		test	
			2]
	(ii)	Ammonia has the formula NH_3 . Calculate the relative molecular mass of ammonia.	
(f)		al contains a small amount of sulphur. Dain why burning coal is harmful to the environment.	1]
			•••
			•••
		[2	2]

5 The diagram shows a cross section of a soil.



(a) A student took 10 g of topsoil and shook it with 200 cm³ of distilled water.

(i)	How can the student separate the	e solids in the soil from the solution?	[1]
(ii)	The topsoil had a pH of 6. Which of the following gives the b Tick one box.		
	strongly acidic		
	weakly acidic		
	neutral		
	weakly alkaline		

[1]

(b) The	e soil con	tained large aı	mounts of calcium	ions and carbonate ions.	
(i)	Use the	information in	the diagram to su	ggest where these ions car	ne from.
					[1]
(ii)	Comple acid.	te the word eq	uation for the reac	ction of calcium carbonate v	with hydrochloric
calciu carbon		hydrochlorid acid	calci	1	+
(c) The	e table sh	ows the mass	of each ion prese	nt in 200 cm³ of soil solutior	[2] n.
		ion	formula of ion	mass present/milligrams	
		calcium	Ca ²⁺	12	_
		carbonate	CO ₃ ²⁻	20	
		iron(III)	Fe ³⁺	4	
		magnesium	Mg ²⁺	5	
		nitrate	NO ₃	2	
		phosphate	PO ₄ ³⁻	1	
		others		6	-
(i)	Which n	egative ion ha	s the highest cond	entration in the soil solution	- ¹?
(ii)	Calculat			e litre (1000 cm³) of solution	
(iii)		on in the tabl de and alumini		monia when heated with a	[1] aqueous sodium
(iv)		e a test for iron			[1]
	test				
	result				[3]

(d) The air trapped in the soil has a different composition from the air in the atmosphere. The table shows the composition of the air in the soil.

gas	percentage of gas in soil air		
carbon dioxide	2		
nitrogen	82		
oxygen	15		
other gases	1		

State how the composition of soil air compares with the composition of air in the atmosphere.

carbon d	dioxide	
nitrogen		
oxygen		[3]

(e) Decaying leaves produce ethanoic acid.

Complete the formula for ethanoic acid showing all atoms and bonds.



[1]

Iron is extracted from iron ore by heating the iron ore with coke and limestone.	
(a) State the name of the ore from which iron is extracted.	
	[1]
(b) The coke burns in a blast of hot air to form carbon monoxide.	
(i) Complete the equation for this reaction.	
C + O ₂ CO	
	[1]
(ii) State an adverse effect of carbon monoxide on human health if it were to esca from the blast furnace.	ape
	[1]
(c) Near the top of the blast furnace, carbon monoxide reacts with iron ore.	
$Fe_2O_3 + 3CO \longrightarrow 2Fe + 3CO_2$	
(i) Write a word equation for this reaction.	
	[1]
(ii) What type of chemical reaction is the conversion of Fe ₂ O ₃ to 2Fe?	
	[1]

6

(d)		limestone is c furnace.	onverted t	to calcium o	xide and carl	bon dioxide by	the intense heat in
			Ca	aCO₃ →	CaO +	CO ₂	
	(i)	What type of c	hemical re	eaction is thi	s?		
							[1]
	(ii)	Name a use of	flimestone	e other than	in the blast fu	urnace.	
							[1]
	(iii)	The calcium of the product of furnace. What Put a ring arou	f this read t is the na	tion collects me of this pr	on top of the oduct?		at the bottom of the
		ba	uxite	sand	slag	slaked lime)
							[1]
(e)	The	iron obtained f	rom the b	last furnace	contains the	following impu	rities.
		carbon	man	ganese	phosphor	us si	licon
	(i)	Which one of	these elen	nents is a tra	ansition eleme	ent?	
							[1]
	(ii)	What type of o		•			
		acidi	c a	mphoteric	basic	neutr	al
							[1]
	(iii)	50 tonnes of i					s 47 tonnes of iron.
							[1]
							[1]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	20 Neon 10 At Argon 18	84 Kr ypton 36	Xe Xenon 54	Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103
	II/		19 Fluorine 9 35.5 C1 Chlorine	80 Br Bromine 35	L (27)	At Astatine 85		Yb Ytterbium	
	IN		16 O O O O O O O O O O O O O O O O O O O	Selenium 34	Tellurium	Po Polonium 84		169 Tm Thulium	Md Mendelevium 101
	^		Nitrogen 7 31 Phosphorus 15		Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium
	N		Carbon 6 Carbon 8 Silicon 14	Ę	S □ 09	207 Pb Lead 82		165 Ho Holmium 67	Es Einsteinium 99
	=		11 B Boron 5 A A A A A A A A A A A A A A A A A A A	70 Ga Gallium 31	In Indium	204 T 1 Thallium		162 Dy Dysprosium 66	Californium 98
					Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium 97
				64 Copper 29		197 Au Gold 79		157 Gd Gadolinium 64	Cm Curium
Group				Nickel 28	Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95
g			7	59 Co Cobalt 27	Rhodium	192 Ir Iridium 77		150 Sm Samarium 62	Pu Plutonium
		1 T Hydrogen		56 Fron 100	Rut Ruthenium	190 Os Osmium 76		Pm Promethium 61	Neptunium
				Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75		144 Nd Neodymium 60	238 U Uranium 92
				Chromium 24	_ =	184 W Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
				Vanadium 23	Niobium 41	181 Ta Tantalum		140 Ce Cerium	232 Th Thorium
				1 Titanium 22	Zr Zirconium 40	178 Hf Hafnium 72			nic mass bol nic) number
				Scandium 21	Yttrium 39	139 La Lanthanum 57 *	227 Ac Actinium 89	series eries	 a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Be Beryllum 4 24 NG Mg Magnesium 12	Ca Calcium 20	Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	м Х
	_		Lithium 3 Lithium 3 23 23 Na Sodium 11	39 Potassium	Rubidium 37	CS Caesium 55	Fr Francium 87	*58-71 L 190-103	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).