



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Paper 2		May/June 2008
CHEMISTRY	NOMBLIX	0620/02
CENTRE NUMBER	CANDIDATE NUMBER	
CANDIDATE NAME		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES

Answer all questions.

A copy of the periodic table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.


For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
Total	


This document consists of 16 printed pages.




1 The diagram shows the structures of some substances containing carbon.

For Examiner's Use








(a) Answer these questions using the letters ${\bf A}, {\bf B}, {\bf C}, {\bf D}, {\bf E}$ or ${\bf F}.$

	(i)	Which one of these structures is ionic?	 [1]
	(ii)	Which one of these structures represents ethanol?	 [1]
((iii)	Which one of these structures represents a gas which turns limewater milky?	 [1]
((iv)	Which one of these structures is an unsaturated hydrocarbon?	 [1]
(b)	Des	scribe a chemical test for an unsaturated hydrocarbon.	
	tes	t	
	res	ult	[2]

(c)	(c) State the chemical name of structure B.	
		[1]
(d)	(d) Structure F has several uses. Which one of the following is a carrier Tick one box.	correct use of structure F ?
	for cutting metals	
	as a lubricant	
	for filling balloons	
	as an insulator	[1]
(e)	(e) The structures A to E are compounds. What do you understar	nd by the term compound?
		[1]
(f)	(f) State the type of bonding in structure A.	
		[1]
		[Total: 10]

For Examiner's Use The diagram shows a statue in a park in an industrial town. The statue is made from limestone.

For Examiner's Use



statue when first erected



the same statue after 20 years

[4]

[1]

(a)	State the name of the chemical present in limestone.	
		[1]
(b)	Use ideas about the chemistry of atmospheric pollutants to suggest how and why the statue changes over 20 years.	;

(c) Parts of the statue are joined together with iron pins. After 30 years, the arm falls off the statue. Suggest why the arm falls off.

.....

	n has several isotop		nna2
(i)	vvnat do you unde	erstand by the term <i>isoto</i>	ppes :
(ii)	The table shows the	ne number of subatomic	particles in an atom of iron.
	type of particle	number of particles	relative charge on the particle
	electron	26	
	neutron	30	
	proton	26	
(iii)	•	e to show the relative che of nucleons in this isoto	
) Soi	me isotopes are rad	lioactive. State one indu	strial use of radioactive isotopes.
	- roosto with your di	luto pitrio goid	
) Iror	n reacts with very di		
		Fe + $2HNO_3 \longrightarrow$	$Fe(NO_3)_2 + H_2$

Write a word equation for this reaction.

[1]

For Examiner's Use

[Total: 13]

3 The table shows the concentration of some ions present in seawater.

For Examiner's Use


name of ion	formula of ion	concentration of ion in g/dm³
bromide	Br⁻	0.07
calcium	Ca ²⁺	0.4
chloride	C <i>l</i> −	19.1
magnesium	Mg ²⁺	1.2
potassium	K ⁺	0.3
sodium	Na⁺	10.6
	SO ₄ ²⁻	0.8

(a)	Which negative ion has the highest concentration in seawater?	
		[1]
(b)	State the name of the ion with the formula SO_4^{2-} .	F.4.7
		[1]
(c)	Which two ions in the table are formed from Group I elements?	
	and	[1]
(d)	When seawater is evaporated a number of different compounds are formed. State the name of the compound which is present in the greatest quantity.	
		[1]
(e)	State the names of two ions in the table which move to the cathode when seawate electrolysed.	er is
	and	[2]

(f)	When concentrated seawater is electrolysed, chlorine is formed at one of the electrod	des. For Examiner's
	(i) To which Period in the Periodic Table does chlorine belong?	Use
		[1]
	(ii) Draw the electronic structure of a chlorine molecule. Show only the outer electron	ns.
		[2]
(g)	Drinking water can be obtained by purifying seawater. Explain why distillation rather than filtration is used to purify seawater for drinking.	
		[2]
	[Total: 1	11]

4 The diagram shows a water treatment works.

For Examiner's Use



(c) The aluminium ions in aluminium sulphate cause clay particles to clump together. Describe a test for aluminium ions.

tost	
result	
	[3]

(d) Why is chlorine added to the water?

toet

[1]

For Examiner's Use

(e)	Wh	orine is in Group VII of the Periodic Table. en chlorine reacts with a solution of potassium bromide, the solution turns a dish – brown colour.
	(i)	Write a word equation for this reaction.
		[2]
	(ii)	Explain why iodine does not react with a solution of potassium bromide.
		[1]
(f)	Wh	en chlorine reacts with sodium to form sodium chloride, energy is released.
	(i)	State the name given to a reaction which releases energy.
		[1]
	(ii)	What type of bonding is present in sodium chloride?
		[1]
	(iii)	Explain what happens in terms of electron transfer when a sodium atom reacts with a chlorine atom.
		[2]
		[Total: 14]

© UCLES 2008 0620/02/M/J/08 **[Turn over**

	ry crystals of magnesium sulphate can be made by reacting excess magnes with dilute sulphuric acid.	sium
	ring the reaction, bubbles of a colourless gas are given off. ate the name of this gas.	
****		[1]
(b) (i)	Why is excess magnesium used?	
(ii)	How is the excess magnesium removed from the reaction mixture?	[1]
(,	Thew is the execution removed from the reaction mixture.	[1]
	scribe how you can obtain pure dry crystals of magnesium sulphate from a solumagnesium sulphate.	ution
		[2]
(d) (i)	Describe one other reaction that makes magnesium sulphate.	
		 [1]
(ii)	Write a word equation for the reaction you suggested in part (d)(i).	
		[1]
(iii)	Magnesium sulphate can be used as a medicine. Explain why the chemicals used in medicines need to be as pure as possible.	sed
		[1]

(e) A student repeats the experiment using excess sulphuric acid.

She obtains 24 g of magnesium sulphate from 4.8 g of magnesium.

How much magnesium sulphate can the student obtain from 1.2 g of magnesium?

For Examiner's Use

[1]


(f) A sample of 20 g of impure magnesium sulphate contains 19.5 g of magnesium sulphate.Calculate the percentage purity of the magnesium sulphate.

[1]

[Total: 10]

6 Petroleum is separated into useful fractions by distillation.

For Examiner's Use



(a)	(i)	What do you understand by the term fraction?	
			[1]
	(ii)	Which fraction has the lowest boiling point?	
			[1]
	(iii)	Describe how distillation is used to separate these fractions.	
			[2]
			[-]
	(iv)	State a use for	
		the paraffin fraction,	
		the bitumen fraction.	[2]


For Examiner's Use

(b)	Eth	ene can be made	e by cracking certain	hydrocarbon	fractions.		
	(i)	Explain what is	meant by the term ci	racking.			
							[1]
	(ii)	Complete the e	quation for the cracki	ng of tetrade	cane, C ₁₄ H ₃₀ .		
			C ₁₄ H ₃₀ →	+	C ₂ H ₄	I	[1]
(c)		anol is formed walyst of phosphor	hen steam reacts wi	ith ethene at	high pressure a	nd temperature.	. A
			ethene + ste	eam ⇌ etha	nol		
	(i)	What is the fund	ction of the catalyst?				
							[1]
	(ii)	What is the mea	aning of the symbol $ arrange$	⇒ ?			
							[1]
	(iii)	What is this pro	formed when yeast g cess called? nd the correct answel	_	r solution.		
		r at a ring arour	id the correct answer				
		addition	combustion	fermentati	on neutra	lisation	[1]
((iv)	Phosphoric acid	d is a typical acid. Sta l is added to	ate what you	would observe w	hen a solution o	of
		blue litmus,					
		a solution of so	dium carbonate				[2]
						[Total: 1	3]

7 A student placed a crystal of copper(II) sulphate in a beaker of water.

After one hour the crystal had completely disappeared and a dense blue colour was observed in the water at the bottom of the beaker. After 48 hours the blue colour had spread throughout the water.

For Examiner's Use



(a)	Use the kinetic particle theory to explain these observations.	
		[2]

(b)	Describe the a	rrangement and motion of the particles in the copper(II) sulphate cryst	al.
	arrangement		
	motion		[2

(c) Copper ions can be separated from other metal ions by paper chromatography. Draw a labelled diagram of the apparatus for paper chromatography.


In your diagram include

- the solvent,
- the spot where the solution containing copper ions is placed.

[2]

(d) Copper can be purified by electrolysis.





(i) Choose a word from the list below which describes the pure copper foil. Put a ring around the correct answer.

	anion	anode	cathode	cation	electrolyte	[1]
ii)	Describe wha	at happens dui	ring this electroly	sis to		
	the pure cop	per foil,				
	the impure c	opper foil.				[2]
					[To	otal: 9]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	Neon 10 Neon 40 Ar Argon 18	84 Kr Krypton 36	131 Xe Xenon	Radon 86		Lutetium 71	Lr Lawrencium 103
			19 Fluorine 9 35.5 C1 Chlorine 17	80 Br Bromine 35	127 I lodine	At Astatine 85		173 Yb Ytterbium 70	Nobelium
	>		16 Oxygen 8 32 Sulphur 16	79 Se Selenium 34	128 Te Tellurium	Po Polonium 84		169 Tm Thulium	Md Mendelevium
	>		14 Nitrogen 7 31 P Phosphorus 15	75 AS Arsenic	Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium
	≥		Carbon 6 Carbon 8 Silicon 14	73 Ge Germanium 32	Sn Tin	207 Pb Lead 82		165 Ho Holmium 67	Es Einsteinium 99
	≡		11 B Boron 5 27 A1 Auminium 13	70 Ga Gallium 31	115 In Indium	204 T1 Thallium 81		162 Dy Dysprosium 66	Californium
				65 Zn Zinc	112 Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium	BK Berkelium
				64 Copper	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Cm Ourlum
Group				59 Nicke l 28	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Ameridum 95
ອັ			7	59 Co Cobalt	103 Rho Rhodium	192 Ir Iridium 77		150 Sm Samarium 62	Pu Plutonium 94
		Hydrogen		56 Fe Iron	Buthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium
				Manganese	Tc Technetium 43	186 Re Rhenium 75		Neodymium 60	238 C Uranium
				Chromium	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91
				51 V Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum 73		140 Ce Cerium	232 Th Thorium
				48 二 Ttanium	2r Zirconium 40	178 #f Hafnium 72			nic mass bol nic) number
				Scandium 21	89 ×	139 La Lanthanum 57 *	227 AC Actinium 89	series eries	 a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Beeylium 4 Berylium 24 Mg Magnesium 12	40 Cal Calcium	Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	в Х
	_		7 Lithium 3 23 23 Sodium 11	39 K Potassium 19	Rb Rubidium	Caesium 55	Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).