

CHEMISTRY

Paper 1 Multiple Choice

0620/13 May/June 2012

45 Minutes

Additional Materials:	Multiple Choice A
	Soft clean eraser

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.


Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of **16** printed pages.



[Turn over



1 Which diagram shows the process of diffusion?

2 A student investigates how the concentration of an acid affects the speed of reaction with a 0.5 g mass of magnesium at 30 °C.


The student has a beaker, concentrated acid, water and the apparatus below.

- P a balance
- Q a clock
- R a measuring cylinder
- S a thermometer

Which pieces of apparatus does the student use?

- A P, Q and R only
- B P, Q and S only
- C Q, R and S only
- D P, Q, R and S
- **3** Which method is most suitable to obtain zinc carbonate from a suspension of zinc carbonate in water?
 - A crystallisation
 - **B** distillation
 - **C** evaporation
 - **D** filtration

4 The electronic structures of atoms P and Q are shown.



P and Q react to form an ionic compound.

What is the formula of this compound?

A PQ_2 **B** P_2Q **C** P_2Q_6 **D** P_6Q_2

5 An element Y has the proton number 18.

The next element in the Periodic Table is an element Z.

Which statement is correct?

- **A** Element Z has one more electron in its outer shell than element Y.
- **B** Element Z has one more electron shell than element Y.
- **C** Element Z is in the same group of the Periodic Table as element Y.
- **D** Element Z is in the same period of the Periodic Table as element Y.
- **6** Which atom has twice as many neutrons as protons?

	\mathbf{A} ¹ ₁ H	$\mathbf{B}_{1}^{2}\mathbf{H}$	C ³ ₁ H	D ⁴ ₂ He
--	--	--------------------------------	--------------------------------------	---------------------------------------

7 Which is a simple covalent molecule?

	conducts electricity		volatile
	when solid	when molten	volatile
Α	\checkmark	\checkmark	X
в	\checkmark	x	\checkmark
С	x	\checkmark	×
D	×	×	1


8 The equation for the reaction between magnesium and dilute sulfuric acid is shown.

Mg + H₂SO₄
$$\rightarrow$$
 MgSO₄ + H₂
 $M_{\rm r}$ of MgSO₄ is 120

Which mass of magnesium sulfate will be formed if 12 g of magnesium are reacted with sulfuric acid?

A 5g **B** 10g **C** 60g **D** 120g

9 The diagrams show the structures of two forms, P and Q, of a solid element.




What are suitable uses of P and Q, based on their structures?

	use of solid P	use of solid Q
Α	drilling	drilling
в	lubricating drilling	
С	C drilling lubrication	
D	lubricating	lubricating

https://xtremepape.rs/

10 Winston Churchill, a British Prime Minister, had his false teeth electroplated with gold.


The teeth were coated with a thin layer of carbon and were then placed in the apparatus shown.



Which row is correct?


	terminal X is	the carbon powder could be
Α	negative	diamond
в	negative	graphite
С	positive	diamond
D	positive	graphite

11 The apparatus shown is used to measure the speed of a reaction.




Which equation represents a reaction where the speed can be measured using this apparatus?

- **A** Mg(s) + 2HCl(aq) \rightarrow MgCl₂(aq) + H₂(g)
- **B** HCl(aq) + NaOH(aq) \rightarrow NaCl(aq) + H₂O(I)
- $\textbf{D} \quad 2Na(s) \ \textbf{+} \ Br_2(\textbf{I}) \ \rightarrow \ 2NaBr(s)$
- **12** The diagram shows the reaction between zinc oxide and dilute hydrochloric acid.



Which terms describe the reaction?

	endothermic	neutralisation
Α	\checkmark	1
в	\checkmark	x
С	x	1
D	×	x



Which row correctly describes the colours of the gases at the electrodes?

	anode (+ve)	cathode (-ve)
Α	colourless	colourless
в	colourless	yellow-green
С	yellow-green	colourless
D	yellow-green	yellow-green

14 A gas is escaping from a pipe in a chemical plant.

A chemist tests this gas and finds that it is alkaline.

What is this gas?

- **A** ammonia
- B chlorine
- **C** hydrogen
- D sulfur dioxide
- **15** The element vanadium, V, forms several oxides.

In which change is oxidation taking place?

- $\textbf{A} \quad VO_2 \quad \rightarrow \quad V_2O_3$
- $\textbf{B} \quad V_2O_5 \ \rightarrow \ VO_2$
- $C V_2O_3 \rightarrow VO$
- $\textbf{D} \quad V_2O_3 \ \rightarrow \ V_2O_5$

16 Dilute hydrochloric acid is added to a solid, S.

A flammable gas, G, is formed. Gas G is less dense than air.

What are S and G?

	solid S	gas G
Α	copper	hydrogen
В	copper carbonate	carbon dioxide
С	zinc	hydrogen
D	zinc carbonate	carbon dioxide

17 The results of three tests on a solution of compound X are shown in the table.


test	result
aqueous sodium hydroxide added	white precipitate formed, soluble in excess
aqueous ammonia added	white precipitate formed, insoluble in excess
acidified silver nitrate added	white precipitate formed

What is compound X?

- A aluminium bromide
- B aluminium chloride
- **C** zinc bromide
- D zinc chloride
- 18 The graph shows how the pH changes as an acid is added to an alkali.

acid + alkali \rightarrow salt + water

Which letter represents the area of the graph where both acid and salt are present?



	can be used as a catalyst	conducts electricity when solid	has low density	forms coloured compounds
Α	\checkmark	\checkmark	x	✓
в	\checkmark	\checkmark	\checkmark	x
С	\checkmark	x	\checkmark	✓
D	x	\checkmark	\checkmark	\checkmark


19 Which properties of the element titanium, Ti, can be predicted from its position in the Periodic Table?

9

20 The diagram shows a section of the Periodic Table.

Which element is described below?

'A colourless, unreactive gas that is denser than air.'



21 Element X is below iodine in the Periodic Table.

Which row correctly shows the physical state of element X at room temperature and its reactivity compared with that of iodine?

	physical state of element X at room temperature	reactivity compared with that of iodine
Α	gas	less reactive
в	solid	less reactive
С	gas	more reactive
D	solid	more reactive

- 22 Which property is shown by all metals?
 - A They are extracted from their ores by heating with carbon.
 - **B** They conduct electricity.
 - **C** They form acidic oxides.
 - **D** They react with hydrochloric acid to form hydrogen.
- 23 Five elements have proton numbers 10, 12, 14, 16 and 18.

What are the proton numbers of the three elements that form oxides?

- A 10, 12 and 14
- **B** 10, 14 and 18
- **C** 12, 14 and 16
- **D** 14, 16 and 18
- 24 Metal X reacts violently with water.

Metal Y reacts slowly with steam.

Metal Z does not react with dilute hydrochloric acid.

What is the correct order of reactivity of these metals, most reactive first?

- $\textbf{A} \quad X \to Y \to Z$
- $\textbf{B} \quad X \to Z \to Y$
- $\boldsymbol{\mathsf{C}} \quad \boldsymbol{\mathsf{Z}} \to \boldsymbol{\mathsf{X}} \to \boldsymbol{\mathsf{Y}}$
- $\textbf{D} \quad Z \to Y \to X$
- 25 Which statement about the extraction of iron from its ore is correct?
 - A Iron is more difficult to extract than zinc.
 - **B** Iron is more difficult to extract than copper.
 - **C** Iron is easy to extract because it is a transition metal.
 - **D** Iron cannot be extracted by reduction with carbon.
- 26 Which statement about the uses of metals is correct?
 - A Aluminium is used in the manufacture of aircraft as it has a high density.
 - **B** Aluminium is used to make food containers as it conducts electricity.
 - **C** Stainless steel for cutlery is made by adding other elements to iron.
 - D Stainless steel is used to make chemical reactors as it corrodes readily.

27 Fertilisers need to supply crops with three main elements.

Which compound contains all three of these elements?

- **A** H_3PO_4 **B** KNO_3 **C** $NH_4K_2PO_4$ **D** NH_4NO_3
- **28** Some uses of water are listed.
 - 1 for drinking
 - 2 in chemical reactions
 - 3 in swimming pools
 - 4 in washing

For which uses is it necessary to chlorinate the water?


A 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

- **29** Which is a use of oxygen?
 - A filling balloons
 - **B** filling light bulbs
 - **C** food preservation
 - **D** making steel
- **30** Coal is a fossil fuel.

Which gas is **not** formed when coal burns?


- A carbon dioxide
- B carbon monoxide
- **C** methane
- D sulfur dioxide

31 Air containing an acidic impurity was neutralised by passing it through a column containing substance X.



What is substance X?

- A calcium oxide
- B sand
- C sodium chloride
- D concentrated sulfuric acid
- **32** A new planet has been discovered and its atmosphere has been analysed.




The table shows the composition of the atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- B carbon dioxide only
- C nitrogen and oxygen
- D nitrogen only

33 The structure of a compound is shown.



Which functional groups are present in this compound?

	alcohol	alkene	carboxylic acid
Α	\checkmark	\checkmark	1
в	\checkmark	x	x
С	x	\checkmark	1
D	x	x	1

34 Gas X is a waste gas from digestion in animals.

Gas Y is formed when gas X is burnt with a small amount of oxygen.

Gas Z is formed when gas X is burnt with an excess of oxygen.

What are X, Y and Z?

	Х	Y	Z
Α	carbon dioxide	methane	carbon monoxide
в	carbon monoxide	methane	carbon dioxide
С	methane	carbon dioxide	carbon monoxide
D	methane	carbon monoxide	carbon dioxide

35 Which fraction from the fractional distillation of petroleum does not match its correct use?

	fraction	use
Α	fuel oil	domestic heating
В	kerosene	jet fuel
С	naphtha	making roads
D	refinery gas	for heating and cooking


36 When a long chain hydrocarbon is cracked, the following products are produced.

- 1 C₃H₈
- 2 C₂H₄
- 3 C₃H₆
- 4 C₂H₆

Which products would decolourise bromine water?

Α	1 and 4	В	2 and 3	С	2 only	D	3 only
---	---------	---	---------	---	--------	---	--------


37 The diagram shows apparatus used to separate petroleum into four fractions.



Which fraction contains the smallest hydrocarbon molecules?

fraction	boiling point range/°C
Α	up to 70
В	70 to 120
с	120 to 170
D	over 170

38 PVA is a polymer. The monomer has the structure shown.



To which homologous series does this compound belong?

	alcohols	alkenes
Α	1	√
в	\checkmark	x
С	x	\checkmark
D	x	x

39 Ethanol is an important chemical produced by the1..... of2......

Which words correctly complete gaps 1 and 2?

	1	2
Α	combustion	ethane
В	combustion	glucose
С	fermentation	ethane
D	fermentation	glucose

- 40 Which equation represents incomplete combustion of ethane?
 - $\textbf{A} \quad C_2H_6 \ \textbf{+} \ O_2 \ \rightarrow \ 2CO \ \textbf{+} \ \ 3H_2$
 - $\textbf{B} \quad C_2H_6 \ \textbf{+} \ 2O_2 \ \rightarrow \ 2CO_2 \ \textbf{+} \ \ 3H_2$
 - $\textbf{C} \quad 2C_2H_6 \ \textbf{+} \ 5O_2 \ \rightarrow \ 4CO \ \textbf{+} \ \ 6H_2O$
 - $\textbf{D} \quad 2C_2H_6 \ \textbf{+} \ 7O_2 \ \rightarrow \ 4CO_2 \ \textbf{+} \ \ 6H_2O$

								Š	Group								
	=											=	2	>	N	١١٨	0
							- 1										⁴ He
							Hydrogen 1										Helium 2
7	6											5	12	14	16	19	20
	Be											۵	ပ	z	0	L	Ne
Lithium 4	Beryllium											Boron 5	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	Neon 10
	24											27	28	31	32	35.5	40
	Mg											٩ı	Si	₽.	S	C1	Ar
Sodium 12	Magnesium 12											Aluminium 13	Silicon 14	Phosphorus 15	Sulfur 16	Chlorine 17	Argon 18
	40	45	48	51	52	55	56	26	59	64	65	70	73	75	79	80	84
×	Ca	Sc	i	>	ŗ	Mn	Fe	ပိ	ïZ	Cu	Zn	Ga	9 Ge	As	Se	Br	Кr
Potassium (Calcium	Scandium 2	Titanium 22	Vanadium 23	Chromium 24	Manganese 25	lron 26	Cobalt 27	Nickel 28	Copper 29	Zinc 30	Gallium 31	Germanium 32	Arsenic 33	Selenium 34	Bromine 35	Krypton 36
	88	68	91	93	96		101	103	106	108	112	115	119	122	128	127	131
	Sr		Zr	ЧN	Mo	Ч	Ru	Rh	Pd	Ag	ပိ	п	Sn	Sb	Te	н	Xe
Rubidium St	Strontium 3	Yttrium 39 4	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	Indium 49	50 Tin	Antimony 51	Tellurium 52	lodine 53	Xenon 54
133	137	139	178	181	184	186	190	192	195	197	201	204	207	209			
Cs	Ba	La	Ηf	Та	≥	Re	Os	ŗ	£	Au	Hg	11	Ъb	Bi	Ро	At	Rn
Caesium 56	Barium	Lanthanum 57 * 7	Hafnium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Iridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	Polonium 84	Astatine 85	Radon 86
	226	227															
ŗ	Ra	Ac															
Francium 88	Radium	Actinium 89 †															
1 ant	*58-71 Lanthanoid series	series		140	141	144		150	152	157	159	162	165	167	169	173	175
03 00+	+ 00-103 Actinoid correction	bride		မီ	Pr	Nd	Pm	Sm	Ēu	gd	Tb	ð	Р	ш	Tm	γb	Ľ
		0100		Cerium 58	Praseodymium 59	Neodymium 60	Promethium 61	Samarium 62	Europium 63	Gadolinium 64	Terbium 65	Dysprosium 66	Holmium 67	Erbium 68	Thulium 69	Ytterbium 70	Lutetium 71
g		a = relative atomic mass	mass	232		238											
×		X = atomic symbol	-	Th	Ра		ЧN		Am	CB		ç		Fm	Md	No	۲
q	= q	b = proton (atomic) number) number	Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium	Mendelevium	Nobelium	Lawrencium

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2012

DATA SHEET Periodic Table of the

16