



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/51
Paper 5 Practica	al Test		May/June 2015
			1 hour 15 minutes
Candidates ans	wer on the Question Paper.		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

As listed in the Confidential Instructions

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Additional Materials:

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Practical notes are provided on page 8.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
Total	

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 8 printed pages.



[Turn over

1 You are going to investigate what happens when aqueous sodium hydroxide reacts with aqueous solutions of two different acids, **A** and **B**.

Read all the instructions below carefully before starting the experiments.

Instructions

You are going to carry out two experiments.

(a) Experiment 1

Use a measuring cylinder to pour 50 cm³ of aqueous sodium hydroxide into the polystyrene cup provided. Put the cup into a 250 cm³ beaker for support. Measure the initial temperature of the solution and record it in the table below.

Fill the burette with the solution of acid **A** provided to the 0.0 cm³ mark.

Add 5.0 cm³ of acid **A** to the aqueous sodium hydroxide in the cup and stir the mixture.

Measure and record the maximum temperature of the solution in the table below. Add a further 5.0 cm³ of acid **A** to the cup and stir the mixture. Measure and record the temperature of the mixture in the table below.

Continue to add 5.0 cm³ portions of acid **A** to the cup, until a total volume of 40 cm³ of acid has been added. Stir after each addition and measure and record the temperatures in the table.

At the end of this experiment, pour the solution away and rinse the polystyrene cup.

volume of acid A added/cm ³	temperature of solution in polystyrene cup/°C
0.0	
5.0	
10.0	
15.0	
20.0	
25.0	
30.0	
35.0	
40.0	

(b) Experiment 2

Empty the burette and rinse it with distilled water. Half fill the burette with the solution of acid **B** and swirl the contents. Discard this acid.


Now fill the burette to the 0.0 cm³ mark with the solution of acid **B**.

Repeat Experiment 1 using acid **B** instead of acid **A**. Record your results in the table below.

volume of acid B added/cm ³	temperature of solution in polystyrene cup/°C
0.0	
5.0	
10.0	
15.0	
20.0	
25.0	
30.0	
35.0	
40.0	

(c) Plot the results for Experiments 1 and 2 on the grid and draw a smooth line graph for each experiment.

Clearly label your graphs.



(d) Use your graph to estimate the temperature of the reaction mixture when 8 cm³ of acid B were added to 50 cm³ of aqueous sodium hydroxide.

Show clearly on the graph how you worked out your answer.

.....[2]

© UCLES 2015 0620/51/M/J/15

(e)		at type of chemical reaction, other than neutralisation, occurs when acid $f A$ reacts wi ium hydroxide?	th
		[1]
(f)		y was the burette rinsed firstly with distilled water and then with acid B before startineriment 2?	
		[
(g)	The	solutions of acids A and B are the same concentration.	
	(i)	In which experiment is the maximum temperature change greater?	
		[1]
	(ii)	Suggest why the maximum temperature change is greater in this experiment.	
			•••
		[1]
(h)		scribe one source of error in Experiment 2. Suggest an improvement to reduce this source or control.	се
	sou	rce of error	
	imp	rovement[2]
		[Total: 2	0]

You are provided with solid **C**, which is a salt containing two cations and one anion. Carry out the following tests on solid **C** recording all of your observations in the table. Conclusions must **not** be written in the table.

	tests	observations
tests on solid C		
(a)	Describe the appearance of solid C .	[1]
(b)	Use a spatula to put a little of solid C into a hard-glass test-tube. Heat the solid gently and then strongly. Test any gases given off with damp pH indicator paper.	[3]
test	s on a solution of C	
soli Divi	about 10 cm³ of distilled water to the rest of d C , stopper and shake to dissolve. de the solution into four equal portions in test-tubes. Carry out the following tests.	
(c)	To the first portion of the solution, add aqueous sodium hydroxide using a teat pipette.	[2]
	Now add excess aqueous sodium hydroxide to the mixture.	[1]
	Heat the mixture gently and test any gases given off.	
	9.70.70	[2]
(d)	To the second portion of the solution, add excess aqueous ammonia.	
	·	[2]
(e)	To the third portion of the solution, add a few drops of dilute nitric acid and about 1 cm ³ of aqueous silver nitrate.	[1]
(f)	To the fourth portion of the solution, add a few drops of dilute nitric acid and about 1 cm ³ of barium nitrate solution.	[2]

(g) What does test (b) tell you about the nature of solid C?	
	[2]
(h)	What does test (e) tell you about the nature of solid C?
	[1]
(i)	What conclusions can you draw about the identity of solid C ?
	[3]
	[3]
	[Total: 20]

0620/51/M/J/15

NOTES FOR USE IN QUALITATIVE ANALYSIS

Test for anions

anion	test	test result
carbonate (CO ₃ ²⁻)	add dilute acid	effervescence, carbon dioxide produced
chloride (C <i>l</i> ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
iodide (I ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	yellow ppt.
nitrate (NO ₃ ⁻) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced
sulfate (SO ₄ ²⁻) [in solution]	acidify with dilute nitric acid, then aqueous barium nitrate	white ppt.

Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al ³⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium (NH ₄ +)	ammonia produced on warming	_
calcium (Ca ²⁺)	white ppt., insoluble in excess	no ppt., or very slight white ppt.
copper (Cu ²⁺)	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe ²⁺)	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe ³⁺)	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn ²⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

Test for gases

gas	test and test results
ammonia (NH ₃)	turns damp red litmus paper blue
carbon dioxide (CO ₂)	turns limewater milky
chlorine (C l_2)	bleaches damp litmus paper
hydrogen (H ₂)	'pops' with a lighted splint
oxygen (O ₂)	relights a glowing splint

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2015 0620/51/M/J/15