

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended) May/June 2016

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.






[Turn over


1 The particles of a substance gain energy and change from a regular ordered structure to a disordered structure with large distances between the particles.

Which change of state is described?

- **A** boiling
- **B** evaporation
- **C** melting
- **D** sublimation
- 2 In the chromatography experiment shown, which label represents the solvent front?



**3** X is a mixture of colourless compounds. The diagram shows a chromatogram of X and of three pure compounds, P, Q and R.



Which statement is **not** correct?

- **A** A locating agent was used to develop the chromatogram of X.
- **B** P and R could be present in X.
- **C** P and R have different solubilities in the solvent.
- **D** Q has a greater  $R_f$  value than R.

- **4** Which statements about isotopes of the same element are correct?
  - 1 They are atoms which have the same chemical properties because they have the same number of electrons in their outer shell.
  - 2 They are atoms which have the same number of electrons and neutrons but different numbers of protons.
  - 3 They are atoms which have the same number of electrons and protons but different numbers of neutrons.

**A** 1 and 2

**B** 1 and 3

C 2 only

**D** 3 only

5 The table shows the electronic structure of four atoms.

atom	electronic structure
W	2,8,1
X	2,8,4
Y	2,8,7
Z	2,8,8

Which two atoms combine to form a covalent compound?

**A** W and X

**B** W and Y

C X and Y

**D** X and Z

- 6 Which statement describes the attractive forces between molecules (intermolecular forces)?
  - **A** They are strong covalent bonds which hold molecules together.
  - **B** They are strong ionic bonds which hold molecules together.
  - **C** They are weak forces formed between covalently-bonded molecules.
  - **D** They are weak forces which hold ions together in a lattice.
- 7 Metals consist of a lattice of positive ions in a 'sea of electrons'.

Why is aluminium malleable?

- **A** Its ions are attracted to the 'sea of electrons'.
- **B** Its ions are tightly packed together.
- C Its ions repel each other.
- **D** Its layers of ions can slide over each other.

8 A sample of 16.0 g of a metal oxide, MO, is reduced to 12.8 g of the metal, M.

What is the relative atomic mass, A<sub>r</sub>, of M?

- **A** 32
- **B** 64
- **C** 80
- **D** 128


**9** The equation for the reaction between calcium carbonate and hydrochloric acid is shown.

$$CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + H_2O(I) + CO_2(g)$$

How many moles of calcium carbonate will give 24 cm<sup>3</sup> of carbon dioxide when reacted with an excess of the acid?

- A 1 mol
- **B** 0.1 mol
- **C** 0.01 mol
- **D** 0.001 mol

10 The diagram shows the electrolysis of molten zinc chloride, ZnCl<sub>2</sub>.




Which statement is correct?


- **A** Oxidation occurs at electrode X and the equation is:  $2Cl^- \rightarrow Cl_2 + 2e^-$ .
- **B** Oxidation occurs at electrode Y and the equation is:  $Zn^{2+} + 2e^{-} \rightarrow Zn$ .
- **C** Reduction occurs at electrode X and the equation is:  $Zn^{2+} + 2e^{-} \rightarrow Zn$ .
- **D** Reduction occurs at electrode Y and the equation is:  $2Cl^- \rightarrow Cl_2 + 2e^-$ .

**11** The diagram shows some properties that substances may have.

To which labelled part of the diagram does <sup>235</sup>U belong?




12 The diagram shows a simple cell.



For which pair of metals would electrons flow from metal X to metal Y?

	X	Y
Α	copper	iron
В	copper	zinc
С	iron	zinc
D	zinc	iron

**13** The energy level diagram for the combustion of methane is shown.




Which row gives the equation and energy change for this reaction?

	equation	energy change in kJ/mol
Α	$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$	+891
В	$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$	-891
С	$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(I)$	+891
D	$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(I)$	-891

**14** A liquid X reacts with solid Y to form a gas.

Which two diagrams show suitable methods for investigating the rate (speed) of the reaction?



15 Which row describes how the energy of collision between particles changes when concentration and temperature are increased?

	concentration	temperature
Α	increases	increases
В	increases	no change
С	no change	increases
D	no change	no change

**16** Methanol is made by reacting carbon monoxide with hydrogen.

The reaction is exothermic and is a chemical equilibrium.

The equation for the reaction is shown.

$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

Which changes in temperature and pressure increase the yield of methanol?

	temperature	pressure
Α	decrease	decrease
В	decrease	increase
С	increase	decrease
D	increase	increase

17 Which equation represents a reduction reaction?

$$A \quad Fe^{2+} + e^{-} \rightarrow Fe^{3+}$$

$$\mathbf{B} \quad \mathsf{Fe^{2+}} \, \rightarrow \, \mathsf{Fe^{3+}} \, + \, \mathsf{e^{-}}$$

$$\textbf{C} \quad \text{Fe}^{\text{3+}} \, + \, \text{e}^{\text{-}} \, \rightarrow \, \text{Fe}^{\text{2+}}$$

**D** 
$$Fe^{3+} \rightarrow Fe^{2+} + e^{-}$$

18 Which statements are properties of an acid?

1 reacts with ammonium sulfate to form ammonia

2 turns red litmus blue

	1	2
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

19 Which row describes whether an amphoteric oxide reacts with acids and bases?

	reacts with acids	reacts with bases
Α	no	no
В	no	yes
С	yes	no
D	yes	yes

20 Silver chloride is insoluble in water and is prepared by precipitation.

Which two substances can be used to make silver chloride?

- A barium chloride and silver nitrate
- B hydrochloric acid and silver
- C hydrochloric acid and silver bromide
- D sodium chloride and silver iodide

21 Where in the Periodic Table is the metallic character of the elements greatest?

	left or right side of a period	at the top or bottom of a group
Α	left	bottom
В	left	top
С	right	bottom
D	right	top

22 Rubidium is a Group I metal.

Which statement about rubidium is **not** correct?

- A It has a higher melting point than lithium.
- **B** It has one electron in its outer shell.
- **C** It reacts vigorously with water.
- **D** It reacts with chlorine to form rubidium chloride, RbC*l*.

23 The table gives information about four elements, P, Q, R and S.


	melting point in °C	electrical conductivity of element when solid	density in g/cm <sup>3</sup>	colour of iodide of element
Р	98	good	0.97	white
Q	-39	good	13.53	red
R	1410	poor	2.33	colourless
S	1535	good	7.87	green

Which elements could be transition elements?

- A P, Q and S
- **B** Q and S only **C** R and S only **D** S only

24 Part of the Periodic Table is shown.

Which element is a gas that does not form a compound with potassium?



25 Some magnesium compounds undergo thermal decomposition.

What are the products of thermal decomposition of magnesium nitrate, Mg(NO<sub>3</sub>)<sub>2</sub>, and magnesium hydroxide, Mg(OH)<sub>2</sub>?

	$Mg(NO_3)_2$	Mg(OH) <sub>2</sub>
Α	MgO, NO <sub>2</sub> and O <sub>2</sub>	MgO and H₂O
В	MgO, $NO_2$ and $O_2$	MgO and H <sub>2</sub>
С	Mg(NO <sub>2</sub> ) <sub>2</sub> and O <sub>2</sub>	MgO and H₂O
D	Mg(NO <sub>2</sub> ) <sub>2</sub> and O <sub>2</sub>	MgO and H <sub>2</sub>

**26** Which property is **not** considered a typical metallic property?


- A good conductor of heat
- **B** low melting point
- **C** malleable (can be hammered into shape)
- **D** strong

27 Iron from a blast furnace is treated with oxygen and with calcium oxide to make steel.

Which substances in the iron are removed?

	oxygen removes	calcium oxide removes
Α	carbon	acidic oxides
В	carbon	basic oxides
С	iron	acidic oxides
D	iron	basic oxides


- 28 Why is cryolite used during the extraction of aluminium by electrolysis?
  - A It is a catalyst for the reaction.
  - **B** It lowers the melting point of the electrolyte.
  - **C** It protects the anodes.
  - **D** It separates the aluminium from the electrolyte.
- 29 The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q
Α	falls	rises
В	no change	rises
С	rises	falls
D	rises	no change

30 A new planet has been discovered and its atmosphere has been analysed.



The table shows the composition of its atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- B carbon dioxide only
- C nitrogen and oxygen
- **D** nitrogen only
- 31 The gases coming from a car's engine contain oxides of nitrogen.

How are these oxides formed?

- A Nitrogen reacts with carbon dioxide.
- **B** Nitrogen reacts with carbon monoxide.
- C Nitrogen reacts with oxygen.
- D Nitrogen reacts with petrol.

**32** Ammonia is manufactured by a reversible reaction.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

What is the effect of increasing the pressure on the percentage yield and rate of formation of ammonia?

	percentage yield	rate of formation
Α	decreases	decreases
В	decreases	increases
С	increases	decreases
D	increases	increases

**33** The Contact process is used for the manufacture of sulfuric acid.


Which statement about this process is **not** correct?

- A A catalyst of iron is used.
- **B** Oxygen from the air is used to react with sulfur dioxide.
- **C** Sulfur trioxide dissolves in sulfuric acid to form oleum.
- **D** The temperature used is around 450 °C.
- **34** Lime (calcium oxide) is used to treat waste water from a factory.

Which substance is removed by the lime?

- **A** ammonia
- B sodium chloride
- C sodium hydroxide
- **D** sulfuric acid

**35** The diagram shows the separation of petroleum into fractions.



What could X, Y and Z represent?

	X	Y	Z
Α	diesel oil	lubricating fraction	paraffin
В	lubricating fraction	diesel oil	paraffin
С	paraffin	lubricating fraction	diesel oil
D	paraffin	diesel oil	lubricating fraction

**36** Which compound is **not** an alkane,  $C_nH_{2n+2}$ ?

- A CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
- B (CH<sub>3</sub>)<sub>2</sub>CHCH<sub>3</sub>
- C CH<sub>3</sub>CHCHCH<sub>3</sub>
- $\mathbf{D}$  (CH<sub>3</sub>)<sub>3</sub>CH

37 An ester is formed when a carboxylic acid reacts with an alcohol.

Which ester is formed when propanoic acid and ethanol react?

- A CH<sub>3</sub>CO<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
- B CH<sub>3</sub>CO<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
- C CH<sub>3</sub>CH<sub>2</sub>CO<sub>2</sub>CH<sub>3</sub>
- D CH<sub>3</sub>CH<sub>2</sub>CO<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>

- **38** What is an advantage of producing ethanol by fermentation of sugar compared to the catalytic addition of steam to ethene?
  - A The alcohol produced is purer.
  - **B** The process is faster.
  - **C** The process uses high temperature.
  - **D** The process uses renewable raw materials.
- 39 In which row are the monomer and polymer chain correctly matched?

	monomer	part of the polymer chain
Α	CH <sub>3</sub> CH=CHCH <sub>3</sub>	-CH(CH <sub>3</sub> )-CH(CH <sub>3</sub> )-CH(CH <sub>3</sub> )-CH(CH <sub>3</sub> )-
В	CH₂=CHC1	-CHC1-CHC1-CHC1-CHC1-
С	CH <sub>3</sub> CH=CH <sub>2</sub>	-CH <sub>3</sub> -CH-CH <sub>2</sub> -CH <sub>3</sub> -CH-CH <sub>2</sub> -
D	CH <sub>2</sub> =CHCH <sub>2</sub> CH <sub>3</sub>	-CH <sub>2</sub> -CH <sub>2</sub> -CH <sub>2</sub> -CH(CH <sub>2</sub> CH <sub>3</sub> )-

- 40 Which two polymers have the same linkages bonding the monomers together?
  - A nylon and complex carbohydrate
  - B nylon and protein
  - **C** Terylene and complex carbohydrate
  - **D** Terylene and protein

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	III/	5 -	e H	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	II/				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Αţ	astatine			
					8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ро	polonium -	116	^	livermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	2				9	ပ	carbon 12	14	:S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ър	lead 207	114	Εl	flerovium
	=				2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	S	cadmium 112	80	Нg	mercury 201	112	S	copernicium
											29	Cn	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -
Group											28	Ë	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Gro											27	ပိ	cobalt 59	45	格	rhodium 103	77	Ι	iridium 192	109	Μţ	meitnerium -
		- :	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Ηs	hassium -
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	В	bohrium –
						pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
		Key			atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Сb	dubnium –
						ato	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	26	Ba	barium 137	88	Ra	radium –
	_				3	:=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	В	rubidium 85	55	S	caesium 133	87	Ē	francium -

71	Γn	lutetium 175	103	۲	lawrencium	I
70	Υb	ytterbium 173	102	%	nobelium	I
69	Tm	thulium 169	101	Md	mendelevium	ı
89	щ	erbium 167	100	Fm	fermium	I
29	웃	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ರ	californium	ı
65	Р	terbium 159	97	BK	berkelium	ı
64	<del>G</del> d	gadolinium 157	96	Cm	curium	ı
63	Вu	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pn	plutonium	ı
61	Pm	promethium	93	ď	neptunium	ı
09	PN	neodymium 144	92	$\supset$	uranium	238
69	ቯ	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	Т	thorium	232
22	Гa	lanthanum 139	89	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.)