



Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/63
Paper 6 Alterna	ative to Practical		May/June 2019
			1 hour
Candidates ans	wer on the Question Paper.		

READ THESE INSTRUCTIONS FIRST

No Additional Materials are required.

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.


This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 10 printed pages and 2 blank pages.




BLANK PAGE

A student investigated the colours present in three hair dyes, **P**, **Q** and **R**, using chromatography. **P**, **Q** and **R** are insoluble in water. The student suggested setting up the apparatus for the experiment as shown.



(a)	Why	y is a lid necessary on top of the beaker?	
			[1]
(b)	(i)	Identify one mistake in the student's diagram.	
			[1]
	(ii)	Suggest why this mistake would stop the experiment working.	
			[1]
(c)	Nan	me a suitable solvent that could be used in this experiment.	
			F4.1

(d) A separate chromatography experiment was done using the hair dyes P, Q and R. The chromatogram obtained is shown.



State three conclusions about the hair dyes P, Q and R which can be deduced from the chromatogram.

1	
2	
3	
	[3]

[Total: 7]

© UCLES 2019 0620/63/M/J/19

2 A student investigated the temperature changes when two different metals, zinc and magnesium, reacted with aqueous copper(II) sulfate.

Three experiments were done.

Experiment 1

- A measuring cylinder was used to pour 25 cm³ aqueous copper(II) sulfate into a polystyrene cup.
- The initial temperature of the solution was measured and the timer was started.
- The temperature of the solution was measured at 30 seconds and at 60 seconds.
- At 60 seconds, 5g of zinc powder was added to the aqueous copper(II) sulfate. The mixture was stirred with a thermometer.
- The temperature of the mixture was measured every 30 seconds for 210 seconds. The mixture was stirred continuously.

(a) Use the thermometer diagrams to record the temperatures in the table.

time/s	0	30	60	90	120	150	180	210
thermometer diagram	H 30 -25 - 20	H 30 -25 -120	H 30 -25 -120	H 50 -45 -140	H 50 H 45 H 40	H 50 H 45 H 40	H 50 - 45 - 40	H 50 H 45 H 40
temperature of mixture/°C								

[2]

Experiment 2

- Experiment 1 was repeated using 5 g of magnesium powder instead of zinc powder.
- **(b)** Use the thermometer diagrams to record the temperatures in the table.

time/s	0	30	60	90	120	150	180	210
thermometer diagram	H H30 -25 - H20	H 30 -25 -120	H 30 -25 -120	H H 60 -55 - 55 - 50	H-H80 -75 -H70	HH80 H-75 H-70	H 80 -75 -170	H 80 -75 -170
temperature of mixture / °C								

[1]


Experiment 3

- Experiment 1 was repeated using 5 g of zinc granules instead of zinc powder.
- (c) Use the thermometer diagrams to record the temperatures in the table.

time/s	0	30	60	90	120	150	180	210
thermometer diagram	30 -25 -20	30 -25 -20	30 -25 -20	30 -25 -20	30 -25 20	30 25 20	- -30 -25 20	H-H30 H-25 H-H20
temperature of mixture/°C								

[1]

(d) Plot the results for Experiments 1–3 on the grid and draw **three** smooth line graphs. Clearly label your lines.



(e) From your graph, deduce the temperature of the mixture in Experiment 2 after 75 seconds. Show clearly **on the grid** how you worked out your answer.

°C	[2]
----	-----

(f)	(i)	From the results, which Experiment was the most exothermic? Explain your answer.	
(Compare the rates of reaction in Experiments 1 and 3. Explain why the rates of reaction are different.	[2] on
(g)	Pred	dict the temperature of the mixture in Experiment 2 after 2 hours. Explain your answer.	
		[
		en doing the experiments, what would be the advantage of taking the temperature reading ry 15 seconds?	gs
		[[2]
	-	lain why a copper can should not be used in place of the polystyrene cup in theseriments.	se
		[[2]
		[Total: 1	9]

0620/63/M/J/19

3 Two substances, solid N and solid O were analysed. Solid N was hydrated aluminium sulfate. Tests were done on solid N and solid O.

tests on solid N

les	(S 0)	1 Solid N
Coı	mple	te the expected observations.
(a)	Des	scribe the appearance of solid N .
	obs	ervation[1]
Sol	id N	was divided into two portions.
(b)		e first portion of solid ${\bf N}$ was heated in a hard-glass test-tube. Any gas produced was tested a cobalt(II) chloride paper.
	obs	ervations
		[2]
		cond portion of solid ${\bf N}$ was added to distilled water. The mixture was shaken to dissolve and form solution ${\bf N}$. Solution ${\bf N}$ was divided into two equal portions in two test-tubes.
(c)	(i)	Drops of aqueous sodium hydroxide were added to the first portion of solution ${\bf N}$ until a change was seen.
		observations[1]
	(ii)	An excess of aqueous sodium hydroxide was then added to the mixture from (c)(i).
		observations[1]
(d)	Dilu	Ite nitric acid and aqueous barium nitrate were added to the second portion of solution ${f N}$.

observations[1]

tests on solid O

Some of the tests and observations are shown.

tests on solid O	observations
test 1	
A flame test was done on solid O .	lilac flame
Solid O was dissolved in water. The solution was divided into two portions.	
test 2	
An excess of aqueous sodium hydroxide was added to the first portion of the solution.	no change
test 3	
Dilute nitric acid and aqueous silver nitrate were added to the second portion of the solution.	white precipitate formed
(e) Identify solid O.	

Identify solid O.
[2]
[Total: 8]

© UCLES 2019 0620/63/M/J/19

C	alcium carbonate, calcium hydroxide and calcium oxide can be used to neutralise the acid in soil.
PI	lan an investigation to find out which of these calcium compounds neutralises acid most effectively.
	ou are provided with the three calcium compounds, dilute hydrochloric acid and common laboratory pparatus and chemicals.
	roz

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2019 0620/63/M/J/19