

# Cambridge IGCSE<sup>™</sup>

CHEMISTRY 0620/13

Paper 1 Multiple Choice (Core)

May/June 2021

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **INSTRUCTIONS**

There are **forty** questions on this paper. Answer **all** questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

## **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



This document has 16 pages. Any blank pages are indicated.

IB21 06\_0620\_13/2RP © UCLES 2021

[Turn over

**1** A 1 cm<sup>3</sup> sample of substance X is taken. This is sample 1.

X is then converted to a different physical state and a 1 cm<sup>3</sup> sample is taken. This is sample 2.

Sample 2 contains more particles in the 1 cm<sup>3</sup> than sample 1.

Which process caused this increase in the number of particles in 1 cm<sup>3</sup>?

- **A** boiling of liquid X
- **B** condensation of gaseous X
- **C** evaporation of liquid X
- **D** sublimation of solid X
- **2** Solid carbon dioxide changes directly into a gas under suitable conditions of temperature and pressure.

Carbon dioxide gas moves from a high concentration to a low concentration.

Which row names these two processes?

	changing from solid to gas	moving from a high concentration to a low concentration
Α	evaporation	Brownian motion
В	evaporation	diffusion
С	sublimation	Brownian motion
D	sublimation	diffusion

- **3** Which statement about paper chromatography is correct?
  - **A** A solvent is needed to dissolve the paper.
  - **B** Paper chromatography separates mixtures of solvents.
  - **C** The solvent should cover the baseline.
  - **D** The baseline should be drawn in pencil.

4 Element X has 7 protons.

Element Y has 8 more protons than X.

Which statement about element Y is correct?

- **A** Y has more electron shells than X.
- **B** Y has more electrons in its outer shell than X.
- **C** Y is in a different group of the Periodic Table from X.
- **D** Y is in the same period of the Periodic Table as X.
- **5** A covalent molecule Q contains only six shared electrons.

What is Q?

- A ammonia, NH<sub>3</sub>
- **B** chlorine,  $Cl_2$
- C methane, CH<sub>4</sub>
- **D** water, H<sub>2</sub>O
- 6 Which piece of apparatus is used to measure exactly 25.00 cm<sup>3</sup> of hydrochloric acid?
  - A beaker
  - B measuring cylinder
  - **C** pipette
  - **D** balance
- 7 Which statement about isotopes of the same element is correct?
  - **A** They have different numbers of electrons.
  - **B** They have different numbers of neutrons.
  - **C** They have different numbers of protons.
  - **D** They have the same mass number.

8 Potassium reacts with iodine to form an ionic compound.

$$2K + I_2 \rightarrow 2KI$$

Which statements describe what happens when potassium reacts with iodine?

- 1 Each potassium atom loses two electrons.
- 2 Each potassium atom loses one electron.
- 3 Each iodine atom gains one electron.
- 4 Each iodine atom gains two electrons.
- **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- **9** What is the relative formula mass of magnesium nitrate, Mg(NO<sub>3</sub>)<sub>2</sub>?
  - **A** 74
- **B** 86
- **C** 134
- **D** 148
- 10 In separate experiments, electricity was passed through concentrated aqueous sodium chloride and molten lead(II) bromide.

What would happen in both experiments?


- **A** A halogen would be formed at the anode.
- **B** A metal would be formed at the cathode.
- **C** Hydrogen would be formed at the anode.
- **D** Hydrogen would be formed at the cathode.
- 11 The equation for the decomposition of calcium carbonate is shown.

$$CaCO_3 \rightarrow CaO + CO_2$$

What mass of calcium oxide is produced when 10 g of calcium carbonate is heated?

- **A** 4.4 g
- **B** 5.0 g
- **C** 5.6 g
- **D** 10.0 g

**12** Heat energy transfer during chemical reactions can be described using energy level diagrams. In which row is the description correct?



**A** 1 and 2 **B** 1 and 3 only **C** 1, 3 and 4 **D** 2 and 4

**13** The equations for two reactions are shown.

$$1 \quad CH_4 + 2O_2 \rightarrow CO_2 + 2H_2O$$

$$2 \quad 2H_2 + O_2 \rightarrow 2H_2O$$

Which statement about the reactions is correct?

- **A** Heat energy is released during both these reactions.
- **B** Heat energy is absorbed during both these reactions.
- **C** Heat energy is released during reaction 1 but absorbed during reaction 2.
- **D** Heat energy is released during reaction 2 but absorbed during reaction 1.
- **14** When sulfur is heated it undergoes a ......1...... change as it melts.

Further heating causes the sulfur to undergo a .....2..... change and form sulfur dioxide.

Which words complete gaps 1 and 2?

	1	2
Α	chemical	chemical
В	chemical	physical
С	physical	chemical
D	physical	physical

**15** Copper(II) carbonate reacts with dilute sulfuric acid.

Which conditions produce the fastest rate of reaction?

	form of copper(II) carbonate	temperature of dilute sulfuric acid/°C
Α	large lumps	37
В	large lumps	70
С	powder	37
D	powder	70

**16** Hydrated copper(II) sulfate is blue. When it is heated it forms white anhydrous copper(II) sulfate.

How is a sample of anhydrous copper(II) sulfate changed into hydrated copper(II) sulfate?

- A Water is added.
- **B** It is cooled down.
- C It is heated up.
- D Water is removed.
- **17** Copper(II) oxide reacts with iron. The equation for the reaction is shown.

$$3CuO + 2Fe \rightarrow 3Cu + Fe2O3$$

Why can this reaction be described as the reduction of copper(II) oxide?

- A Iron gains oxygen.
- **B** The copper(II) oxide loses oxygen.
- **C** The copper(II) oxide weighs less after the reaction than before.
- **D** There are fewer substances on the right of the equation.
- **18** Element X forms an oxide, XO, that neutralises sulfuric acid.

Which row describes X and XO?

	element X	nature of oxide, XO
Α	metal	acidic
В	metal	basic
С	non-metal	acidic
D	non-metal	basic

- **19** Which methods of salt preparation are suitable for copper(II) chloride?
  - 1 Add copper(II) carbonate to dilute hydrochloric acid.
  - 2 Add copper to dilute hydrochloric acid.
  - 3 Warm copper(II) oxide with dilute hydrochloric acid.
  - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

**20** A white solid, J, is tested and the observations are shown.

test	observations
flame test	red flame
acidify with nitric acid then add aqueous silver nitrate	white precipitate

### What is J?

- A lithium bromide
- B lithium chloride
- C sodium bromide
- **D** sodium chloride
- 21 Which statement about the Periodic Table is **not** correct?
  - **A** Elements in the same period have similar properties.
  - **B** It can be used to predict the properties of elements.
  - **C** Non-metals are found on the right side of the table.
  - **D** There are more metals than non-metals.
- **22** Bromine and iodine are elements in Group VII of the Periodic Table.

Which statement about these elements is correct?


- A lodine displaces bromide ions from solution.
- **B** Bromine is a lighter colour than iodine.
- **C** Bromine is more dense than iodine.
- **D** Bromine is less reactive than iodine.
- 23 Helium and neon exist as monoatomic gases at room temperature and pressure.
  - statement 1 Helium and neon have eight electrons in their outer shell.
  - statement 2 Helium and neon are unreactive.

Which option is correct?

- A Statement 1 and statement 2 are incorrect.
- **B** Statement 1 is correct and explains statement 2.
- **C** Statement 1 is correct, but does not explain statement 2.
- **D** Statement 1 is incorrect, but statement 2 is correct.

24 An element melts at 1455 °C, has a density of 8.90 g/cm<sup>3</sup> and forms a green chloride.

Where in the Periodic Table is this element found?



- 25 Which statement about the reactivity of metals is correct?
  - A Iron is more reactive than magnesium.
  - **B** Copper reacts with dilute hydrochloric acid.
  - C Potassium reacts with cold water.
  - **D** Calcium oxide is reduced more easily than iron oxide.
- 26 Iron from a blast furnace is treated with oxygen and with calcium oxide to make steel.

Which substances in the iron are removed?

	oxygen removes	calcium oxide removes
Α	carbon	acidic oxides
В	carbon	basic oxides
С	iron	acidic oxides
D	iron	basic oxides

**27** Water is removed from reservoirs and undergoes several stages of treatment to make it suitable for drinking.

Which statements about the stages are correct?

- 1 Chlorine is added to the water to kill harmful bacteria.
- 2 Water is heated to remove dissolved oxygen gas.
- 3 Water is filtered to remove solids.
- **A** 1 only **B** 1 and 2 **C** 1 and 3 **D** 2 and 3

- 28 Which gas is an air pollutant that causes acid rain?
  - A argon
  - B carbon monoxide
  - **C** methane
  - D nitrogen dioxide
- 29 An NPK fertiliser is made by mixing two compounds.

The first compound has the formula (NH<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub>.

What is the formula of the second compound?

- A CaCO<sub>3</sub>
- **B** KNO<sub>3</sub>
- **C** NaCl
- **D**  $(NH_4)_2SO_4$
- 30 Which reaction does not occur during the extraction of iron from hematite in a blast furnace?
  - $A \quad C \ + \ O_2 \ \rightarrow \ CO_2$
  - **B** CaO + SiO<sub>2</sub>  $\rightarrow$  CaSiO<sub>3</sub>
  - $\mathbf{C}$   $CO_2 + C \rightarrow 2CO$
  - **D** 4Fe +  $3O_2 \rightarrow 2Fe_2O_3$
- 31 Which row describes the uses of sulfur and sulfur dioxide?

	sulfur	sulfur dioxide
Α	extraction of aluminium	food preservative
В	extraction of aluminium	manufacture of cement
С	manufacture of sulfuric acid	food preservative
D	manufacture of sulfuric acid	manufacture of cement

**32** Metal X is a good conductor of electricity and is used for electrical wiring.

Metal Y is used to make an alloy which is resistant to corrosion and is used to make cutlery.

Metal Z is light and strong and is used in the manufacture of aircraft.

What are X, Y and Z?

	Х	Y	Z
Α	aluminium	iron	copper
В	copper	iron	aluminium
С	aluminium	copper	iron
D	copper	aluminium	iron

- 33 Which statement about calcium carbonate is correct?
  - **A** It is made by the thermal decomposition of limestone.
  - **B** It is used to neutralise alkaline soils.
  - **C** It is a reactant in the test for carbon dioxide.
  - **D** It is used to remove impurities in iron extraction.
- **34** What is the main constituent of natural gas?
  - A hydrogen
  - **B** methane
  - C nitrogen
  - **D** oxygen
- 35 Which compounds belong to the same homologous series?
  - A ethane and propane
  - **B** ethanoic acid and ethanol
  - C methane and ethene
  - **D** propene and ethanoic acid
- 36 Which statement about alkanes is correct?
  - **A** They burn in oxygen.
  - **B** They contain carbon, hydrogen and oxygen atoms.
  - **C** They contain double bonds.
  - **D** They contain ionic bonds.

**37** P, Q, R and S are organic compounds.

P is formed by reacting ethene with steam.

Q decolourises bromine water.

R is a hydrocarbon; all of its bonds are single covalent bonds.

S is a waste product from digestion in animals.


Which compounds are alkanes?


- A P and Q
- **B** P and S
- C Q and R
- **D** R and S


# 38 Which row describes how ethanol is used?


	fuel	solvent
Α	no	no
В	no	yes
С	yes	no
D	yes	yes

39 Which diagram shows the conversion of ethene into ethanol?









40 Which substance is a natural polymer?

- A ethene
- **B** Terylene
- C nylon
- **D** protein

# **BLANK PAGE**

# **BLANK PAGE**

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	<b>=</b>	2 :	Не	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
	5				∞	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъ	polonium —	116		livermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ър	lead 207	114	Fl	flerovium
	≡				2	В	boron 11	13	Νſ	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	lΊ	thallium 204			
											30	Zu	zinc 65	48	ပ္ပ	cadmium 112	80	БĤ	mercury 201	112	S	copemicium –
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
dn											28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Group											27	ဝိ	cobalt 59	45	몬	rhodium 103	77	Ľ	iridium 192	109	¥	meitnerium -
		- :	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						loc	SS				24		chromium 52		Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	ā	tantalum 181	105	Вb	dubnium -
					10	ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium -
								_			21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_				8	:=	lithium 7	1	Na	sodium 23	19	メ	potassium 39	37	ВВ	rubidium 85	55	Cs	caesium 133	87	Ŧ	francium -

71	Γn	lutetium 175	103	Ļ	lawrencium	I
70	Υp	ytterbium 173	102	8	nobelium	ı
69	Tm	thulium 169	101	Md	mendelevium	ı
89	щ	erbium 167	100	Fm	ferminm	I
29	웃	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ర	califorium	ı
65	Д	terbium 159	26	Ř	berkelium	I
64	Gd	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	92	Am	americium	I
62	Sm	samarium 150	94	Pu	plutonium	I
61	Pm	promethium -	93	Δ	neptunium	I
09	ρN	neodymium 144	92	$\supset$	uranium	238
69	Ą	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	T	thorium	232
22	Гa	lanthanum 139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).