Centre Number	Candidate Number	Name

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/02

Paper 2

October/November 2006

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [] at the end of each question or part questions. A copy of the Periodic Table is printed on page 20.

For Examiner's Use			
1			
2			
3			
4			
5			
6			
7			
Total			


This document consists of 18 printed pages and 2 blank pages.

IB06 11_0620_02/2RP © UCLES 2006



[Turn over

1 When Group I elements react with water, hydrogen gas is given off.
The diagram shows the reaction of lithium, potassium and sodium with water.



[1]

(b) (i) Balance the equation for the reaction of sodium with water by completing the left-hand side.

.....Na +
$$H_2O$$
 \longrightarrow 2NaOH + H_2 [1]

(ii)	Apart from with water.	fizzing,	describe	two	things	that	you	would	see	when	sodium	reacts

[2]

(iii) After the sodium had reacted with the water, the solution was tested with red litmus paper.

What colour did the litmus paper turn? Give a reason for your answer.

colour	

reason [2]

	(iv)	Which of the following statements about sodium are true? Tick two boxes.
		It is made by reducing sodium oxide with carbon.
		It reacts with chlorine to form sodium chloride.
		It reacts readily with oxygen.
		It only conducts electricity when molten.
		[2]
(c)		pidium also reacts with water. How does the speed of reaction of rubidium with er compare with that of potassium with water?
		[1]
(ما/	Coo	
(d)		dium has only one stable isotope whereas potassium has several isotopes.
	(i)	What do you understand by the term isotopes?
		[1]
	(ii)	How many protons does sodium have in its nucleus? Use the Periodic Table to help you.
		[1]
((iii)	How many electrons are there in an atom of potassium?
		[1]
	(iv)	Uranium has many isotopes. One of these is uranium-235 (²³⁵ U). What is the main use of this isotope of uranium?
		[1]

- 2 Copper can be extracted by heating copper carbonate with carbon.
 - (a) The copper carbonate breaks down into copper oxide and releases a gas. Complete the equation for this reaction.

CuCO₃ → CuO +[1]

(b) The copper oxide then reacts with the carbon.

$$2CuO + C \xrightarrow{\text{heat}} 2Cu + CO_2$$

(i) Complete the following sentences using words from the list.

		endothermic	exothermic	halogen	metal	
		neutralised		oxidised	reduced	
		In this reaction coppe	r oxide is	to copper.		
		The copper obtained	is a pinkish-brow	'n		
		The reaction is	becaus	se heat is absorbed.		[3]
	(ii)	State the name of the	substance whic	h is oxidised during	this reaction.	
						[1]
(iii)	How would you test for	or the carbon dio	xide given off in this	reaction?	
		test				
		result				[2]
(c)	Des	scribe a test for aqueou	ıs copper ions aı	nd state the result.		
						[3]

- (d) Carbon is in Group IV of the Periodic Table.
 - (i) Draw a diagram to show how the electrons are arranged in an atom of carbon.

- (ii) To which Period in the Periodic Table does carbon belong?

 [1]
- (e) Organic compounds contain carbon and hydrogen.
 - (i) To which homologous series does the organic compound A belong?

compound A

[1]

(ii) State the name of compound A.

[1]

3 Lavandulol is found in lavender plants. The formula of lavandulol is shown below.

(a) Put a ring around the alcohol functional group in this formula.

[1]


(b) Is lavandulol a saturated or unsaturated compound? Give a reason for your answer.

	[1]

(c) State the names of the **two** products formed when lavandulol is burnt in excess oxygen.

and	[2]	1

(d) Lavandulol can be extracted from lavender flowers by distillation using the apparatus shown below. The lavandulol is carried off in small droplets with the steam.



	(i)	State the name of the piece of apparatus labelled A .	
	<i>(</i> 11)		[1]
	(ii)	What is the temperature of the water at point X in the diagram?	
			[1]
	(iii)	The lavandulol and water are collected in the beaker. What information in the diagram shows that lavandulol is less dense than water?	
		[[1]
(e)	A s	ender flowers contain a variety of different pigments (colourings). sudent separated these pigments using paper chromatography. results are shown in the diagram below.	
		chromatography paper the state of the state	
	(i)	Put an X on this diagram to show where the mixture of pigments was placed at the start of the experiment.	he [1]
	(ii)	How many different pigments have been separated?	
		[[1]
	(iii)	Draw a diagram to show how the chromatography apparatus was set up. On your diagram label	

- - the solvent the origin line

(iv)	During chromatography, the solvent evaporates and then chromatography jar. What do you understand by the term diffusion?	diffuses throughout	the
			[1]
(v)	Ethanol can be used as a solvent in chromatography. Draw the formula for ethanol showing all atoms and bonds.		
			[1]
(vi)	Which of the following statements about ethanol are true? Tick two boxes.		
	It is a carboxylic acid.		
	It is a product of the fermentation of glucose.		
	It is an unsaturated compound.		
	It is formed by the catalytic addition of steam to ethene.		
			[1]

4	This question is about compounds.	
	(a) What do you understand by the term compound?	
	[1]

(b) Complete the table below to show the formulae and uses of some compounds.

compound	relative number of atoms present	formula	use
calcium oxide	Ca = 1	CaO	
calcium oxide	O = 1	CaO	
sodium chloride	Na = 1 C <i>l</i> = 1		table salt
	Ca = 1		
calcium carbonate	C =1		
	O = 3		
		NH ₄ NO ₃	in fertilizers

[6]

(c) Calculate the relative formula mass of NH₄NO₃.

[1]

5 The list shows part of the reactivity series.

strontium	more reactive
calcium	A
magnesium	Ţ
iron	
copper	less reactive

(a)	Calcium is manufactured by the electrolysis of molten calcium chloride
	Suggest why calcium is extracted by electrolysis.

ra	47	i
11		į
1		ı
	-	۰

(b) Equal sized pieces of magnesium, strontium and calcium are placed in water. Some observations about these reactions are shown in the table. Complete the box for strontium.

metal	observations
magnasium	Gives off a few bubbles of gas with hot water.
magnesium	Dissolves very slowly.
calcium	Gives off bubbles steadily with cold water.
Calcium	Dissolves slowly.
strontium	

[2]

(c)	When water is added to calcium carbide, acetylene and calcium hydroxide are formed	ed
	State a use for acetylene.	

[1]

- (d) A solution of calcium hydroxide is alkaline.
 - (i) Complete and balance the equation for the reaction of calcium hydroxide with hydrochloric acid.


$$Ca(OH)_2 + 2HCl \longrightarrow CaCl_2 + \dots$$

(ii) What type of chemical reaction is this?

[1


[2]

(e) A student used the apparatus shown below to calculate the concentration of a solution of calcium hydroxide.



(i)	State the name of the piece of apparatus labelled A .
	[1]
(ii)	Describe how the pH of the solution in the flask changes as the hydrochloric acid is added.

6 The diagram shows the structure of lead bromide.



(a) What is the simplest formula for lead bromide?

covalent

atomic

-11	П
	1
-	-

(b) What type of structure and bonding is present in lead bromide? Choose **two** words from the following:

71	


ionic

metallic

molecular

giant

(c) Lead bromide is electrolysed using the apparatus shown below.



(i) Which letter, **A**, **B** or **C** represents the cathode?


[4]	1
111	
 Г. 1	J

(ii)	State the name of a metal which can be used for the electrodes.	
		[1]
(iii)	Why does lead bromide have to be molten for electrolysis to occur?	
		[1]
(iv)	State the name of the products formed during this electrolysis;	
	at the anode,	
	at the cathode.	[2]
(d)	tudent bubbled oblering and through an equation of addium bramide	
(a) As	tudent bubbled chlorine gas through an aqueous solution of sodium bromide.	
(i)	Complete the equation for this reaction.	
	Cl_2 + 2NaBr \longrightarrow + 2NaC l	
	chlorine sodium bromine sodium bromide chloride	
(ii)	What colour is the solution at the end of the reaction?	[1]
(11)	What colour is the solution at the one of the reaction:	- 4 -
		[1]
(iii)	An aqueous solution of iodine does not react with a solution of sodium bromi Explain why there is no reaction.	de.
		[1]

- (e) Bromine becomes decolourised when it reacts with ethene.
 - (i) Draw the structure of ethene showing all atoms and bonds.

[1]

(ii) Which **one** of the following, **A**, **B**, **C** or **D**, shows the correct structure of the product formed when bromine reacts with ethene?



answer [1]

7 The table gives some information about the properties of some metals.

metal	melting point /°C	colour of chloride
Α	1890	pink
В	98	white
С	63	white
D	1535	brownish-black

(a)	Which two of the metals A to D are transition metals?
	Give a reason for your answer.

metals	
reason	[2]


(b) When iron powder reacts with warm sulphuric acid, hydrogen is given off.

Fe +
$$H_2SO_4$$
 \longrightarrow FeSO₄ + H_2

State the name of the salt made in this reaction.

[4]
\mathbf{I}

(c) A student used the apparatus shown below for investigating the speed of the reaction between iron and sulphuric acid.



Describe how this apparatus can be used to investigate the speed of this reaction.	
	•••
	•••
	•••
[3

(d) The student repeated the experiment with different concentrations of sulphuric acid. In each experiment the mass of iron powder was the same and the temperature was kept at 30°C.

The results are shown in the table.

concentration of sulphuric acid / moles per dm ³	speed of reaction /cm ³ hydrogen per second
0.4	4.2
0.8	8.5
1.6	17.0

(i)	Use the information in the table to help you work out how the speed of the reaction is affected by the concentration of sulphuric acid.
	[2]
(ii)	What will happen to the speed of the reaction if lumps of iron are used instead of iron powder?
	[1]

(111)	at 30°C?	nappen i	to the sp	oeed oi	r tne re	eaction	IT IT IS	carried	out at	20°C	ratner	tnan
												[1]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

-	=							Gro	Group			=			5	5	
-	=						Ī					=	≥	>	>	=	0
							-]										4
							Hydrogen										Helium
7	6					_		_				£	12	41	16	19	20
Ξ	Be											ω	ပ	z	0	ш	Ne
Lithium	Beryllium 4	E										Boron 5	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	Neon 10
23	24											27	28	31	32	35.5	40
Na	Mg											ΝI	Si	۵	S	CI	Αľ
Sodium 11	Magnesium 12	Ę										Aluminium 13	Silicon 14	Phosphorus 15	Sulphur 16	Chlorine 17	Argon 18
39	40	45	48	51	52	55	56	59	59	64		20	73	75	62	80	84
¥	Ca	Sc	F	>	င်	M	Б	ဝိ		Cn	Zu	Са	Ge	As	Se	Ŗ	Ϋ́
Potassium 9	Calcium 20	n Scandium 21	Titanium 22	Vanadium 23	Chromium 24	Manganese 25	Iron 26	Cobalt 27	Nickel 28	Copper 29	Zinc 30	Gallium 31	Germanium 32	Arsenic 33	Selenium 34	Bromine 35	Krypton 36
85	88	88	91	93	96		101	103		108	112	115	119		128	127	131
8		>	Zr	Q N	Mo		Ru	Rh	Pd	Ag	ပ	In	Sn	Sb	<u>e</u>	1	Xe
Rubidium 7	Strontium 38	Yttrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	Indium 49	Tin 50	Antimony 51	Tellurium 52	lodine 53	Xenon 54
133	137		178	181	184	186	190	192	195	197	201	204	207	209			
Cs	Ba		Ξ	<u>ra</u>	>	Re	Os	ŀ	풉	Αn	Hg	11	Pb	Ξ		Ą	R
Caesium	Barium 56	Lanthanum 57 *	Hafnium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Iridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	E	Astatine 85	Radon 86
ı	226																
<u>.</u>	Ra																
7	88	89				-											
-71	Lanthan	*58-71 Lanthanoid series		140	141		ı		152	157		162	165	167	169	173	175
-103	90-103 Actinoid series	d series		Cerium 58	Pr Praseodymium 59	Neodymium 60	Pm Promethium 61	Samarium 62	Eu Europium 63	Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Holmium 67	Erbium 68	Thullum 69	_	Lutetium 71
	Ø	a = relative atomic mass	nic mass	232		238											
Key	×	X = atomic symbol	loc	Ч	Ра		8 N	Pu	Am		BK	₽	Es	Fm	Md	8	ר
	Ω	b = proton (atomic) number	iic) number	Thorium 90	Protactinium 91	Uranium 92		Plutonium 94	Americium 95	Curium 96	Berkelium 97	Californium 98	Einsteinium 99	Fermium 100	Mendelevium 101	Nobelium 102	Lawrencium 103
J			_	8	-			5	3		5	3		2		-	2

20

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).