

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/11

Paper 1 Multiple Choice October/November 2011

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.


Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

This document consists of **16** printed pages.



- 1 In which substance are the particles close together and slowly moving past each other?
  - A air
  - **B** ice
  - C steam
  - **D** water
- 2 A student was provided with only a thermometer, a stopwatch and a beaker.

What could the student measure?

- **A** 10.5 g solid and 24.8 cm<sup>3</sup> liquid
- B 10.5 g solid and 25 °C
- C 24.8 cm<sup>3</sup> liquid and 45 seconds
- **D** 25 °C and 45 seconds
- 3 Mixture 1 contains sand and water.


Mixture 2 contains salt and water.

Which method of separation could be used to obtain each of the required products from each mixture?

	mixture 1		mixture 2	
	to obtain sand	to obtain water	to obtain salt	to obtain water
Α	crystallisation	distillation	filtration	filtration
В	crystallisation	filtration	filtration	distillation
С	filtration	distillation	crystallisation	filtration
D	filtration	filtration	crystallisation	distillation

© UCLES 2011 0620/11/O/N/11

The diagram shows the electronic structures of atoms P and Q.




P and Q combine to form a molecule.

What is the formula of this molecule?

- $PQ_4$
- В PQ
- $P_2Q$
- $P_4Q$

Two isotopes of helium are  ${}^3_2\text{He}$  and  ${}^4_2\text{He}$ . 5


Which two diagrams show the arrangement of particles in these two isotopes?





- (e) = electron
- = proton
- = neutron
- ) = nucleus

**6** Two elements, represented by ○ and **●**, form a compound.

Which diagram shows molecules of the compound?







7 The table describes the structures of four particles.

particle	number of protons	number of neutrons	number of electrons
0	8	8	8
O <sup>2-</sup>	8	8	X
Na	11	Y	11
Na⁺	11	12	Z

What are the correct values of **X**, **Y** and **Z**?

	X	Y	Z
Α	9	11	10
В	9	11	11
С	10	12	10
D	10	12	11

8 The relative formula mass,  $M_r$ , of copper(II) sulfate, CuSO<sub>4</sub>, is 160.

Which mass of sulfur is present in 160 g of copper(II) sulfate?

**A** 16g


**B** 32g

**C** 64 g

**D** 128 g

© UCLES 2011 0620/11/O/N/11

**9** The diagram shows a section of an overhead power cable.



Which statement explains why a particular substance is used?

- A Aluminium has a low density and is a good conductor of electricity.
- **B** Porcelain is a good conductor of electricity.
- C Steel can rust in damp air.
- **D** Steel is more dense than aluminium.
- **10** Metals could be extracted from their molten chlorides using electrolysis.

Which substances are formed at each electrode?

	anode	cathode
Α	chlorine	hydrogen
В	chlorine	metal
С	hydrogen	metal
D	metal	chlorine

11 Concentrated aqueous potassium bromide solution is electrolysed using inert electrodes.

The ions present in the solution are K<sup>+</sup>, Br<sup>-</sup>, H<sup>+</sup> and OH<sup>-</sup>.

To which electrodes are the ions attracted during this electrolysis?

	attracted to anode	attracted to cathode
Α	Br⁻ and K⁺	H <sup>⁺</sup> and OH <sup>−</sup>
В	Br⁻ and OH⁻	H⁺ and K⁺
С	H⁺ and K⁺	Br⁻ and OH⁻
D	H <sup>⁺</sup> and OH <sup>−</sup>	Br <sup>−</sup> and K <sup>⁺</sup>

**12** Which fuel needs oxygen in order to produce heat energy and which type of reaction produces the energy?

	fuel	type of reaction
Α	a radioactive isotope	endothermic
В	a radioactive isotope	exothermic
С	hydrogen	endothermic
D	hydrogen	exothermic

13 Some reactions are listed.

methane + oxygen → carbon dioxide + water
sodium + water → sodium hydroxide + hydrogen
magnesium + hydrochloric acid → magnesium chloride + hydrogen

Which word correctly describes all of these reactions?

- **A** combustion
- **B** endothermic
- C exothermic
- **D** neutralisation

**14** The sign  $\rightleftharpoons$  is used in some equations to show that a reaction is reversible.


Two incomplete equations are given.

	reactants	products
Р	CoCl <sub>2</sub> + 2H <sub>2</sub> O	CoCl <sub>2</sub> .2H <sub>2</sub> O
Q	C + O <sub>2</sub>	$CO_2$

For which of these reactions can a <del>←</del> sign be correctly used to complete the equation?

	Р	Q
Α		<b>√</b>
В	✓	X
С	X	✓
D	X	X

**15** An experiment to determine the rate of a chemical reaction could be carried out using the apparatus shown.



Which reaction is being studied?

- A  $Cl_2 + 2KBr \rightarrow 2KCl + Br_2$
- **B** Mg +  $H_2SO_4 \rightarrow MgSO_4 + H_2$
- **C** NaCl + AgNO $_3$   $\rightarrow$  NaNO $_3$  + AgCl
- **D** NaOH + HC $l \rightarrow$  NaCl + H<sub>2</sub>O

**16** Copper(II) carbonate reacts with dilute sulfuric acid.

$$CuCO_3(s) + H_2SO_4(aq) \rightarrow CuSO_4(aq) + CO_2(g) + H_2O(l)$$

The speed of the reaction can be changed by varying the conditions.

Which conditions would always increase the speed of this chemical reaction?

- 1 Increase the concentration of the reactants.
- 2 Increase the size of the pieces of copper(II) carbonate.
- 3 Increase the temperature.
- 4 Increase the volume of sulfuric acid.
- **A** 1, 3 and 4 **B** 1 and 3 only **C** 2 and 3 **D** 3 and 4 only
- 17 Which type of reaction always forms a salt and water?
  - A exothermic
  - **B** neutralisation
  - **C** oxidation
  - **D** polymerisation

- **18** Which property is **not** characteristic of a base?
  - A It reacts with a carbonate to form carbon dioxide.
  - **B** It reacts with an acid to form a salt.
  - **C** It reacts with an ammonium salt to form ammonia.
  - **D** It turns universal indicator paper blue.
- 19 An alloy contains copper and zinc.

Some of the zinc has become oxidised to zinc oxide.

What is the result of adding an excess of dilute sulfuric acid to the alloy?

- **A** A blue solution and a white solid remains.
- **B** A colourless solution and a pink/brown solid remains.
- **C** The alloy dissolves completely to give a blue solution.
- **D** The alloy dissolves completely to give a colourless solution.
- **20** The results of three tests on a solution of compound **X** are shown.

test	result
aqueous sodium hydroxide added	white precipitate formed, soluble in excess
aqueous ammonia added	white precipitate formed, soluble in excess
dilute hydrochloric acid added	bubbles of gas

## What is compound **X**?

- A aluminium carbonate
- B aluminium chloride
- C zinc carbonate
- **D** zinc chloride

21 Statement 1: Helium is a reactive gas.

Statement 2: Helium can be used to fill balloons.

Which is correct?

- A Both statements are correct and statement 2 explains statement 1.
- **B** Both statements are correct but statement 2 does not explain statement 1.
- **C** Statement 1 is correct but statement 2 is incorrect.
- **D** Statement 2 is correct but statement 1 is incorrect.
- 22 An element has the following properties.
  - It forms coloured compounds.
  - It acts as a catalyst.
  - It melts at 1539 °C.

In which part of the Periodic Table is the element found?


- A Group I
- **B** Group IV
- C Group VII
- **D** transition elements
- 23 The table shows some properties of two elements in Group VII of the Periodic Table.

element	state at 20 °C	density/g per cm <sup>3</sup>	melting point/°C
chlorine	gas	0.0032	<b>–101</b>
bromine	liquid	3.1	<b>-7</b>

Which properties is fluorine likely to have?

	state at 20 °C	density/g per cm <sup>3</sup>	melting point/°C
Α	gas	0.0017	-220
В	gas	0.17	<b>–188</b>
С	liquid	0.0017	-220
D	liquid	0.17	-188

24 When sodium reacts with water, a solution and a gas are produced.



The solution is tested with litmus paper and the gas is tested with a splint.

What happens to the litmus paper and to the splint?

	litmus paper	splint
Α	blue to red	glowing splint relights
В	blue to red	lighted splint 'pops'
С	red to blue	glowing splint relights
D	red to blue	lighted splint 'pops'

- 25 Which statements are correct?
  - 1 Metals are often used in the form of alloys.
  - 2 Stainless steel is an alloy of iron.
  - 3 Alloys always contain more than two metals.
  - **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- **26** Which statement is true about **all** metals?
  - **A** They are attracted to a magnet.
  - **B** They are weak and brittle.
  - **C** They may be used to form alloys.
  - **D** They react with water.
- 27 A chemical engineer plans to produce hydrochloric acid.

Which metal is best for the reaction container?

- A copper
- **B** iron
- **C** magnesium
- **D** zinc

**28** Alloy X is strong and has a low density.

Alloy Y is heavy but is resistant to corrosion.

Which could be uses of X and Y?

	bridge supports	aircraft	overhead cables
Α	Х	Х	Y
В	X	Υ	Y
С	Y	X	Х
D	Υ	Υ	X

**29** A metal is extracted from hematite, its oxide ore.

What is the metal and how is the oxide reduced?


	metal	method of reduction				
Α	Αl	electrolysis				
В	Αl	heating with carbon				
С	Fe	electrolysis				
D	Fe	heating with carbon				

**30** A liquid turns white anhydrous copper sulfate blue and has a boiling point of 103°C.

Which could be the identity of the liquid?

- **A** alcohol
- **B** petrol
- **C** salt solution
- **D** pure water

31 Dry air is passed over hot copper until all the oxygen has reacted.



The volume of gas at the end of the reaction is 120 cm<sup>3</sup>.

What is the starting volume of dry air?

- **A** 132 cm<sup>3</sup>
- **B** 150 cm<sup>3</sup>
- **C** 180 cm<sup>3</sup>
- **D** 600 cm<sup>3</sup>

32 In which row is the air pollutant **not** correctly matched with its source?

	air pollutant	source					
Α	carbon monoxide incomplete combustion of fuels						
В	B lead compounds burning petrol in ca						
С	nitrogen oxides	decomposing vegetation					
D	D sulfur dioxide burning coal and other fos						

33 Iron is a metal that rusts in the presence of oxygen and water.

Mild steel is used for .....1..... and is prevented from rusting by .....2.....


Stainless steel is prevented from rusting by ......3...... it with another metal.

Which words correctly complete gaps 1, 2 and 3?

	1	2	3		
Α	car bodies	greasing	covering		
В	car bodies	painting mixing			
С	cutlery	greasing coverin			
D	cutlery	painting	mixing		

© UCLES 2011 0620/11/O/N/11

34 Which combination of chemical compounds could be used to produce the fertiliser shown?




- A  $NH_4NO_3$ ,  $Ca_3(PO_4)_2$
- **B**  $NH_4NO_3$ ,  $CO(NH_2)_2$
- C NH<sub>4</sub>NO<sub>3</sub>, K<sub>2</sub>SO<sub>4</sub>, (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>
- **D**  $(NH_4)_3PO_4$ , KCl

35 Which pollutant gas is produced by the decomposition of vegetation?

- A carbon monoxide
- **B** methane
- C nitrogen oxide
- **D** sulfur dioxide

**36** The diagram represents the molecule of an organic compound.



What is the name of the compound?


- A ethane
- B ethanoic acid
- **C** ethanol
- **D** ethene

37 Petroleum is a very important raw material that is separated into more useful products.

Which terms describe petroleum and the method used to separate it?

	petroleum is a	method used to separate petroleum			
Α	compound	cracking			
В	compound	fractional distillation			
С	mixture	cracking			
D	mixture	fractional distillation			

38 Which pair of compounds are members of the same homologous series?



$$C = C$$

$$C = C$$

39 The table shows the composition of four different types of petroleum (crude oil).

fraction	Arabian Heavy /%	Arabian Light /%	Iranian Heavy /%	North Sea /%
gasoline	18	21	21	23
kerosene	11.5	13	13	15
diesel	18	20	20	24
fuel oil	52.5	46	46	38

Which type of petroleum is best for the motor vehicle industry?

- A Arabian Heavy
- **B** Arabian Light
- **C** Iranian Heavy
- D North Sea
- **40** When glucose is fermented, ethanol is formed together with
  - A carbon dioxide.
  - B ethene.
  - C methane.
  - **D** oxygen.

DATA SHEET
The Periodic Table of the Elements

	0	4 <b>He</b> Helium	20 <b>Ne</b> on	40 <b>Ar</b> Argon	84 <b>X</b> Krypton	36	<b>§</b> &	Xenon 54	ć	Radon 86		175 <b>Lu</b> Lutetium 71	Lr Lawrencium
	II/		19 Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Dr</b> romine		<b>I</b>	lodine 53	7	At Astatine 85		173 <b>Yb</b> Ytterbium 70	
	I		16 Oxygen 8	32 <b>S</b> Sulfur	79 <b>Se</b> Selenium	_	<u>م</u> و	Tellurium 52	ć	Polonium 84		169 <b>Tm</b> Thulium	Md Mendelevium
	>		Nitrogen 7	31 <b>P</b> Phosphorus 15	75 <b>As</b> Arsenic		Sb	Antimony 51	209	_		167 <b>Er</b> Erbium 68	Fm ermium
	2		12 Carbon	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium	- 1	S		207			165 <b>Ho</b> Holmium 67	Einsteinium
	=		11 Boron 5	27 <b>A1</b> Aluminium 13	Ga Sallium		<u>l</u>	Indium 49	204	Thallium 81		162 <b>Dy</b> Dysprosium 66	
		'			65 <b>Zn</b> Zinc	30	g S	Cadmium 48	201	Mercury 80		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium
					64 Copper	29	₽g			Gold 79		157 <b>Gd</b> Gadolinium 64	Curium
Group					S9 Nickel	28	₽ <b>d</b>	Palladium 46	195	Platinum 78		152 <b>Eu</b> Europium 63	Am Americium
ອັ					59 Cobalt	27	ੂ <b>ਨ</b>	Rhodium 45	192	Iridium 77		Sm Samarium 62	<b>Pu</b> Plutonium
		T Hydrogen			56 Iron	26	<b>R</b>	Ruthenium 44	190	Osmium 76		Pm Promethium 61	
					Manganese	25	2	43 ⊤	186	Rhenium 75		Neodymium 60	238 <b>U</b> Uranium
					52 Chromium	24	» W	Molybdenum 42	184	Tungsten 74		Pr Praseodymium 59	Pa Protactinium
					51 Vanadium	23	g N	Niobium 41	181 F	Tantalum 73		140 <b>Ce</b> Cerium	232 <b>Th</b>
					48	22	Ž	Zirconium 40	178	72		1	nic mass Ibol nic) number
					Scandium	21	£ >	Yttrium 39	139	Lanthanum 57 *	227 <b>Ac</b> Actinium 89	d series series	<ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul>
	=		Be Beryllium	24 Magnesium	<b>Calcium</b>	50	ខ	Strontium 38	137	Barium 56	226 <b>Ra</b> Radium	*58-71 Lanthanoid series	<i>a</i> ★
	_		7 <b>Li</b> Lithium	23 <b>Na</b> Sodium	39 <b>X</b> Potassium	19	8 8	Rubidium 37	133	Caesium 55	Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.