

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/11

Paper 1 Multiple Choice October/November 2012

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

This document consists of 15 printed pages and 1 blank page.



1 What are the processes W, X, Y and Z in the following diagram?

$$\begin{array}{ccc} & W & X \\ \text{solid} & \rightleftharpoons & \text{liquid} & \rightleftharpoons & \text{gas} \\ & Y & Z \end{array}$$

	W	X	Y	Z
Α	condensing	boiling	freezing	melting
В	condensing	freezing	melting	boiling
С	melting	boiling	freezing	condensing
D	melting	freezing	condensing	boiling

2 A mixture of sulfur and iron filings needs to be separated. The solubilities of sulfur and iron filings in water and carbon disulfide are shown in the table below.

	solubility in water	solubility in carbon disulfide
sulfur	X	✓
iron filings	X	X

What are possible methods of separating the sulfur and iron filings?

	using water	using carbon disulfide	using a magnet
Α	✓	✓	X
В	x	✓	✓
С	✓	×	✓
D	X	✓	X

3 Part of the instructions in an experiment reads as follows.

Quickly add 50 cm³ of acid.

What is the best piece of apparatus to use?

- A a burette
- B a conical flask
- C a measuring cylinder
- **D** a pipette

4 Which statements comparing the properties of electrons, neutrons and protons are correct?

	neutrons and protons are both heavier than electrons	only electrons and neutrons are charged	
Α	✓	✓	
В	✓	X	
С	X	✓	
D	X	X	

5 Which row gives the number of electrons in the outer electron shell of fluorine and of neon?

	¹⁹ ₉ F	²⁰ ₁₀ Ne
Α	7	8
В	7	10
С	9	8
D	9	10

- 6 In the molecules CH₄, HCl and H₂O, which atoms use all of their outer shell electrons in bonding?
 - A C and C1
- **B** C and H
- **C** Cl and H
- **D** H and O

7 The table shows the electronic structures of four atoms.

atom	electronic structure
W	2,1
X	2,7
Y	2,8,4
Z	2,8,8

Which two atoms combine to form an ionic compound?

A W and X

B W and Y


C X and Y

D X and Z

8 A compound has the formula CH₃CO₂H.

How should the relative molecular mass, M_r , of this compound be calculated?


- **A** 12 + 1 + 16
- **B** 3(12 + 1) + 2(12 + 16) + 1
- **C** $(4 \times 12) + (2 \times 1) + 16$
- **D** $(2 \times 12) + (4 \times 1) + (2 \times 16)$
- **9** The diagram shows the electrolysis of concentrated aqueous sodium chloride.



What is produced at each of the electrodes?

	product at cathode	product at anode	
A hydrogen		chlorine	
B hydrogen		oxygen	
C sodium		chlorine	
D	sodium	oxygen	

10 The diagram shows an electrolysis experiment using metals X and Y as electrodes.




One of the metals becomes coated with copper.

Which metal becomes coated and which aqueous solution is used?

	metal	aqueous solution
Α	Х	CrCl ₃
В	X	$CuCl_2$
С	Y	CrCl ₃
D	Υ	CuCl ₂

11 The diagrams show the difference in energies of the reactants and products in two types of reaction.



Which diagram and which type of energy change apply to a fuel burning in air?

	diagram	type of energy change
Α	1	endothermic
В	1	exothermic
С	2	endothermic
D	2	exothermic

12 The diagram shows a match.



By striking the match, a chemical reaction takes place.

Which statements about the chemical reaction are correct?

	type of reaction	reason
Α	endothermic	because energy is used to strike the match
В	endothermic	because energy is given out as the match burns
С	exothermic	because energy is used to strike the match
D	exothermic	because energy is given out as the match burns

13 Separate samples of anhydrous and hydrated copper(II) sulfate are heated.



Which shows the correct colour changes?

	anhydrous copper(II) sulfate	hydrated copper(II) sulfate
Α	blue to white	white to blue
В	no change	blue to white
С	white to blue	blue to white
D	white to blue	no change

- **14** Which change is an oxidation?
 - A FeO to Fe₂O₃
 - **B** Fe₂O₃ to FeO
 - \mathbf{C} H_2O_2 to H_2O
 - **D** H_2O to H_2

- 15 Which change does **not** increase the speed of reaction between zinc and hydrochloric acid?
 - A adding a catalyst
 - B decreasing the particle size of the zinc
 - **C** decreasing the temperature
 - D using more concentrated acid
- 16 Which of these pairs of aqueous ions both react with dilute sulfuric acid to give a visible result?
 - **A** Ba²⁺ and C l^-
 - **B** Ba²⁺ and CO₃²⁻
 - **C** NH_4^+ and Cl^-
 - **D** NH_4^+ and CO_3^{2-}
- 17 Element X forms an acidic, covalent oxide.

Which row shows how many electrons there could be in the outer shell of an atom of X?


	1	2	6	7
Α	✓	✓	X	X
В	✓	x	✓	X
С	x	x	✓	✓
D	X	✓	X	✓

18 Barium hydroxide is an alkali. It reacts with hydrochloric acid.

How does the pH of the hydrochloric acid change as an excess of aqueous barium hydroxide is added?

- A The pH decreases from 14 and becomes constant at 7.
- **B** The pH decreases from 14 to about 1.
- **C** The pH increases from 1 and becomes constant at 7.
- **D** The pH increases from 1 to about 14.
- 19 A compound is a salt if it
 - A can neutralise an acid.
 - **B** contains more than one element.
 - C dissolves in water.
 - **D** is formed when an acid reacts with a base.

20 The diagram shows an outline of the Periodic Table.



Which of the elements U, V, W, X and Y would react together in the ratio of 1:1?

- **A** U and X
- **B** U and Y
- **C** V and Y
- **D** W and X

21 The element rubidium, Rb, is immediately below potassium in the Periodic Table.

It reacts with bromine to form the compound rubidium bromide.

Which descriptions of this compound are correct?

	type of bond	formula	colour
Α	covalent	RbBr	brown
В	covalent	$RbBr_2$	white
С	ionic	RbBr	white
D	ionic	RbBr ₂	brown

22 The table gives information about four elements.

Which element is a transition metal?

	colour of element	electrical conductivity of element	colour of oxide		
Α	black	high	colourless		
В	3 colourless low		white		
С	grey	high	red		
D	yellow	low	colourless		

23 Why are weather balloons filled with helium rather than hydrog

- A Helium is found in air.
- **B** Helium is less dense than hydrogen.
- C Helium is more dense than hydrogen.
- **D** Helium is unreactive.

24 Some properties of aluminium are listed.

- 1 It has mechanical strength.
- 2 It conducts heat.
- 3 It is resistant to corrosion.
- 4 It has a low density.

Which properties make aluminium useful for making the bodies of aircraft?

- **A** 1, 2 and 3
- **B** 1, 2 and 4
- **C** 1, 3 and 4
- **D** 2, 3 and 4

25 Brass is used in electrical equipment.

It contains two1..... elements. Together they form2......


Which words correctly complete gaps 1 and 2?

	1	2		
Α	metallic	a covalent compound		
В	metallic an alloy			
С	non-metallic a covalent compound			
D	non-metallic an alloy			

26 The Basic Oxygen Process converts iron into steel.

In step 1, oxygen is blown into impure molten iron.

In step 2, oxides are removed by reaction with calcium oxide.




Which chemical reaction takes place in step 1 and which type of oxides are removed in step 2?

	chemical reaction in step 1	type of oxides removed in step 2	
Α	carbon is converted to carbon dioxide	acidic	
В	B carbon is converted to carbon dioxide basic		
С	iron is converted to iron(III) oxide acidic		
D	iron is converted to iron(III) oxide	basic	

27 Pieces of copper, iron, magnesium and zinc are added to separate test-tubes containing dilute hydrochloric acid.


Which test-tube contains iron and dilute hydrochloric acid?



- 28 Which processes are used in the treatment of water?
 - A filtration and chlorination
 - B filtration and reduction
 - C neutralisation and chlorination
 - **D** neutralisation and reduction
- 29 A factory burns coal with a high sulfur content.

Which pollutant is **most** likely to lead to the death of trees?


- A carbon dioxide
- B carbon monoxide
- C lead compounds
- **D** sulfur dioxide
- 30 What is the correct order of abundance of the gases in the air?
 - **A** nitrogen \rightarrow oxygen \rightarrow argon \rightarrow carbon dioxide
 - **B** nitrogen \rightarrow oxygen \rightarrow carbon dioxide \rightarrow argon
 - \mathbf{C} oxygen \rightarrow nitrogen \rightarrow argon \rightarrow carbon dioxide
 - **D** oxygen \rightarrow nitrogen \rightarrow carbon dioxide \rightarrow argon
- 31 The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q		
Α	falls	rises		
В	no change	rises		
С	rises	falls		
D	rises	no change		

32 The diagram shows two substances, X and Y, being heated together.




The Universal Indicator paper turns blue during the experiment.

What are substances X and Y?

- A ammonium nitrate and hydrochloric acid
- B ammonium nitrate and sodium hydroxide
- C sodium carbonate and hydrochloric acid
- **D** sodium carbonate and sodium hydroxide
- 33 Carbon dioxide is produced when dilute hydrochloric acid reacts with
 - A calcium sulfate.
 - B carbon.
 - **C** copper(II) carbonate.
 - **D** limewater.


34 A student is asked to draw a diagram showing the uses of limestone.



Which numbered lines show a correct use of limestone?

- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3

35 Which structure is correctly named?



- 36 Which properties of the different compounds in petroleum enable its separation into fractions?
 - 1 boiling point
 - 2 chain length
 - 3 chemical reactivity
 - 4 solubility in water
 - A 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4

37 Alkenes have the general formula C_nH_{2n} .

Which of the following is an alkene?

- A CH₂
- B CH₄
- \mathbf{C} C_3H_6
- D C_6H_6

38 Bitumen is a substance obtained from the fractional distillation of petroleum.

Which row describes its boiling point and the size of its molecules?

	boiling point	size of molecules	
Α	high	large	
В	high	high small	
С	low	large	
D	low	w small	

39 A hydrocarbon X is cracked to make Y and hydrogen.

Compound Z is formed by the addition polymerisation of Y.

To which homologous series do X, Y and Z belong?

	alkane	alkene		
Α	X, Y and Z	-		
В	X and Y	Z		
С	X and Z	Υ		
D	Y and Z	X		

40 Which row is correct for ethanol?

	burns	made by fermentation
Α	✓	✓
В	✓	X
С	x	✓
D	×	X

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	# He Helium	20 Ne Neon 10 At Argon 18	84 Kr Krypton 36	131 Xe Xenon 54	Rn Radon 86		175 Lu Lutetium 71	L
	=		19 Fluorine 9 35.5 C1 Chlorine	80 Br Bromine 35	127 I lodine 53	At Astatine 85		173 Yb Ytterbium 70	Nobelium
	5		16 Oxygen 8 32 \$ Suffur	Selenium	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium 69	Mendelevium
	>		14 Nitrogen 7 31 9 Phosphorus 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm
	≥		12 Carbon 6 Silicon 14	73 Ge Germanium 32	119 Sn Tin	207 Pb Lead 82		165 Ho Holmium 67	ES
	=		11 Benon 5 27 Aluminium 13	70 Ga Gallium 31	115 In Indium 49	204 T t Thallium 81		162 Dy Dysprosium 66	Californium
				65 Zinc 30	Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	B
				64 Copper 29	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Cm
Group				59 Nicke l 28	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am
Ď				59 Co Cobalt	Rhodium 45	192 Irr Iridium 77		Sm Samarium 62	Pu
		1 H		56 Fe Iron	Ru Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Np
				Manganese	Tc Technetium 43	186 Re Rhenium 75		Neodymium 60	238 C
				52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Protectinium
				51 Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum 73		140 Ce Cerium	232 Th
				48 Ti tanium 22	2 Zronium	178 Hf Hafnium 72			a = relative atomic mass X = atomic symbol
				Scandium 21	89 Y Yttrium 39	139 La Lanthanum 57 *	227 Ac Actinium 89	d series series	a = relative atomic mass X = atomic symbol
	=		Beryllium 4 24 Mg Magnesium 12	40 Calcium 20	Sr Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	e ×
	_		7 Lithium 3 23 Na Sodium 11	39 K Potassium 19	Rubidium	133 Csesium 55	Fr Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.