



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CHEMISTRY

0620/51

Paper 5 Practical Test

October/November 2015

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.

READ THESE INSTRUCTIONS FIRST

The teacher responsible for preparing the examination is **not** allowed to consult the question paper before the examination. Teachers should, as part of the preparation of the examination requirements, carry out any tests indicated on pages 2 and 3 in order to satisfy themselves that the supplied materials are satisfactory.

The standard Report Form to be included with the scripts is given on pages 7 and 8. Please detach and enclose it with the scripts. If scripts are despatched in more than one envelope, it is essential that a copy of the Supervisor's Results and of the Report Form are sent inside **each** envelope.

More material may be issued if required, without penalty, but this should not be necessary. Safety spectacles may be provided if considered necessary.

Supervisors are advised to remind candidates that all substances in the examination should be treated with caution. Please also see under 'General Apparatus' on the use of pipette fillers and safety goggles.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn, in particular, to certain materials used in the examination. The following codes are used where relevant.

C = corrosive substance

F = highly flammable substance

H = harmful or irritating substance

O = oxidising substance

N = harmful to the environment

T = toxic substance

Hazard data sheets should be available from your suppliers.

If you have any queries regarding these Instructions, please contact CIE

by e-mail: info@cie.org.uk,

by phone: +44 1223 553554,

by fax: +44 1223 553558,

stating the Centre number, the nature of the query and the syllabus number quoted above.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **8** printed pages.

For Question 1

Each candidate will require

[F] (a) five strips of magnesium ribbon, each 4 cm long , labelled **magnesium ribbon**

(b) a 100 cm³ beaker

[H] (c) 50 cm³ of sulfuric acid of concentration 1.0 mol/dm³, labelled **A**

[H] (d) 50 cm³ of sulfuric acid of concentration 0.8 mol/dm³, labelled **B**

[H] (e) 50 cm³ of sulfuric acid of concentration 0.6 mol/dm³, labelled **C**

[H] (f) 50 cm³ of sulfuric acid of concentration 0.5 mol/dm³, labelled **D**

(g) a stirring rod

(h) access to water and distilled water

(i) a 50 cm³ measuring cylinder

(j) a stop clock or timer. Candidates may use their own watches

(k) teat pipette

(l) a test-tube

(m) splint

(n) Bunsen burner and matches

(o) a stirring thermometer, 0-110 °C

(p) a 10 cm³ measuring cylinder

For Question 2

Each candidate will require

- [H] (a) a stoppered test-tube containing about 8 cm³ of aqueous iron(II) chloride, FeCl₂·4H₂O, of concentration 0.2 mol/dm³ labelled **solution X**. This solution should be prepared just before the examination.
- [N][H] (b) a stoppered test-tube containing about 6 cm³ of aqueous silver nitrate, AgNO₃, of concentration 0.1 mol/dm³, labelled **solution Y**
- (c) rack of eight test-tubes with a stopper to fit tubes
- (d) boiling tube with a stopper to fit
- (e) red litmus papers
- [H] (f) aqueous sulfuric acid of concentration 1.0 mol/dm³
- [C] (g) aqueous sodium hydroxide of concentration 1.0 mol/dm³
- (h) aqueous ammonia of concentration 1.0 mol/dm³
- [N][H] (i) aqueous silver nitrate of suitable concentration to give a positive halide test
- [C] (j) aqueous nitric acid of concentration 1.0 mol/dm³
- (k) aqueous hydrochloric acid of concentration 1.0 mol/dm³
- (l) aqueous potassium manganate(VII) of concentration 0.05 mol/dm³
- (m) small piece (approximately 1 cm square) of aluminium foil
- (n) about 2 cm³ of aqueous potassium iodide of concentration 0.2 mol/dm³
- (o) spatula
- (p) a 10 cm³ measuring cylinder
- (q) a Bunsen burner and matches
- (r) teat pipettes
- (s) distilled water
- (t) test-tube holder

Labels do not need to include concentrations.

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

This form must be completed and returned in the envelope with the scripts.

REPORT ON PRACTICAL CHEMISTRY

NOVEMBER 2015

1 (a) Supervisor's Results

It is recommended that the Supervisor should be a chemistry teacher.

The Supervisor is asked to carry out the experiments in Questions 1 and 2 and to record the results on a spare copy of the question paper clearly labelled 'Supervisor's Results'. Failure to enclose these results and this report form may lead to candidates being unavoidably penalised.

(b) The candidate numbers of candidates in each session were:

First session

Second session

2 The Supervisor is invited to report details of any difficulties experienced by candidates giving names and candidate numbers. The report should include reference to:

- (a) any general difficulties encountered in making preparations for the examination;
- (b) difficulties due to faulty apparatus or materials;
- (c) accidents to apparatus or materials.

Other cases of individual hardship, e.g. illness, temporary disability, should be reported direct to UCLES on the normal *Application for Special Consideration* form.

NAME OF CENTRE

CENTRE NUMBER

SIGNED

Supervisor

DECLARATION (to be signed by the Principal)

The preparation of this practical examination has been carried out so as to maintain fully the security of the examination.

NAME

(in block capitals)

SIGNED (Principal)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.