

CHEMISTRY

Paper 2 Multiple Choice (Extended)

0620/23 October/November 2018

45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 15 printed pages and 1 blank page.




1 Gases are separated from liquid air by fractional distillation. The boiling points of four gases are shown.

Which gas is both monatomic and a liquid at -200 °C?

	gas	boiling point/°C
Α	argon	-186
В	helium	-269
С	neon	-246
D	nitrogen	-196

2 The diagrams show four pieces of laboratory equipment.



Which equipment is essential to find out if dissolving a salt in water is an exothermic process?

	balance	pipette	stop-clock	thermometer
Α	x	X	x	✓
в	\checkmark	X	x	\checkmark
С	x	\checkmark	x	\checkmark
D	\checkmark	X	\checkmark	X

- 3 Which statement describes isotopes?
 - A Isotopes of the same element have different electron arrangements.
 - **B** Isotopes of the same element have different nuclear charges.
 - **C** Isotopes of the same element have nuclei with masses that are the same.
 - **D** Isotopes of the same element have the same number of protons.

4 X and Y are both atoms.

X and Y have the same chemical properties as each other.

Which row describes the atomic structures of X and Y?

		Х		Y		
	protons	neutrons	electrons	protons	neutrons	electrons
Α	6	6	6	6	6	7
в	6	6	6	6	8	6
С	6	6	6	16	16	16
D	7	6	7	6	6	7

5 Which covalent molecule contains two atoms bonded together by exactly four shared electrons?

Α	N ₂	В	C ₃ H ₈	С	CH₃OH	D	CH₃COOH
---	----------------	---	-------------------------------	---	-------	---	---------

6 The formula of ammonia is NH₃.

Which statement about a molecule of ammonia is correct?

- **A** The bonding in a molecule of ammonia is ionic.
- **B** The nitrogen atom has a noble gas configuration, the hydrogen atoms do not.
- **C** The nitrogen atom shares all of its electrons with hydrogen atoms.
- **D** There are six shared electrons in a molecule of ammonia.
- 7 Which gas sample has the greatest mass?
 - A 5.0 moles of Cl₂
 - **B** 10.0 moles of O₂
 - $\label{eq:constraint} \textbf{C} \quad 15.0 \, \text{moles of} \, N_2$
 - $\textbf{D} \quad 20.0\, moles \, of \, H_2$
- **8** Which sample of magnesium chloride, MgC l_2 , contains the same number of moles as 69.6 g of potassium sulfate, K₂SO₄?
 - **A** 19.0g **B** 28.5g **C** 38.0g **D** 47.5g
- **9** Iron(III) chromate is a yellow solid. It contains the ions Fe^{3+} and CrO_4^{2-} .


What is the formula of iron(III) chromate?

A FeCrO₄ **B** Fe₃(CrO₄)₂ **C** Fe₂CrO₄ **D** Fe₂(CrO₄)₃

10 Electrolysis of copper(II) sulfate can be done using either carbon electrodes or copper electrodes.

Which statement describes what happens at the positive electrode?

- A Copper is deposited if the electrode is made from carbon.
- **B** Copper is deposited if the electrode is made from copper.
- **C** Oxygen gas is produced if the electrode is made from carbon.
- **D** Oxygen gas is produced if the electrode is made from copper.
- **11** The diagram shows a circuit used to electrolyse aqueous copper(II) sulfate.



Which arrows indicate the movement of the copper ions in the electrolyte and of the electrons in the external circuit?

	copper ions	electrons
Α	1	3
в	1	4
С	2	3
D	2	4

12 Ethene burns in oxygen to form carbon dioxide and water vapour.

$$\begin{array}{c} \mathsf{H} & \mathsf{H} \\ \mathsf{C} = \mathsf{C} \\ \mathsf{H} & \mathsf{H} \end{array} + 3 \ \mathsf{O} = \mathsf{O} \ \rightarrow \ \mathsf{2} \ \mathsf{O} = \mathsf{C} = \mathsf{O} \ + \ \mathsf{2} \ \mathsf{H} = \mathsf{O} - \mathsf{H} \\ \mathsf{H} & \mathsf{H} \end{array}$$

The bond energies are shown in the table.

bond	bond energy in kJ/mol
C=C	+610
C–H	+410
O=0	+497
C=O	+805
O–H	+460


What is the energy change for the reaction?


- A _2959 kJ/mol
- **B** –2313 kJ/mol
- **C** _1319 kJ/mol
- **D** –399 kJ/mol

- 6
- **13** The equation for the formation of ammonia is shown.

$$N_2 \ + \ 3H_2 \ \rightarrow \ 2NH_3$$

The energy level diagram for the reaction is shown.





What is the energy change for the reaction?

- A –592 kJ/mol
- **B** –92 kJ/mol
- **C** +92 kJ/mol
- **D** +592 kJ/mol
- **14** Dilute hydrochloric acid reacts with 1 g of limestone.

Which conditions produce the fastest rate of reaction?

- A 2 mol/dm³ hydrochloric acid and a single lump of limestone
- **B** 4 mol/dm³ hydrochloric acid and a single lump of limestone
- **C** 4 mol/dm³ hydrochloric acid and small pieces of limestone
- **D** 4 mol/dm³ hydrochloric acid and powdered limestone

15 The reversible reaction between methane and steam is shown.

 $CH_4(g) + H_2O(g) \rightleftharpoons CO(g) + 3H_2(g)$

The forward reaction is endothermic.

Which changes in pressure and temperature move the equilibrium to the right?

	pressure	temperature
Α	decrease	decrease
в	decrease	increase
С	increase	decrease
D	increase	increase

16 The equation for the reaction between zinc and copper(II) oxide is shown.

 $Zn + CuO \rightarrow ZnO + Cu$

Which row shows the oxidising agent and the reducing agent?

	oxidising agent	reducing agent
Α	CuO	Cu
В	CuO	Zn
С	Zn	CuO
D	Zn	ZnO

17 The results of some experiments with sulfur dioxide are shown.

experiment	description	result
1	mix with dilute hydrochloric acid	does not react
2	mix with concentrated sodium hydroxide	a salt forms
3	add Universal Indicator	Universal Indicator turns purple
4	add acidified aqueous potassium manganate(VII)	purple solution turns colourless

Which results are correct?

A 1, 2 and 4 **B** 2, 3 and 4 **C** 1 and 2 only **D** 3 and 4 only

18 A white precipitate is produced when small amounts of two colourless solutions are mixed together.

Which pairs of solutions produce a white precipitate?

- 1 sodium hydroxide and zinc nitrate
- 2 sodium hydroxide and aluminium chloride
- 3 barium chloride and sulfuric acid
- 4 acidified barium nitrate and potassium sulfate
- **A** 1, 2, 3 and 4
- **B** 1, 2 and 4 only
- C 1 and 2 only
- **D** 2 only
- **19** Solution Q is warmed with ammonium chloride.

In a separate experiment, solution Q is added to methyl orange.

Which observations show that solution Q is basic?

	warmed with ammonium chloride	added to methyl orange	
Α	gas is produced	turns red	
в	gas is produced	turns yellow	
С	no reaction	turns red	
D	no reaction	turns yellow	

- 20 Some general rules for the solubility of salts in water are listed.
 - Carbonates are insoluble (except ammonium carbonate, potassium carbonate and sodium carbonate).
 - Chlorides are soluble (except lead(II) chloride and silver chloride).
 - Nitrates are soluble.
 - Sulfates are soluble (except barium sulfate, calcium sulfate and lead(II) sulfate).

Which substances produce an insoluble salt when aqueous solutions of them are mixed?

- **A** barium chloride and magnesium nitrate
- B calcium chloride and ammonium nitrate
- C silver nitrate and zinc chloride
- **D** sodium carbonate and potassium sulfate

21 Elements in Group I of the Periodic Table react with water.

Which row describes the products made in the reaction and the trend in reactivity of the elements?

	products	trend in reactivity	
Α	metal hydroxide and hydrogen	less reactive down the group	
в	metal hydroxide and hydrogen	more reactive down the group	
С	metal oxide and hydrogen	less reactive down the group	
D	metal oxide and hydrogen	more reactive down the group	

22 The equation shows the reaction between a halogen and aqueous bromide ions.

Which words complete gaps 1, 2 and 3?

	1	2	3
Α	chlorine	brown	colourless
В	chlorine	colourless	brown
С	iodine	brown	colourless
D	iodine	colourless	brown

23 An inert gas R is used to fill weather balloons.

Which descriptions of R are correct?

	number of outer shell electrons in atoms of R	structure of gas R
Α	2	diatomic molecules
в	2	single atoms
С	8	diatomic molecules
D	8	single atoms

24 Heating copper(II) carbonate produces copper(II) oxide and carbon dioxide.

Heating the copper(II) oxide formed with carbon produces copper.

Which colour changes are observed during these reactions?

- **A** green \rightarrow black \rightarrow brown
- **B** green \rightarrow white \rightarrow brown
- $\textbf{C} \quad \text{blue} \rightarrow \text{black} \rightarrow \text{silver}$
- $\textbf{D} \quad \text{blue} \rightarrow \text{white} \rightarrow \text{brown}$
- 25 Calcium reacts with cold water to produce hydrogen.

Lead reacts slowly when heated in air to form an oxide but has almost no reaction with steam.

Silver does not react with either air or water.

Zinc reacts when heated with steam to produce hydrogen.

What is the order of reactivity starting with the least reactive?

	least react	ive —	→ mo	ost reactive
Α	calcium	lead	zinc	silver
В	calcium	zinc	lead	silver
С	silver	lead	zinc	calcium
D	silver	zinc	lead	calcium

26 Which row describes the use of a metal and the property upon which the use depends?

	metal	use	property
Α	aluminium	aircraft bodies	aluminium is a heat conductor
в	aluminium	cooking utensils	aluminium has a low density
С	copper	cooking utensils	copper has a high density
D	copper	electrical wiring	copper is a good conductor of electricity

- 27 Which statement about the manufacture of aluminium by electrolysis is correct?
 - **A** Aluminium ions are oxidised to aluminium by gaining electrons.
 - **B** Aluminium is extracted from its ore hematite.
 - **C** Molten cryolite is used to dissolve the aluminium oxide.
 - **D** Oxygen is formed at the negative electrode.

28 Ammonia is manufactured by the Haber process from nitrogen and hydrogen.

11

Which row gives the main sources of these two gases?


	hydrogen	nitrogen
Α	air	air
В	air	natural gas
С	natural gas	air
D	natural gas	natural gas

- 29 Which equation represents the incomplete combustion of propane, C₃H₈?
 - $\textbf{A} \quad 2C_3H_8 \ \textbf{+} \ 7O_2 \ \rightarrow \ 6CO \ \textbf{+} \ 8H_2O$
 - $\textbf{B} \quad C_3H_8 \ + \ 5O_2 \ \rightarrow \ 3CO_2 \ + \ 4H_2O$
 - $\textbf{C} \quad 2C_3H_8 \ \textbf{+} \ 11O_2 \ \rightarrow \ 6CO \ \textbf{+} \ 16H_2O$
 - $\textbf{D} \quad C_3H_8 \ + \ 7O_2 \ \rightarrow \ 3CO_2 \ + \ 8H_2O$
- **30** Argon is a noble gas used to fill light bulbs.

What is the approximate percentage of argon in air?

A	1%	В	20%	С	79%	D	99%
---	----	---	-----	---	-----	---	-----

31 The diagrams show experiments involving the rusting of iron.



A student predicted the following results.

- 1 In tube P, the iron nails rust.
- 2 In tube Q, the iron nails do not rust.
- 3 In tube R, the iron nails do not rust.

Which predictions are correct?

A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only

- 32 Which statement about the carbon cycle is correct?
 - A Animals and plants need carbon dioxide for respiration.
 - **B** Combustion of plants and natural gas produces carbon dioxide.
 - **C** Plants produce glucose from carbon dioxide and oxygen.
 - **D** Oxygen is produced by both animals and plants.
- 33 Which statement about sulfur or one of its compounds is correct?
 - A Sulfur occurs naturally as the element sulfur.
 - **B** Sulfur dioxide is used to kill bacteria in drinking water.
 - **C** Sulfuric acid is a weak acid.
 - **D** Dilute sulfuric acid is a dehydrating agent.

- 34 Which equation represents the formation of lime?
 - $\textbf{A} \quad \text{CaCO}_3 \ \rightarrow \ \text{CaO} \ + \ \text{CO}_2$
 - $\textbf{B} \quad \text{CaO} \ + \ \text{H}_2\text{O} \ \rightarrow \ \text{Ca(OH)}_2$
 - $\textbf{C} \quad \text{Ca + } 2\text{H}_2\text{O} \ \rightarrow \ \text{Ca}(\text{OH})_2 \ + \ \text{H}_2$
 - $\textbf{D} \quad Ca(OH)_2 \ + \ CO_2 \ \rightarrow \ CaCO_3 \ + \ H_2O$
- 35 Which equation representing a reaction of methane is correct?
 - $\textbf{A} \quad CH_4 \ + \ Cl_2 \ \rightarrow \ CH_3Cl \ + \ HCl$
 - **B** $CH_4 + Cl_2 \rightarrow CH_4Cl_2$
 - $\mathbf{C} \quad CH_4 + Cl_2 \rightarrow CH_2Cl_2 + H_2$
 - **D** $2CH_4 + 2Cl_2 \rightarrow 2CH_3Cl + Cl_2 + H_2$
- 36 Which two compounds are molecules which both contain a double bond?
 - A ethane and ethanoic acid
 - B ethane and ethanol
 - **C** ethene and ethanoic acid
 - D ethene and ethanol
- 37 Ethanol can be formed by:
 - 1 fermentation
 - 2 reaction between steam and ethene.

Which of these processes use a catalyst?

	1	2
Α	1	1
в	\checkmark	x
С	x	1
D	X	x


38 Sugar can be fermented to produce ethanol.

Some of the stages in the process to produce and purify ethanol are listed.


- 1 Leave in a warm place.
- 2 Add yeast.
- 3 Fractionally distil the solution.
- 4 Dissolve the sugar in water.
- 5 Filter to remove the yeast.
- 6 Crush some sugar cane.

What is the correct order of these stages?

- $\textbf{A} \quad 4 \rightarrow 6 \rightarrow 2 \rightarrow 1 \rightarrow 5 \rightarrow 3$
- $\textbf{B} \quad 6 \rightarrow 4 \rightarrow 1 \rightarrow 2 \rightarrow 5 \rightarrow 3$
- $\textbf{C} \quad 6 \rightarrow 4 \rightarrow 2 \rightarrow 1 \rightarrow 3 \rightarrow 5$
- $\textbf{D} \quad 6 \rightarrow 4 \rightarrow 2 \rightarrow 1 \rightarrow 5 \rightarrow 3$
- 39 Which statement about ethanoic acid is correct?
 - **A** It contains a $-C_2H_5$ group.
 - **B** It is a strong acid.
 - **C** It is formed by the reduction of ethanol.
 - **D** It reacts with alcohols to form esters.
- 40 The structure of a polymer is shown.



Which monomer is used to make this polymer?



BLANK PAGE

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2018

The Periodic Table of Elements

	VIII	2	le	elium 4	10	Ve	leon 20	18	٩r	rgon 40	36	۲	ypton 84	54	Xe	xenon 131	86	R	nobe -			
			<u> </u>	ř							-		-									
	١١٨				6	ш	fluorint 19	17	Cl	chlorin 35.5	35	Ъ	bromin. 80	53	Ι	iodine 127	85	At	astatin. -			
	N				ω	0	oxygen 16	16	თ	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ро	polonium –	116	2	livermorium –
	>				7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ē	bismuth 209			
	\geq				9	U	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Γl	flerovium -
	Ш				£	Ш	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	Cn	copernicium -
											29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -
dno											28	ïZ	nickel 59	46	Pd	palladium 106	78	Ę	platinum 195	110	Ds	darmstadtium _
Group											27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -
		-	Т	hydrogen 1							26	Ъe	iron 56	44	Ru	ruthenium 101	76	Os	osmium 190	108	Hs	hassium -
					1						25	Мп	manganese 55	43	Ц	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						loc	SS				24	ັບ	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Db	dubnium –
					σ	ato	rela				22	i	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	ł	rutherfordium
					L			L			21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium -
	-				e	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ч	francium -
					1						1			-			L			1		

	57	58	59	60	61	62	63	64	65	99	67	68	69		71
lanthanoids	La	0 O	ŗ	Nd	Pm	Sm	Eu	Вd	Tb	D	Ч	ц	Tm		Lu
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
	89	06	91	92	93	94	95	96	97	98	66	100	101		103
actinoids	Ac	Th	Ра		Np	Pu	Am	Cm	ų	ç	Еs	Еm	Md		Ļ
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium		lawrencium
	I	232	231	238	I	I	I	I	I	I	I	I	I	I	I

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

© UCLES 2018

0620/23/O/N/18

16