

Cambridge IGCSE®

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY 0620/02

Paper 2 Multiple Choice (Extended)

For examination from 2020

SPECIMEN PAPER

45 minutes

Additional materials: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.

Read the instructions on the answer sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.


A copy of the Periodic Table is printed on page 18.

Electronic calculators may be used.

This document consists of 18 printed pages.

© UCLES 2017 [Turn over

1 Amino acids are colourless and can be separated and identified by chromatography.




What additional apparatus is required to identify the amino acids present in a mixture?

- A a locating agent
- **B** a ruler
- **C** a ruler and a locating agent
- **D** neither a ruler or a locating agent
- 2 The diagram shows the diffusion of hydrogen chloride and ammonia in a glass tube.


The gases are given off by the solutions at each end of the tube.

When hydrogen chloride and ammonia mix they produce a white solid, ammonium chloride.

Which line shows where the white solid is formed?




3 The diagram shows the structure of an atom.



key

+ = proton



= electron


Which diagram shows the structure of an isotope of this atom?


A


В


C

D









4 The table shows the structure of different atoms and ions.

particle	proton number	nucleon number	number of protons	number of neutrons	number of electrons
Mg	12	24	12	W	12
Mg ²⁺	X	24	12	12	10
F	9	19	9	Y	9
F ⁻	9	19	9	10	Z

What are the values of W, X, Y and Z?

	W	Х	Y	Z
A	10	10	9	9
В	10	12	10	9
С	12	10	9	10
D	12	12	10	10

5 Iron is a metal. The structure of iron is described as a lattice of positive ions in a sea of electrons.


Which of the following statements about iron are correct?

- 1 iron conducts electricity because the electrons are free to move
- 2 iron has a high melting point due to the strong covalent bonds
- 3 iron is an alloy
- 4 iron is malleable because the layers of atoms can slide over one another
- A 1 only
- **B** 1 and 3
- C 1 and 4
- **D** 2, 3 and 4
- **6** Which two elements react together to form an ionic compound?

element	electronic structure
R	2,4
T	2,8
X	2,8,1
Z	2,8,7

- A R and T
- **B** T and X
- C X and Z
- **D** Z and R

7 Ethene is an unsaturated hydrocarbon.



Which description of the bonding in ethene is correct?

- **A** All atoms in the molecule have a share of eight electrons.
- **B** Each carbon atom shares two of its electrons with hydrogen atoms and two of its electrons with a carbon atom.
- **C** Each carbon atom shares two of its electrons with hydrogen atoms and one of its electrons with a carbon atom.
- **D** The two carbon atoms share a total of six electrons with other atoms.
- 8 What is the relative molecular mass, $M_{\rm r}$, of butanol?
 - **A** 15
- **B** 37
- **C** 74
- **D** 148

© UCLES 2017

0620/02/SP/20

- **9** The chemical formulae of two substances, W and X, are given.
 - W NaAlSi₃O₈
 - X CaAl₂Si₂O₈

Which statements are correct?

- 1 W and X contain the same amount of oxygen.
- 2 W contains three times as much silicon as X.
- 3 X contains twice as much aluminium as W.
- **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 3
- **D** 1, 2 and 3
- **10** What is the concentration of a solution containing 1.0 g of sodium hydroxide in 250 cm³ of solution?
 - **A** 0.025 mol/dm³
 - **B** 0.10 mol/dm³
 - **C** 0.25 mol/dm³
 - \mathbf{D} 1.0 mol/dm³
- **11** Four students prepared hydrated copper(II) sulfate by adding an excess of dilute sulfuric acid to copper(II) oxide.

Each student used a different mass of copper(II) oxide.

dilute sulfuric acid

CuO

CuSO₄.5H₂O

$$M_r = 80$$
 $M_r = 250$

After the copper(II) sulfate had crystallised the students dried and weighed the crystals.

Which student produced the highest percentage yield of hydrated copper(II) sulfate?

	mass of copper(II) oxide used / g	mass of crystals produced / g
Α	4.0	11.5
В	8.0	23.5
С	12.0	35.0
D	16.0	46.5

12 20 cm³ of ethyne, C₂H₂, are reacted with 500 cm³ of oxygen.


The equation for the reaction is

$$2C_2H_2(g) + 5O_2(g) \rightarrow 4CO_2(g) + 2H_2O(I)$$

What is the total volume of gas remaining at the end of the reaction?

(all volumes are measured at room temperature and pressure)

- **A** 400 cm³
- **B** 450 cm³
- **C** 490 cm³
- **D** 520 cm³
- **13** Different metals were tested using the apparatus shown.



Which pair of metals would produce the largest voltage?

- A copper and silver
- B magnesium and silver
- **C** magnesium and zinc
- D zinc and copper
- **14** Three electrolysis cells are set up. Each cell has inert electrodes.

The electrolytes are listed below.

- cell 1 aqueous sodium chloride
- cell 2 dilute sulfuric acid
- cell 3 molten lead(II) bromide

In which of these cells is a gas formed at **both** electrodes?

- **A** 1 and 2
- **B** 1 and 3
- C 2 only
- **D** 3 only

- **15** The statements refer to the electrolysis of concentrated copper(II) chloride solution.
 - 1 Electrons are transferred from the cathode to the copper(II) ions.
 - 2 Electrons move around the circuit from the cathode to the anode.
 - 3 Chloride ions are attracted to the anode.
 - 4 Hydroxide ions transfer electrons to the cathode.

Which statements about the electrolysis of concentrated copper(II) chloride are correct?

- **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- 16 Water can be used to produce hydrogen gas.

$$2H_2O \rightarrow 2H_2 + O_2$$

Which row describes bond breaking in the reactant?

Α	endothermic	heat absorbed
В	endothermic	heat released
С	exothermic	heat absorbed
D	exothermic	heat released

17 Dinitrogen tetroxide, N₂O₄, breaks down into nitrogen dioxide, NO₂.


$$N_2O_4(g) \rightleftharpoons 2NO_2(g)$$

The reaction is reversible and endothermic.

Which conditions will give the largest yield of nitrogen dioxide, NO₂?

	temperature	pressure
Α	high	high
В	high	low
С	low	high
D	low	low

18 The apparatus shown can be used to measure the rate of some chemical reactions.



For which two reactions would this apparatus be suitable?

reaction 1 AgNO₃(aq) + HC $l(aq) \rightarrow AgCl(s) + HNO_3(aq)$

reaction 2 $2H_2O_2(aq) \rightarrow 2H_2O(1) + O_2(g)$

reaction 3 $MgO(s) + 2HCl(aq) \rightarrow MgCl_2(aq) + H_2O(l)$


reaction 4 $ZnCO_3(s) + 2HCl(aq) \rightarrow ZnCl_2(aq) + CO_2(g) + H_2O(l)$

A 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

19 A student investigates the rate of reaction between magnesium and excess sulfuric acid.

The volume of hydrogen given off in the reaction is measured over time.

The graph shows the results of two experiments, R and S.



Which change in conditions would cause the difference between R and S?

- A A catalyst is added in S.
- **B** The acid is more concentrated in R than in S.
- **C** The magnesium is less finely powdered in R than in S.
- **D** The temperature in R is lower than in S.

20 Which of these reactions shows only reduction?

A
$$Cu^{2+} + 2e^- \rightarrow Cu$$

B
$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

C
$$HCl + NaOH \rightarrow NaCl + H_2O$$

D Mg + ZnSO₄
$$\rightarrow$$
 Zn + MgSO₄

21 The red colour in some pottery glazes may be formed as a result of the reactions shown.

$$\begin{array}{ccc} \text{CuCO}_3 & \xrightarrow{\text{heat}} & \text{CuO} + \text{CO}_2 \\ \\ \text{CuO} + \text{SnO} & \longrightarrow & \text{Cu} + \text{SnO}_2 \end{array}$$

These equations show that1..... is oxidised and2..... is reduced.

Which substances correctly complete gaps 1 and 2 in the above sentence?

	1	2
A	CO_2	SnO ₂
В	CuCO₃	CuO
С	CuO	SnO
D	SnO	CuO

22 Acids are compounds which donate protons (hydrogen ions).

$$NH_3(aq) + H_2O(I) \rightarrow NH_4^+(aq) + OH^-(aq)$$

Which compound in this equation is behaving as an acid?

- A ammonia
- B ammonium hydroxide
- **C** none of them
- **D** water

23 The reactions of four different oxides W, X, Y and Z are shown.

W reacts with hydrochloric acid but not sodium hydroxide.

X reacts with both hydrochloric acid and sodium hydroxide.

Y does not react with either hydrochloric acid or sodium hydroxide.

Z reacts with sodium hydroxide but not hydrochloric acid.

Which row shows the correct types of oxide?

	acidic	basic	amphoteric	neutral
Α	W	Z	Х	Υ
В	×	Y	W	Z
С	Z	X	Υ	W
D	Z	W	X	Υ

24 A solution contains barium ions and silver ions and one type of anion.

What could the anion be?

- A chloride only
- **B** nitrate only
- **C** sulfate only
- D chloride or nitrate or sulfate
- **25** A mixture containing two anions was tested and the results are shown below.


test	result
dilute nitric acid added	effervescence of a gas which turned limewater milky
dilute nitric acid added, followed by aqueous silver nitrate	yellow precipitate formed

Which anions were present?

- A carbonate and chloride
- B carbonate and iodide
- C sulfate and chloride
- D sulfate and iodide

26 Part of the Periodic Table is shown.

The letters are not the chemical symbols of the elements.



Which statement about the elements is **not** correct.

- **A** W has two electrons in the outermost shell.
- **B** Y is in Group IV of the Periodic Table.
- C X and Y bond covalently to form a molecule XY₄.
- **D** Z has more metallic character than Y.
- 27 Astatine is an element in Group VII of the Periodic Table. It has only ever been produced in very small amounts.

What are the likely properties of astatine?

	colour	state	reaction with aqueous potassium iodide
Α	black	solid	no reaction
В	dark brown	gas	brown colour
С	green	solid	no reaction
D	yellow	liquid	brown colour


28 The table shows the results of adding three metals, P, Q and R, to dilute hydrochloric acid and to water

metal	dilute hydrochloric acid	water
Р	hydrogen produced	hydrogen produced
Q	no reaction	no reaction
R	hydrogen produced	no reaction

What is the order of reactivity of the metals?

	most reactive		least reactive
Α	Р	R	Q
В	Р	Q	R
С	R	Q	Р
D	R	Р	Q

29 Compound X is heated with carbon using the apparatus shown.



A brown solid is formed in the reaction tube and the limewater turns cloudy.

What is compound X?


- A calcium oxide
- B copper(II) oxide
- C magnesium oxide
- **D** sodium oxide

30 Zinc is extracted from zinc blende. Zinc blende is an ore of zinc and consists mainly of zinc sulfide.

One of the steps in the process involves zinc sulfide reacting with oxygen from the air.

What is the equation for this reaction?

- A $2ZnS + 3O_2 \rightarrow 2ZnO + 2SO_2$
- **B** $2ZnS + O_2 \rightarrow 2Zn + SO_2$
- C $2ZnS + O_2 \rightarrow 2ZnO + S$
- **D** $ZnS + 2O_2 \rightarrow ZnSO_4$
- **31** The diagram shows the carbon cycle.




Which process is shown by the arrow marked X?

- A combustion
- **B** photosynthesis
- **C** respiration
- **D** transpiration

32 A catalytic converter removes harmful gases from motor car exhausts.

Which reaction does not take place in a catalytic converter?

- $A \quad 2CO + O_2 \rightarrow 2CO_2$
- $\textbf{B} \quad N_2 + 2CO_2 \rightarrow 2NO + 2CO$
- $\textbf{C} \quad 2NO_2 \rightarrow N_2 + 2O_2$
- $\textbf{D} \quad 2NO_2 + 4CO \rightarrow N_2 + 4CO_2$
- **33** The diagram shows some reactions of substance Y.




Which type of substance is Y?

- A an alcohol
- **B** a base
- **C** a catalyst
- **D** a metal

34 Which row shows the conditions for the manufacture of sulfuric acid?

	pressure/atm	temperature/°C	catalyst
Α	2	450	vanadium(V) oxide
В	2	250	iron
С	200	450	iron
D	200	250	vanadium(V) oxide

35 Air containing an acidic impurity was neutralised by passing it through a column containing substance X.




What is substance X?

- A calcium oxide
- **B** sand
- C sodium chloride
- D concentrated sulfuric acid

36 In an oil refinery, petroleum is separated into useful fractions.

The diagram shows some of these fractions.



What are fractions X, Y and Z?

	X	Υ	Z
Α	fuel oil	bitumen	paraffin (kerosene)
В	fuel oil	paraffin (kerosene)	bitumen
С	paraffin (kerosene)	bitumen	fuel oil
D	paraffin (kerosene)	fuel oil	bitumen

37 Which reaction does not take place in the dark?

$$\textbf{A} \quad \text{CH}_4 + 2\text{O}_2 \rightarrow \text{CO}_2 + 2\text{H}_2\text{O}$$

B
$$CH_4 + Cl_2 \rightarrow CH_3Cl + HCl$$

$$\textbf{C} \quad C_2H_4 + H_2O \rightarrow C_2H_5OH$$

D
$$C_2H_4 + H_2 \rightarrow C_2H_6$$

38 Ethane and ethene are both hydrocarbons.

Ethane reacts with chlorine and ethene reacts with bromine.

Which row describes the type of reaction that ethane and ethene undergo?

	ethane	ethene
Α	addition	addition
В	addition	substitution
С	substitution	substitution
D	substitution	addition


39 Esters are made by reacting an alcohol with a carboxylic acid.


Which acid and alcohol react together to form the following ester?

$$\mathsf{CH_3CH_2} - \mathsf{C} \\ \mathsf{OCH_3}$$

- A propanoic acid and ethanol
- B propanoic acid and methanol
- C ethanoic acid and ethanol
- **D** ethanoic acid and methanol

40 Which structure represents a polymer?





								Group	gn								
_	=											=	2	>	5	=	₹
							,										2
							I										완
				Key			Hydrogem 1										hallum 4
8	4		app	atomic number	Į.	•						9	9	~	80	ð	10
-	Be		ato	atomic symbol	loc							Ф	O	z	0	ш	Š
ilibium i	beryflum			rarmer								boron	carbon	ntrogen	ush(so	fluster	1000
-	an		relati	relative atomic mass	1888							=	12	7	16	9	20
£	12											13	4	16	16	17	\$
eg E	β											¥	ō	۵	Ø	õ	¥
andom 23	magnesium 24											ahminium 27	38 28	phosphorus 31	32 32	drilonne 35.5	argon 40
6	20	21	22	23	25	25	R	27	28	59	98	31	32	SS	¥	32	36
¥	Ca	S	F	>		Ā	ė	ဝိ	ž	ō	Zu	Ga	ge	As	Se	ă	호
unseasod	calcium	scandium	ttarium	vanadum	5	manganese	inoni	cobst	rickel	addto	Sinc	gallum	permanium	amenic	selectum	bromine	widha
8	49	42	48	5	25	22	8	88	28	8	8	ę	73	52	22	80	\$
37	38	39	9	+		43	4	45	46	47	48	49	20	55	22	53	\$
윤	ပ်	>	Z			2	Z	뜐	Б	Αđ	8	Ľ	S	Sp	Te	I	×e
ndicken	shorthun	ythum	zhonium	E	Ę	ndruba	nuthanium	фофия	mpalledum	shur	cadmium	mojou	Ę.	artimony	pallunum	polyn	XIIIC
8	88	88	5	88	┪	1	ē	103	901	108	112	116	130	122	128	127	131
58	99	67-71	7.2	73		76	92	77	7.8	79	80	81	82	83	84	92	96
స	Ba	larthanoids	Ì	Б	>	Se Se	ő	'n	ď	Αn	ñ	ř	Ъ	ā	Po	¥	돌
caesium	patru		hathiem	tartahm	£	montem	cominm	Hickory	platinum	pod	meterny	traffem	penq	biamuth	polonium	estation	radon
133	137		178	181	\exists	196	190	192	\neg	197	201	504	207	\neg	-	1	1
87	88	89-103	104	55	106	107	108	109		111	112		414		116		
Ŀ	g	actinoids	ž	음	Sg	늄	£	Ĭ		ß	5		F2		^		
flandem	radium		naterlordem	abelum	seabongam –	pohrium	hasekum	megnerium	6	mengerium oo	oopenidism -		Jerovium -		Pvermorium		
		25	28	89	8	19	62	63	49	99	99	- 67	89	69	70	7	
lanthanoids	ds	Fa	රී	ď	P	F	Sa	П	В	2	à	운	ய்	Ē	γP	3	
		lanthanum	centum	pranocimium	Ę	promethum	Samenum	europium	gadolinism	methan	dysprosium	holmikm	ethium	Tribun 200	yterbirm	hirothm	
		200	140	1	Ţ		8	761	762	601	20 3	2 2	191	80	2/2	2	
		8	90	2		8	đ	36	96	63	98	8	00	5	102	5	
actinoids		Ac	£	Ба		ğ	2	Am	Š	ă	Ö	ű	Ē	PΜ	ŝ	۲	
		actinium	thorium 232	protectinum 234	uranium 238	nepturium	phronium	anericum	orthun	perholium	californium	oinsteinium	Semium	тегдейчит	ungegou	lawrendum	
	_	1	969	169	600					1							

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

The volume of one mole of any gas is 24dm3 at room temperature and pressure (r.t.p.)

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.