

Cambridge IGCSE[™](9–1)

CHEMISTRY

Paper 1 Multiple Choice (Core)

October/November 2021 45 minutes

0971/12

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.


	separation of particles	speed of particles
Α	closer together	faster
в	closer together	slower
С	further apart	faster
D	further apart	slower

2 A student put exactly 25.00 cm^3 of dilute hydrochloric acid into a conical flask.

The student added 2.5 g of solid sodium carbonate and measured the change in temperature of the mixture.

Which apparatus does the student need to use?

- A balance, measuring cylinder, thermometer
- **B** balance, pipette, stopwatch
- **C** balance, pipette, thermometer
- D burette, pipette, thermometer
- **3** A student separates sugar from pieces of broken glass by dissolving the sugar in water and filtering off the broken glass.



What is the filtrate?

- A broken glass only
- B broken glass and sugar solution
- C pure water
- D sugar solution

	protons	neutrons	electrons
Α	13	13	13
В	13	14	13
С	14	13	13
D	14	14	13

4 How many protons, neutrons and electrons are there in one atom of the isotope ${}^{27}_{13}$ Al?

3

- 5 Which description of brass is correct?
 - A alloy
 - **B** compound
 - **C** element
 - **D** non-metal
- **6** Rubidium is in Group I and iodine is in Group VII of the Periodic Table.

Which row describes what happens when rubidium and iodine react together to form rubidium iodide?

	rubidium	iodine
Α	each atom gains one electron	each atom loses one electron
в	each atom loses one electron	each atom gains one electron
С	each atom loses more than one electron	each atom gains more than one electron
D	each atom neither gains nor loses an electron	each atom neither gains nor loses an electron

7 Which row shows the properties for an ionic compound?

	volatility	electrical conductivity when solid
Α	high	good
в	high	poor
С	low	good
D	low	poor

- 8 Which substance is described as a macromolecule?
 - A ammonia
 - **B** graphite
 - **C** iron
 - D sodium chloride
- **9** The formula of sodium chlorate(V) is $NaClO_3$.

What is the relative formula mass of sodium chlorate(V), NaClO₃?


A 52.0 **B** 74.5 **C** 106.5 **D** 223.5

10 Iron can be electroplated with zinc to make it resistant to corrosion.

Which row about electroplating iron with zinc is correct?

	positive electrode (anode)	negative electrode (cathode)	electrolyte
Α	iron	zinc	iron nitrate
в	iron	zinc	zinc nitrate
С	zinc	iron	iron nitrate
D	zinc	iron	zinc nitrate

11 An energy level diagram for the reaction between substance X and substance Y to form substance Z is shown.



progress of reaction

Which statement is correct?

- A Energy is released as substance Z is formed.
- **B** Substance Z has more energy than substance X and substance Y.
- **C** The reaction is exothermic.
- **D** When substance X and substance Y react, the temperature increases.

12 Which reactions are exothermic?

1 C + O₂
$$\rightarrow$$
 CO₂
2 CH₄ + 2O₂ \rightarrow CO₂ + 2H₂O
3 2H₂ + O₂ \rightarrow 2H₂O
A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only

13 Solid copper(II) carbonate reacts with dilute sulfuric acid.

 $CuCO_3 \ + \ H_2SO_4 \ \rightarrow \ CuSO_4 \ + \ CO_2 \ + \ H_2O$

The rate of the reaction can be changed by varying the conditions.

Which changes always increase the rate of this chemical reaction?

- 1 increasing the concentration of sulfuric acid
- 2 increasing the size of the pieces of copper(II) carbonate
- 3 increasing the temperature
- 4 increasing the volume of sulfuric acid

A 1, 3 and 4 **B** 1 and 3 only **C** 2 and 3 **D** 3 and 4 only

14 When a piece of marble is added to hydrochloric acid, bubbles of carbon dioxide gas are given off.

Which method is used to find the rate of the reaction?

- A counting the number of gas bubbles formed
- **B** measuring the diameter of the gas bubbles
- C measuring the speed at which the gas bubbles rise upwards through the acid
- **D** measuring the time taken for 10 cm^3 of gas to be collected
- **15** Solid X is heated strongly.

The colour of the solid changes from blue to white.

What is solid X?

- A anhydrous cobalt(II) chloride
- B calcium carbonate
- **C** hydrated copper(II) sulfate
- D lead(II) bromide

- 16 What happens to a chemical substance when it is reduced?
 - A It burns.
 - B It decomposes.
 - C It loses oxygen.
 - **D** It gains mass.
- 17 Which statements about acids and bases are correct?
 - 1 An acid reacts with a metal to give off hydrogen.
 - 2 A base reacts with an ammonium salt to give off ammonia.
 - 3 An acid reacts with a carbonate to give off carbon dioxide.
 - 4 Alkaline solutions are orange in methyl orange.

	Α	1, 2 and 3	B 1, 2 and 4	C 1, 3 and 4	D 2, 3 and 4
--	---	------------	---------------------	---------------------	---------------------

18 Oxide 1 is a solid that reacts with dilute hydrochloric acid.

Oxide 2 is a gas that reacts with sodium hydroxide solution.

What are the formulae of the oxides?

	oxide 1	oxide 2
Α	CaO	MgO
В	MgO	NO ₂
С	NO ₂	SO ₂
D	SO ₂	CaO

19 In the preparation of zinc sulfate crystals, excess zinc oxide is added to dilute sulfuric acid.

Why is an excess of zinc oxide added?

- **A** to make sure crystals are formed and not powder
- **B** to avoid filtering the mixture
- **C** to use up all of the sulfuric acid
- D to use up all of the zinc oxide

- 20 Which statement about aqueous sodium hydroxide is correct?
 - **A** When it is added to a solution containing sulfate ions, a white precipitate is formed.
 - **B** When it is added to a solution of copper(II) ions, a blue precipitate is formed which dissolves in excess to give deep blue solution.
 - **C** When it is added to a solution of iron(II) ions, a green precipitate is formed which does not dissolve in excess.
 - **D** When it is added to ammonium chloride, a gas is produced which turns blue litmus red.
- **21** A period of the Periodic Table is shown.


group	I	II		IV	V	VI	VII	VIII
element	R	S	Т	۷	W	Х	Y	Z

The letters are not their chemical symbols.

Which statement is correct?

- **A** Element R does not conduct electricity.
- **B** Elements R and Y react together to form an ionic compound.
- **C** Element Z exists as a diatomic molecule.
- **D** Element Z reacts with element T.
- 22 Which statement about the elements in Group VII of the Periodic Table is correct?
 - A Chlorine can displace bromine from bromides.
 - **B** Group VII elements are all solids at room temperature.
 - **C** Group VII elements occur as monoatomic covalent molecules.
 - **D** Reactivity increases down Group VII.
- **23** Part of the Periodic Table is shown.

Which element is a transition element?



24 The noble gases are in Group VIII of the Periodic Table.


Which statement explains why noble gases are unreactive?

- **A** They all have eight electrons in their outer shells.
- **B** They all have full outer shells.
- **C** They are all gases.
- **D** They are all monoatomic.
- 25 Which statement is correct for all metals?
 - A They conduct electricity when molten.
 - **B** They gain electrons when they form ions.
 - **C** They have a low density.
 - **D** They have a low melting point.
- 26 Which row describes the method of extraction of aluminium and iron from their ores?

	aluminium	iron			
Α	electrolysis	electrolysis			
В	electrolysis	reduction with carbon			
С	reduction with carbon	electrolysis			
D	reduction with carbon	reduction with carbon			

- 27 Which statement about metals and their uses is correct?
 - A Aluminium is used to make food containers because it is resistant to corrosion.
 - **B** Aluminium is used to make aircraft wings because it is strong and has a high density.
 - **C** Iron is used to make electrical wires because it is a good insulator of electricity.
 - **D** Iron is used to make cooking utensils because it is easily recycled.


28 The diagrams show some uses of water in the home.



For which uses is it important for the water to have been treated?

- **A** 1 only **B** 2 only **C** 3 only **D** 1, 2 and 3
- **29** Four different test-tubes containing water and an iron nail are left for two weeks.

Which nail showed the least amount of rusting?



- 30 Which process does **not** produce a greenhouse gas?
 - **A** acid rain on limestone buildings
 - **B** combustion of wood
 - C digestion in cows
 - **D** zinc reacting with sulfuric acid

31 Sulfur burns to make sulfur dioxide.

Which row describes a source of sulfur and a use of sulfur dioxide?

	source of sulfur	use of sulfur dioxide		
Α	the air	food preservative		
в	the air	treating acidic soils		
С	underground deposits	food preservative		
D	underground deposits	treating acidic soils		

32 Lime (calcium oxide) is used to treat waste water from a factory.

Which substance is removed by the lime?

- A ammonia
- **B** sodium chloride
- **C** sodium hydroxide
- D sulfuric acid
- **33** A chemical equation for the complete combustion of methane is shown.

$$2CH_4 \ + \ zO_2 \ \rightarrow \ 2CO_2 \ + \ 4H_2O$$

What is the value of *z*?

Α	2	В	3	С	4	D	6


34 Fuel X produces carbon dioxide and water when it is burned in air. So does fuel Y.

What could X and Y be?

	Х	Y
Α	С	H_2
В	С	C_8H_{18}
С	CH_4	H_2
D	CH_4	C_8H_{18}

https://xtremepape.rs/

- 35 Which substance is not a fossil fuel?
 - A ethanol
 - **B** gasoline
 - C kerosene
 - D methane
- 36 Which compound belongs to a different homologous series to the others?



- 37 What is a property of aqueous ethanoic acid?
 - A It changes red litmus blue.
 - **B** It has a deep purple colour.
 - **C** It has a pH of less than 7.
 - **D** It reacts with a metal oxide to form carbon dioxide.
- 38 Which statements about unsaturated hydrocarbons are correct?
 - 1 They contain both single and double bonds.
 - 2 They turn aqueous bromine from colourless to brown.
 - 3 They can be manufactured by cracking.
 - A 1 and 2 only B 1 and 3 only C 2 and 3 only D 1, 2 and 3
- 39 Which substance is used to produce alcohol by fermentation?
 - A phosphoric acid
 - **B** platinum
 - **C** iron
 - D yeast

- **40** Which statements are correct?
 - 1 Polymers are large molecules built up from monomers.
 - 2 Proteins are natural polymers.
 - 3 Proteins and carbohydrates are constituents of food.
 - A 1 and 2 only B 1 and 3 only C 2 and 3 only D 1, 2 and 3

https://xtremepape.rs/

BLANK PAGE

13

BLANK PAGE

14

BLANK PAGE

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2021

The Periodic Table of Elements

Group III V <th col<="" th=""><th></th><th>VIII</th><th>2</th><th>He</th><th colspan="2">4 um 4</th><th>Ne</th><th>neon 20</th><th>18</th><th>Ar</th><th>argon 40</th><th>36</th><th>Кr</th><th>rypton 84</th><th>54</th><th>Xe</th><th>xenon 131</th><th>86</th><th>Rn</th><th>radon -</th><th></th><th></th><th></th></th>	<th></th> <th>VIII</th> <th>2</th> <th>He</th> <th colspan="2">4 um 4</th> <th>Ne</th> <th>neon 20</th> <th>18</th> <th>Ar</th> <th>argon 40</th> <th>36</th> <th>Кr</th> <th>rypton 84</th> <th>54</th> <th>Xe</th> <th>xenon 131</th> <th>86</th> <th>Rn</th> <th>radon -</th> <th></th> <th></th> <th></th>		VIII	2	He	4 um 4		Ne	neon 20	18	Ar	argon 40	36	Кr	rypton 84	54	Xe	xenon 131	86	Rn	radon -			
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$			-																					
Image: manual symbols Key Image: manual symbols Image: manual																					16	>.	norium	
III III III V III Key III V III Key III V III V III V IIII V IIII V IIII V IIIII V IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII								0XV 1	-		nge	e e e e e e e e e e e e e e e e e e e	<i>w</i>	sele 7	2	-	tellu 11	8	Δ.	oloq	÷		livem	
II II II II II II III IIII IIIII IIIII IIIII IIIII IIIII IIIII IIIIII IIIII IIIII IIIII IIIIII IIIII IIIIII IIIIIII IIIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		\wedge				7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ē	bismuth 209				
IIIIII11II 1	d	≥				9	U	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	РЬ	lead 207	114	11	flerovium	
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$						5	Ш	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	Tl	thallium 204				
III III 4 4 benjuljung Levnik in the field of the solution mase benjuljung 1 benjuljung Latention mutter												30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	Cu	copernicium	
III III 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 12 1 12 1 13 1 14 1 15 1 16 1 17 1 18 1 19 1 10 1 11												29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium	
II II 4 4 Be beryllium 9 atomic number 9 atomic symbol 112 Mey 12 Mey 13 Mey 14 Mey 15 Mey 16 Min 17 V 18 Mey 19 Mey												28	ïZ	nickel 59	46	Pd	palladium 106	78	Ę	platinum 195	110	Ds	darmstadtium 	
II II 11 1 11 1 12 Key 12 Mg 12 Sc 13 21 22 21 23 24 38 39 40 41 41 42 137 131 137 131 137 131 137 131 137 131 137 104 137 104 137 104 137 104 137 104 137 104 137 104 137 104 137 104 137 104 137 104 137 104 137 104 138 106 137 108 138 106 139 <	Gro											27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium	
II II II Key 4 atomic number 9 12 Aey magnesium 9 12 Mg Mg magnesium 24 atomic symbol atomic number admic number 12 12 12 Mg Mg magnesium 4 21 22 23 21 22 23 24 38 39 40 41 41 42 137 178 137 178 Manum 174 Manum 178 Manum 178 Manum 178 Manum 174 Manum 178 Manum 178 Manum 174 Manum 174 Manum 174 Manum 175 Manum 1			1	т	hydrogen 1								26	Ее	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium
II II 4 A Be A atomic number 9 12 Mg magnesium 23 23 24 23 24 23 24 23 38 39 40 41 72 73 88 9104 178 90 91 91 92 93 94 <					Key	J						25	Mn	manganese 55	43	Ц	technetium -	75	Re	rhenium 186	107	Bh	bohrium	
H H H 4 Be Be 9 9 9 9 12 Mg magnesium 24 23 23 24 20 23 21 24 20 23 33 36 56 56 57-71 72 27 137 137 bartum 137 88 88-103 88 88-103 88 88-103 137 178 Radium actinoids 137 104 88 88-103 89 104 137 104 actinoids Rf							loc	SS				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	8	tungsten 184	106	Sg	seaborgium	
Image Image <th< td=""><td>tomic number</td><td>mic symb</td><td>name tive atomic ma</td><td></td><td></td><td></td><td>23</td><td>></td><td>vanadium 51</td><td>41</td><td>qN</td><td>niobium 93</td><td>73</td><td>Та</td><td>tantalum 181</td><td>105</td><td>Db</td><td>dubnium</td></th<>						tomic number	mic symb	name tive atomic ma				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Db	dubnium	
Benyllium 4 Benyllium 9 9 9 24 3 23 24 24 23 23 33 38 33 88 88 88 88						at	ator	relat				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ł	rutherfordium	
						L						21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids		
→ Hithium Lift Li → 3 Hithium Lift Li → 7 A 23 A 1 → 7 A 23 A 1 → 7 A 1 → 7 A 1 → 7 A 23 A 1 → 7 A 1 → 7 A 2 → 3 A 2 → 3 A 1 → 7 A 1		=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ي ک	strontium 88	56	Ba	barium 137	88	Ra	radium	
		-				e	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	Ļ	francium	

							,
71	Lu	lutetium 175	103	Ļ	lawrencium	I	
70	γb	ytterbium 173	102	No	nobelium	I	
69	Tm	thulium 169	101	Md	mendelevium	I	
68	ц	erbium 167	100	Fm	fermium	I	
67	Но	holmium 165	66	Es	einsteinium	I	
66	Dy	dysprosium 163	98	ç	californium	I	
65	Tb	terbium 159	97	Ŗ	berkelium	I	
64	Ъd	gadolinium 157	96	CB	curium	I	
63	Eu	europium 152	95	Am	americium	I	
62	Sm	samarium 150	94	Pu	plutonium	I	
61	Pm	promethium -	93	Np	neptunium	I	
60	ΡN	neodymium 144	92	⊃	uranium	238	
59	Pr	praseodymium 141	91	Ра	protactinium	231	
58	Ce	cerium 140	06	Th	thorium	232	
57	La	lanthanum 139	89	Ac	actinium	I	
	lanthanoids			actinoids			

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

© UCLES 2021

0971/12/O/N/21

16