

# Cambridge IGCSE<sup>™</sup>(9–1)

CHEMISTRY 0971/22

Paper 2 Multiple Choice (Extended)

October/November 2021

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **INSTRUCTIONS**

There are **forty** questions on this paper. Answer **all** questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

### **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.




This document has 16 pages. Any blank pages are indicated.


IB21 11\_0971\_22/FP © UCLES 2021

[Turn over

1 An experiment is set up as shown.



After several minutes, a white ring of ammonium chloride appears as shown.



Which statement explains the observation after several minutes?


- A Ammonia gas diffuses faster than hydrogen chloride gas because its molecules have a lower molecular mass.
- **B** Ammonia gas diffuses faster than hydrogen chloride gas because its molecules have a higher molecular mass.
- **C** Ammonia gas diffuses slower than hydrogen chloride gas because its molecules have a lower molecular mass.
- **D** Ammonia gas diffuses slower than hydrogen chloride gas because its molecules have a higher molecular mass.
- **2** A student put exactly 25.00 cm<sup>3</sup> of dilute hydrochloric acid into a conical flask.

The student added 2.5 g of solid sodium carbonate and measured the change in temperature of the mixture.

Which apparatus does the student need to use?

- **A** balance, measuring cylinder, thermometer
- **B** balance, pipette, stopwatch
- **C** balance, pipette, thermometer
- **D** burette, pipette, thermometer

**3** A student separates sugar from pieces of broken glass by dissolving the sugar in water and filtering off the broken glass.



What is the filtrate?

- A broken glass only
- **B** broken glass and sugar solution
- C pure water
- **D** sugar solution

4 How many protons, neutrons and electrons are there in one atom of the isotope  ${}^{27}_{13}$ Al?

	protons	neutrons	electrons
Α	13	13	13
В	13	14	13
С	14	13	13
D	14	14	13

- 5 Which description of brass is correct?
  - **A** alloy
  - **B** compound
  - C element
  - **D** non-metal

- 6 Some properties of diamond are shown.
  - 1 It is very hard.
  - 2 Every atom forms four bonds.
  - 3 It does not conduct electricity.

Which properties are also shown by silicon(IV) oxide?

- A 1 only
- **B** 1 and 2
- **C** 1 and 3
- **D** 2 and 3
- 7 Which statement describes the attractive forces between molecules?
  - A They are strong covalent bonds which hold molecules together.
  - **B** They are strong ionic bonds which hold molecules together.
  - **C** They are weak forces formed between covalently-bonded molecules.
  - **D** They are weak forces which hold ions together in a lattice.
- **8** Which substance is described as a macromolecule?
  - A ammonia
  - **B** graphite
  - C iron
  - **D** sodium chloride
- **9** The equation for the reaction of sodium with water is shown.

$$2Na + 2H_2O \rightarrow 2NaOH + H_2$$

What is the volume of hydrogen gas, measured at r.t.p., produced when 18.4g of sodium reacts with excess water?

- **A** 9.6 dm<sup>3</sup>
- **B**  $15.0 \, \text{dm}^3$
- $\mathbf{C}$  19.2 dm<sup>3</sup>
- **D**  $30.0\,\mathrm{dm}^3$
- **10** Iron can be electroplated with zinc to make it resistant to corrosion.

Which row about electroplating iron with zinc is correct?

	positive electrode (anode)	negative electrode (cathode)	electrolyte
Α	iron	zinc	iron nitrate
В	iron	zinc	zinc nitrate
С	zinc	iron	iron nitrate
D	zinc	iron	zinc nitrate

11 Chlorine reacts with ethane to produce chloroethane and hydrogen chloride.

The reaction is exothermic.

The bond energies are shown in the table.

bond	bond energy in kJ/mol
C-C1	+340
C–C	+350
C–H	+410
Cl-Cl	+240
H–C1	+430

What is the energy change for the reaction?

**A** -1420 kJ/mol

**B** -120 kJ/mol

C +120 kJ/mol

**D** +1420 kJ/mol

12 Chlorine gas is bubbled into aqueous potassium iodide.

What is the ionic equation for the reaction that takes place?

A 
$$Cl + I^- \rightarrow Cl^- + I$$

$$B \quad \mathsf{C} \mathit{l}_{2} \, + \, 2\mathsf{I}^{-} \, \rightarrow \, \mathsf{C} \mathit{l}_{2}^{-} \, + \, \mathsf{I}_{2}$$

$$\textbf{C} \quad \textbf{C} l_2 \, + \, 2 \textbf{I}^- \, \rightarrow \, 2 \textbf{C} \, l^- \, + \, \textbf{I}_2$$

$$\mathbf{D} \quad \mathbf{C} l_2 + 2\mathbf{I}^- \rightarrow 2\mathbf{C} l^- + 2\mathbf{I}$$

13 Concentrated aqueous sodium chloride is electrolysed.

Which equation represents the reaction at the cathode?

**A** Na<sup>+</sup> + e<sup>-</sup> 
$$\rightarrow$$
 Na

**B** 
$$20^{2-} \rightarrow 0_2 + 4e^-$$

$$\mathbf{C}$$
  $2H^+ + 2e^- \rightarrow H_2$ 

**D** 
$$2Cl^- \rightarrow Cl_2 + 2e^-$$

14	Wh	ich stater	ments abou	t hydrogen are	corre	ct?		
		1	When hydi	rogen is burned	l, hea	t energy is rel	eased.	
		2	•					rgy is generated.
		3	•	rogen is used a				
	٨		•	1 and 2 only				3 only
	<b>A</b>	1, 2 and	13 <b>B</b>	I aliu 2 Ulliy	C	1 Offity	D	3 Offity
15	Sol	id X is he	ated strong	ly.				
	The	e colour o	of the solid o	changes from b	lue to	white.		
	Wh	at is solic	1 X?					
	Α	anhydro	ous cobalt(II	() chloride				
	В	calcium	carbonate					
	С	hydrated	d copper(II)	sulfate				
	D	lead(II)	bromide					
16	Iror	n(II) chlor	ride solution	reacts with ch	lorine	gas.		
	The	e equation	n is shown.					
				2FeC <i>l</i> ₂(aq	) + (	$Cl_2(g) \rightarrow 2Fe$	C <i>l</i> ₃(aq	)
	Wh	ich stater	ments abou	t this reaction a	re co	rrect?		
		1	Fe <sup>2+</sup> ions a	re reduced to F	e³+ id	ons.		
		2	Chlorine a	cts as a reducir	ng ag	ent.		
		3	Fe <sup>2+</sup> ions e	each lose an ele	ectron	ı.		
		4	Cl <sub>2</sub> molecu	ules are reduce	d to C	$\mathcal{C}l^-$ ions.		
	A	1 and 2	В	2 and 3	С	2 and 4	D	3 and 4
17	Wh	ich stater	ments abou	t acids and bas	es ar	e correct?		
		1	An acid rea	acts with a meta	al to g	give off hydrog	jen.	
		2	A base rea	icts with an am	moniu	ım salt to give	off am	nmonia.
		3	An acid rea	acts with a carb	onate	e to give off ca	ırbon d	ioxide.
		4	Alkaline so	olutions are ora	nge ir	n methyl orang	je.	
	Α	1, 2 and	13 <b>B</b>	1, 2 and 4	С	1, 3 and 4	D	2, 3 and 4

**18** Oxide 1 is a solid that reacts with dilute hydrochloric acid.

Oxide 2 is a gas that reacts with sodium hydroxide solution.

What are the formulae of the oxides?

	oxide 1	oxide 2
Α	CaO	MgO
В	MgO	$NO_2$
С	$NO_2$	$SO_2$
D	$SO_2$	CaO

- 19 Which reaction is a photochemical reaction?
  - A addition of bromine to propene
  - B esterification of ethanol and ethanoic acid
  - C oxidation of ethanol
  - **D** substitution of methane with chlorine
- **20** The equation shown represents a reaction at equilibrium.

m and n represent the balancing numbers for the reactant and product respectively.

$$mP(g) \rightleftharpoons nQ(g)$$

A high temperature increases the concentration of Q.

A high pressure increases the concentration of Q.

Which statement about the reaction is correct?

- **A** The forward reaction is exothermic and m is greater than n.
- **B** The forward reaction is exothermic and m is less than n.
- **C** The forward reaction is endothermic and m is greater than n.
- **D** The forward reaction is endothermic and m is less than n.

**21** A period of the Periodic Table is shown.

group	Ī	П	III	IV	V	VI	VII	VIII
element	R	S	T	V	W	Х	Υ	Z

The letters are not their chemical symbols.

Which statement is correct?

- A Element R does not conduct electricity.
- **B** Elements R and Y react together to form an ionic compound.
- **C** Element Z exists as a diatomic molecule.
- **D** Element Z reacts with element T.
- 22 All metal nitrates are soluble in water.

All metal chlorides are soluble except silver and lead.

All metal carbonates are insoluble except sodium and potassium.

Which aqueous solutions produce a precipitate when mixed together?

- 1 silver nitrate + sodium carbonate
- 2 silver nitrate + sodium chloride
- 3 barium nitrate + potassium chloride
- **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- 23 Which row describes properties of transition elements?

	property 1	property 2	property 3
Α	coloured compounds	high density	variable oxidation states
В	high density	high melting point	one oxidation state
С	high melting point	coloured compounds	one oxidation state
D	low melting point	high density	variable oxidation states

**24** The noble gases are in Group VIII of the Periodic Table.

Which statement explains why noble gases are unreactive?

- A They all have eight electrons in their outer shells.
- **B** They all have full outer shells.
- C They are all gases.
- **D** They are all monoatomic.
- 25 Which statement is correct for all metals?
  - **A** They conduct electricity when molten.
  - **B** They gain electrons when they form ions.
  - **C** They have a low density.
  - **D** They have a low melting point.
- **26** Carbon dioxide is produced during the extraction of aluminium from bauxite.

Which statement describes how this carbon dioxide is made?

- A Carbon monoxide reduces aluminium oxide forming carbon dioxide and aluminium.
- **B** Carbon is burned in the blast furnace to release heat energy.
- **C** Oxygen made in the process reacts with the carbon electrode.
- **D** The ore of aluminium undergoes thermal decomposition.
- **27** Aluminium objects do not need protection from corrosion.

Iron objects must be protected from corrosion.

Which statement explains why aluminium resists corrosion?

- A Aluminium does not form ions easily.
- **B** Aluminium does not react with water or air.
- **C** Aluminium has a protective oxide layer.
- **D** Aluminium is below iron in the reactivity series.

28 Which statements explain why zinc is used to protect iron from rusting?

- 1 Zinc is more reactive than iron.
- 2 Zinc is less reactive than iron.
- 3 Zinc can form alloys with iron.
- 4 Zinc acts as a sacrificial metal.
- **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4

29 Which conditions are used in the Haber process?

	temperature /°C	pressure /atmospheres
Α	100	10
В	450	10
С	450	200
D	1000	500

30 Which process does not produce a greenhouse gas?

- A acid rain on limestone buildings
- **B** combustion of wood
- C digestion in cows
- D zinc reacting with sulfuric acid

31 Which reaction involving sulfur dioxide is correct?


- **A** It is produced during the extraction of zinc from zinc blende.
- **B** It reacts with concentrated sulfuric acid to form oleum.
- **C** It reacts with sulfur to form sulfur trioxide.
- **D** It turns an acidified solution of potassium manganate(VII) purple.

32 Lime (calcium oxide) is used to treat waste water from a factory.

Which substance is removed by the lime?

- A ammonia
- B sodium chloride
- C sodium hydroxide
- **D** sulfuric acid

33 What is the structure of the ester formed from ethanoic acid and propanol?




34 Fuel X produces carbon dioxide and water when it is burned in air. So does fuel Y.

What could X and Y be?

	Х	Υ
Α	С	H <sub>2</sub>
В	С	C <sub>8</sub> H <sub>18</sub>
С	CH₄	$H_2$
D	CH₄	C <sub>8</sub> H <sub>18</sub>

**35** The structures of four organic molecules are shown.



How many different homologous series are represented by these molecules?

- **A** 1
- **B** 2

- **36** Which statement about ethene is correct?
  - It has the chemical formula C<sub>2</sub>H<sub>6</sub>.
  - В It burns in excess oxygen producing carbon dioxide and water.
  - C It reacts with Br<sub>2</sub> to produce an orange solution.
  - D It reacts with oxygen to form ethanol.
- **37** Ethanol is manufactured by fermentation of sugars or by catalytic hydration of ethene.


Which row states an advantage of each method?

	fermentation	hydration
Α	produces purer ethanol	is a batch process
В	produces purer ethanol	is a continuous process
С	uses a renewable resource	is a batch process
D	uses a renewable resource	is a continuous process

- 38 Which statements about unsaturated hydrocarbons are correct?
  - 1 They contain both single and double bonds.
  - 2 They turn aqueous bromine from colourless to brown.
  - 3 They can be manufactured by cracking.
  - 1 and 2 only
    - **B** 1 and 3 only
- **C** 2 and 3 only **D** 1, 2 and 3

39 Which polymers have the same linkage between monomer units?

- A carbohydrate and polyamide
- **B** carbohydrate and polyester
- C protein and polyamide
- **D** protein and polyester
- **40** The diagram shows the partial structure of *Terylene*.



From which pair of compounds is it made?

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	IIA			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	Αţ	astatine -			
	I/			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molod –	116	^	livermorium -
	>			7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	2			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	=			2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	S	cadmium 112	80	Hg	mercury 201	112	C	copemicium -
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group										28	z	nickel 59	46	Pd	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium -
Gre										27	ပိ	cobalt 59	45	뫈	rhodium 103	77	٦	iridium 192	109	¥	meitnerium -
		- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	В	dubnium –
					ato	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	꿆	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Ś	strontium 88	99	Ba	barium 137	88	Ra	radium –
	_			က	:=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	В	rubidium 85	55	S	caesium 133	87	ъ́	francium -

71	Γn	lutetium 175	103	۲	lawrencium	ı
70	Υb	ytterbium 173	102	Š	nobelium	I
69	T	thulium 169	101	Md	mendelevium	ı
89	Щ	erbium 167	100	Fm	fermium	I
29	웃	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ర్	califorium	ı
65	Д	terbium 159	26	Ř	berkelium	I
64	В	gadolinium 157	96	Cm	curium	I
63	En	europium 152	92	Am	americium	I
62	Sm	samarium 150	94	Pu	plutonium	I
61	Pm	promethium	93	d	neptunium	ı
09	pZ	neodymium 144		$\supset$	uranium	238
69	Ą	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140		모	thorium	232
22	La	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).