



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER		CANDIDAT NUMBER	E		

COMPUTER SCIENCE

0478/01

Paper 1 Theory

For Examination from 2016

SPECIMEN PAPER

1 hour 45 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Calculators must not be used in this paper.

Answer all questions.

No marks will be awarded for using brand names of software packages or hardware.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The maximum number of marks is 75.

The syllabus is accredited for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

CAMBRIDGE International Examinations

This document consists of 14 printed pages.

[Turn over

© UCLES 2014

1 A company selling CDs uses a unique 6-digit identification number for each CD title. The right-most digit (position 1) is a *check digit*.

The validity of the number and check digit is calculated as follows:

- multiply **each** digit by its digit position
- add up the results of the multiplications
- divide the answer by 11
- if the remainder is 0, the identification number and check digit are valid.
- (a) Show whether the following identification numbers are valid or not. You **must** show how you arrived at your answer.

Identification number 1: 4 2 1 9 2 3
working:
valid or not valid?
Identification number 2: 8 2 0 1 5 6
working:
valid or not valid? [3]

	(b)	Find the check digit for this identification number.
		5 0 2 4 1
		working:
		check digit: [2]
	(c)	Describe, with examples, two different types of data entry errors that a check digit would detect.
		1
		2
		[2]
2	to r	mil is setting up a new computer system to record television programmes. He wants to be able ecord, view and then erase programmes that he does not want to keep. He has chosen to use D-RAM as an optical storage medium.
	Exp	plain to Kamil why it is better to use DVD-RAM rather than DVD+RW or DVD-RW.
	1	
	2	
		[2]


3 An alarm, Y, sends a signal (Y = 1) when certain fault conditions in a chemical process are detected. The inputs are:

Input	Binary value	Condition			
	1	acidity > 5			
A	0	acidity <= 5			
T	1	temperature >= 120°C			
'	0	temperature < 120°C			
6	1	stirrer bar ON			
S	0	stirrer bar OFF			

The alarm, Y, returns a value of 1 if:

either temperature >= 120°C AND stirrer bar is OFF

- or acidity > 5 AND temperature < 120°C
- (a) Draw the logic circuit for the above system using these logic gates.



[5]


(b) Complete the truth table for this alarm system.

Α	Т	S	Y
0	0	0	
0	0	1	
0	1	0	
0	1	1	
1	0	0	
1	0	1	
1	1	0	
1	1	1	

[4]

4 A digital alarm clock is controlled by a microprocessor. It uses the 24-hour clock system (i.e. 6 pm is 18:00).


Each digit in a typical display is represented by a 4-digit binary code.



(a) What time is shown on the clock display if the 4-digit binary codes are:

0	0	0	1
0	1	1	0
0	1	0	0
1	0	0	1

(b) What would be stored in the 4-digit binary codes if the clock display time was:




[4]

[2]

	(c)	The clock alarm has been set at 08:00.	
		Describe the actions of the microprocessor which enable the alarm to sound at 08:00.	
			[2]
5		es of data transferred using a serial cable are checked for errors at the receiving end using an parity check.	ງ an
	Car	these bytes of data pass the even parity check?	
	(a)	01010101	
			[1]
	(b)	11001000	
	()		[1]
	(c)	How can any errors be corrected?	
			[2]

6 The conditions in a fish tank are being controlled using sensors and a microprocessor. To keep the fish healthy, the temperature must be at 25°C and the oxygen content needs to be 20 ppm (parts per million). The tank contains a heater and an oxygen inlet controlled by a valve.



(a) Name the **two** sensors used in this application.

	Sensor A																	
	Sensor B																	[2]
b)	Describe conditions				ors a	and	the	micro	oroces	ssor	are	used	to	maint	ain	the	corr	ect
						•••••					•••••						•••••	
																	•••••	
								•••••						•••••			•••••	
				•••••		•••••		••••••					•••••				•••••	
				•••••		•••••		•••••									•••••	
																		[4]
c)	What safe	guard	ls are	need	led to	o sto	p the	e fish ta	ank te	mpei	rature	e risin	g too	high'	?			
							•••••	••••••			•••••		•••••					
																		[1]

7	Ahmed uses the Internet for some time and is puzzled by the terminology.
	(a) Draw a line to match each description to the appropriate technical term

authoring language used to create documents to be viewed on the World Wide Web	Browser
computer that responds to requests to provide information and services over the Internet	HTML
defines how messages are transmitted and formatted over the Internet	MAC address
numerical ID for each device on the Internet	Internet Server
software that enables users to access/view documents and other resources on the Internet	IP address
unique ID for a network interface card	http
(b) Ahmed sees the message " Explain why some websites	pokies".
	[2]

8	Cor	mput	er memories are measured in terms of the number of bytes.
	(a)	(i)	What is meant by the term byte?
			[1]
		(ii)	The number of bytes in a Gigabyte can be written as 2 ^x
			What is the value of x?
	(b)	Flas	sh memories and CD-RWs are used as backing media for computers.
		Giv	e two differences between these two media.
		1	
		2	[2]
9	And	drew	sends a large document to a printer.
	(a)	Sta prin	te the name for the area of memory used to store temporarily the data being sent to the ter.
			[1]
	(b)		printer runs out of paper during the printing job. A signal is sent back to the computer to temporarily its current task.
		Nar	ne this type of signal.
			[1]

© UCLES 2014 0478/01/SP/16

10	In a	sim	ple symmetric encryption system, each letter of the alphabet is substituted with another.					
	The	plai	n text message:					
	The quick brown fox jumps over the lazy dog.							
	bec	ome	s the cypher text message:					
	Zag	tow	vs jumpy dmh coilr mngu zag bfke qmx.					
	(a)	(i)	Decode this cypher text message.					
			Agbbm Pmubq					
			[2]					
		(ii)	Convert these words to cypher text.					
			Computer Science					
			[2]					
	(b)	wha	n the person who sends the message and the person who receives it need to know at the substitution key is, and they need to keep this secret. A copy of the stitution key has been sent using SSL transmission.					
		(i)	What is meant by SSL?					
			[1]					
		(ii)	How does SSL keep the copy of the key secret during transmission?					
			[1]					

11 Five security or data loss issues are shown on the left-hand side.

Five possible methods of data recovery or protection are shown on the right.

Draw a line to match each definition/description of **Issues** to the most appropriate **Methods of Data Recovery**.

Issues	Methods of Data Recovery
data loss caused by hard disk head crash	anti-spyware software
hacking into files and changing or deleting data	anti-virus software
introduction of software that self-replicates and can cause data loss	back-up files
reading of illegally accessed documents	encryption
software that logs/records all key presses on your computer without you knowing	passwords and a firewall

[4]

12 Look at these two pieces of code:

A:	CLC LDX #0 loop: LDA A, X ADC B, X STA C, X INX CDY #16	
	CPX #16 BNE loop	
(a)	Which of these pieces of code is written in a high-level language?	
		[1]
(b)	Give one benefit of writing code in a high-level language.	
		[1]
(c)	Give one benefit of writing code in a low-level language.	
		[1]
(d)	High-level languages can be compiled or interpreted.	
	Give two differences between a compiler and an interpreter.	
	1	
	2	
		[2]

13 When a key is pressed on the keyboard, the computer stores the ASCII representation of the

character typed into main memory.

The ASCII representation for A is 65 (denary), for B is 66 (denary), etc.									
There are two letters stored in the following memory locations:									
Location Location									
(a) (i) Show the contents of Location 1 and Location 2 as binary using 8 bits.									
	Location 1								
	Location 2								
			I.						[2]
(ii) Show the contents of Location 1 and Location 2 as hexadecimal. Location 1									
	Location 2								[2]
(b) The following machine code instruction is stored in a location of main memory:									
1	1 1 1	1 0	1 0	1	0 0 1	0 1	1 1		
Coi	nvert this bina	ry pattern	into hexa	decima	l.			_	
									[4]
	plain why a p adecimal rath		er would	orefer to	o see the gging his p		of the loca at reads th	ne key pres	layed as

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.