

Cambridge IGCSE™ (9–1)

COMPUTER SCIENCE		0984/22
Paper 2	Octo	ber/November 2020
MARK SCHEME		
Maximum Mark: 50		
	Published	

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2020 series for most Cambridge IGCSE[™], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of 9 printed pages.

© UCLES 2020 [Turn over

October/November 2020

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit
 is given for valid answers which go beyond the scope of the syllabus and mark scheme,
 referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these
 features are specifically assessed by the question as indicated by the mark scheme. The
 meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2020 Page 2 of 9

Question	Answer	Marks
1(a)(i)	Any meaningful name for an array related to Task 1 – one mark e.g. SysStore SysPrice	2
	Correct purpose related to Task 1 – one mark e.gto store the system (components) that have been purchasedto store the (total) price of the system (being purchased)	
1(a)(ii)	Any meaningful name for a variable related to Task 2 – one mark e.g. Component TotalPrice	2
	Correct purpose related to Task 2 - one mark e.g to allow input of a component code to store/calculate the running total price of the system	
1(a)(iii)	Any meaningful name for a constant related to Task 3 – one mark e.g. Offer10	2
	Correct purpose related to Task 3 - one mark e.g to store the one option discount rate to store the two-option discount rate	
1(b)	Mark as either: Two distinct different points OR One point and an expansion	2
	Example answers: Real data can be used in calculations directly (which is required of the Price data) (1) Data can be stored with decimal places (1)	
	Real numbers can be used in calculations (1) which is not possible with strings (1)	

6

Question	Answer	Marks
Question 1(c)	## Answer IF ComponentFlag = False THEN OUTPUT "Your RAM Item Code doesn't exist, please try again" ENDIF ENDUHILE OUTPUT "Which type of Primary Hard Disk Drive would you like? Input the Item Code" ComponentFlag ← False WHILE ComponentFlag = False INPUT PHDDCode Count ← 5 WHILE Count<8 DO IF PHDDCode = ComponentCode[Count] THEN HDDIndex ← Count ComponentFlag ← True Count ← 8 ENDIF Count ← Count + 1 ENDWHILE	Marks
	IF ComponentFlag = False THEN OUTPUT "Your Primary HDD Item Code doesn't exist, please try again" ENDIF ENDWHILE TotalPrice ← 200 + ComponentPrice[CaseIndex] + ComponentPrice[RAMIndex] + ComponentPrice[HDDIndex] OUTPUT "Your computer consists of ", Description[CaseIndex], " case, ", Description[RAMIndex], " RAM and ", Description[HDDIndex], " Primary Hard Disk Drive." OUTPUT "The total price of your computer is \$", TotalPrice	
1(d)	Any four from: MP1 Explanation of how the number of additional parts is stored MP2 Explanation of counting of additional parts being added to the system MP3 Explanation of determination of additional parts being 1, or more than 1 MP4 Explanation of using the correct percentage discount MP5 Explanation of calculating the money saved and finding the new price MP6 Explanation of correct output of money saved and new price	4
1(e)	Any two from: MP1 Prompt and input to ask buyer how many computers they wish to purchase (at the start) // When the first computer is complete, prompt and input to ask if they would like to purchase another computer MP2 Introduce an appropriate loop structure MP3 New storage for more than one computer // Enable the ordering of multiple computers of the same specification	2

Question	Answer							
Section B								
2	Statement	true (✓)	false (✓)	2				
	A subroutine is called from within a program.	✓						
	A subroutine is not a complete program.	✓						
	A subroutine is a self-contained piece of code.	✓						
	A subroutine must return a value to the code from which it was called.		~					
	Two marks for four correct rows One mark for any two correct rows	·	·					

Question	Answer	Marks
3	One mark for each correct type of test and one mark for each correct accompanying example of test data and reason (max six) e.g.	6
	 Extreme data 5000 to check it is accepted 	
	 Normal data 300 To check it is accepted 	
	 Abnormal data 10000 To check it is rejected 	

© UCLES 2020 Page 6 of 9

Question	Answer	Marks
4	Any six from: MP1 Initialisation of Higher to 0 before the loop MP2 Use of IF statement MP3 Correct condition in IF statement MP4 Correct counting statement inside loop MP5 OUTPUT/PRINT statement with correct reference to Higher MP6 Appropriate message in output MP7 Correct location of OUTPUT and IF statements Higher ← 0 FOR Count ← 1 TO 5000 INPUT Number[Count] IF Number[Count] > 500 THEN Higher ← Higher + 1 ENDIF NEXT Count OUTPUT "There are ", Higher, " values that are greater than 500"	6

Question				Ans	wer				Marks
5(a)	Flag	Count	Num [0]	Num [1]	Num [2]	Num [3]	Num [4]	Store	5
			45	56	30	12	15		
	0	0						45	
			56						
	1			45					
		1							
		2							
		3						12	
						15			
							12		
	0	0							
		1							
		2							
		3							
	One mark One mark	k — Flag C k — Count k — Num[0] k — Num[2] k — Store	column] and Num], Num[3			umns			
5(b)		from: algorithm s to descend				allest			2

Question	Answer				
6	Input/Output	Decision	2		
	One mark for each correct symbol				

© UCLES 2020 Page 8 of 9

Question	Answer					
7(a)	17					1
7(b)	One mark	for correct fieldna	ime and one mar	k for correct reas	on	2
	PartNum					
	The data s	tored in this field	is unique for eac	h record		
7(c)	Field:	PartNum	Description	Cost	Quantity	4
	Table:	AUDIOPARTS	AUDIOPARTS	AUDIOPARTS	AUDIOPARTS	
	Sort:			Descending		
	Show:	\square	☑	☑	Ø	
	Criteria:				<10	
	or:					
	One mark for correct field and table rows One mark for sort row One mark for show row One mark for correct criteria					