MARK SCHEME for the May/June 2015 series

0445 DESIGN AND TECHNOLOGY

0445/21

Paper 2 (Graphic Products), maximum raw mark 50

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	2	Mark Scheme	Syllabus	Paper
		Cambridge IGCSE – May/June 2015	0445	21
		Section A		
A1 (a)	(i)	Side view Left side upright (correct to overlay) [1] Top line [1] Two horizontal lines of square (correct to overlay) [1] Outer upright of handle (correct to overlay) [1] Inner lines of handle added in good proportion [1]		[5]
	(ii)	One dimension added correctly (limit lines, dimension line, arrows. Ø108 or SQ108 or Ø90 or 20 handle Dimension correct to a scale of 1 : 2 (actual size) [1]) [1]	[2]
	(iii)	Two concentric circles added [1] Truncated cone matches the concentric circles [1] Circles and truncated cone in correct positions and orientation for f (cone on left of circle) [1]	ïrst angle pr	ojection [3]
A2 (a)		ching added to concentric circles at 45° [1] completes the outer of the two concentric circles <u>and</u> 'space' part o	f handle not	hatched [2]
(b)	(the	e colour will <u>change</u> [1]due to the <u>heat</u> of the coffee [1] ere can be many different versions of this answer but award one ma ign will change and one mark for identifying that it is the heat that ca our)		
A3 (a)	Top Dist	e circle Ø36 (to overlay) [1] o circle Ø46 (to overlay) [1] tance between top and bottom circle 80mm (to overlay) [1] o sloping sides added (to overlay or <u>candidate solution</u>) [1]		[4]
(b)	-	 three steps in the vacuum forming process described (✓) to identify each stage. Steps include: Mould or former construction [1] Positioning former [1] Clamping plastic sheet in position [1] Heat to soften plastic sheet [1] Suction to form shape [1] Plastic removed from former Trimming [1] 	(3	5 × 1)
	•	Trimming [1]		[3]
(c)	(i)	Top or bottom layer of card [1] Corrugation drawn [1]		[2]
(c)	(ii)	Airspace / insulator / corrugation [1] Heat not transferred [1]		[2]
			[Total	: 25]

Ра	ge :	3	Mark Scheme	Syllabus	Pape	ər
			Cambridge IGCSE – May/June 2015	0445	21	
Section B						
B4	(a)	(i)	Any hexagon drawn [1] Regular hexagon correct to overlay ± 2 mm [1]			[2]
		(ii)	Three lines drawn from the corners of the hexagon that divide it into (correct to overlay or candidate solution)		3 × 1)	[3]
		(iii)	*Clear evidence of the bisection of two angles to find the centre of one triangle Centre transferred to the other five triangles (PCD or repeat bisection Six centres of triangles correct to overlay [1] *At least one circle drawn (regardless of position or size) [1] Six circles drawn Ø20 – one in each triangle (regardless of position) [1]	•	2 × 1)	[2]
		•	Six Ø20 mm circles correct position [1] *Candidates who draw an octagon could score a maximum of 3 ma			[7]
	(0)	• • Co Enc Co All	e mark for each process stage: Collect sticker Attach sticker to card Repeat five times / decision box Y/N loop Collect free drink rrect shape boxes used for processes [1] d stage added [1] rrect shape box used for end [1] boxes consistent width [1] tering similar to given example and of a high quality [1]	(1 × 4)	[9]
	(c)	(i)	Die cutting / Stamping [1]			[1]
	(c)	(ii)	One mark for each way in which ICT has been used in the design of loyalty card. For example: Research Copying and pasting images Design (CAD) CAM (plotter cutter) (Do not accept laser cutter)		ure of t 3 × 1)	he [3] [3]
			· · /	[Tota	l: 25]	

Pa	age 4	4	Mark Scheme	Syllabus	Paper
			Cambridge IGCSE – May/June 2015	0445	21
			Section B		
B5	(a)	(i)	Major axis 70 mm [1] Minor axis 30 mm [1] Some construction [1] or clear construction [2] Six or less points plotted (1) or seven or more points plotted [2] Ellipse profile correct to overlay [1]		[7]
		(ii)	Five more surfaces added to the given top [1] Each surface correct in size and position to overlay (5×1) Ends added to the base [1] Four glue tabs added to the ends [1]		
			All fold lines indicated by dashed lines or labels [1]		[9]
	(b)	The	etches and notes (or arrows) show a modification to the fold in flap [1 e modification will hold the top in place but pull apart [1] e modification locks the top in place (cannot easily be pulled apart) [1	-	[3]
	(c)		Triangular shape [1] Arrows added to the triangular shape [1]		
			e product is best eaten [1] before the given date [1] ed/eaten and date)		
			e weight of the product [1] is estimated* [1] to be 200g eight and estimate)		[6]
				Total	251

[Total: 25]