

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
*			
	DESIGN AND T	ECHNOLOGY	0445/32
Р Н	Paper 3 Resista	ant Materials	May/June 2015
4			1 hour
0			i nour
0	Candidates ans	wer on the Question Paper.	
* 7 9 1 4 0 8 0 5 3 4	No Additional M	laterials are required.	
4			

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Section A

Answer all questions in this section.

Section B

Answer one question in this section.

You may use a calculator.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 50.

This document consists of 14 printed pages and 2 blank pages.

Section A

Answer **all** questions in this section.

1 Complete the table below by naming each tool.

ΤοοΙ	Name
C. S.	

2 Fig. 1 shows a jigsaw. The jigsaw has a blade that can be replaced.





Give two benefits of using a saw that has replaceable blades.


- 1[2]
- 3 From the list of materials shown below underline **two** composite materials.

aluminium	Kevlar®	polystyrene	stainless steel	glass reinforced plastic
-----------	---------	-------------	-----------------	--------------------------

https://xtremepape.rs/

[2]

4 Fig. 2 shows a rod that will be joined permanently to a base.






State a method of joining the rod to the base permanently when both parts are made from:

(a)	mild steel
(b)	acrylic[2]

5 Fig. 3 shows two wood joints labelled **A** and **B**.





(a) Name each of the wood joints labelled A and B.

	Α	
	B [2]	
(b)	Give one reason why joint B is stronger than joint A when they are glued.	
	[1]	


6 (a) Name each of the tools labelled **A** and **B** shown below.






	Α
	B[2]
(b)	State the purpose of tool A.
	[1]
(c)	State the purpose of tool B .
	[1]
	-

7 Complete the drawing below to show a tee halving joint.



8 Fig. 4 shows a small table made from hardwood.





Give two possible reasons why the table top has split.

1	
2	[2]

9 Fig. 5 shows a palm sander to be used on wood.



Fig. 5

Describe **two** ways by which the designer has considered ergonomics in the design of the palm sander.

1	
2	[2]

10 Fig. 6 shows a symbol found on a product made from a plastic.



(a)	Name the plastic.	
		[1]
(b)	State what is meant by the arrowed lines around the number 2.	
		[1]
© UCLES 2		[Turn over

. .


...

...

Section B

Answer **one** question in this section.

11 Fig. 7 shows details of a variety of wooden shapes and pegs that are part of a child's construction kit. The construction kit will be made in a school workshop.





(a) Fig. 8 shows a length of wood from which the strips are made.




Fig. 8

Use sketches and notes to show the stages in producing a **one-off** strip 250 mm long complete with 9 mm diameter holes drilled. Name all the tools and equipment used.

(b) A drilling jig would be used to speed up batch production of the strips and blocks. Use sketches and notes to show a design for a jig used in the drilling of 9 mm holes. Name the materials used to make the jig.


(c) The wooden strips and blocks will have a finish applied to them.

(i)	Give one advantage of applying a finish to the strips and blocks.
(ii)	Give one disadvantage of applying a finish to the strips and blocks.
	[2]

- specific materials;
- processes used;
- two important sizes.


(e)	The wooden pegs, used to connect the strips and blocks, are made from round section wood. Give the correct name for round section wood.
	[1]
(f)	Many children's toys are made from plastic. Give two advantages of making children's toys from plastic rather than from wood.
	1
	2[2]

- 9
- **12** Fig. 9 shows a desk tidy made from 4 mm thick acrylic.





(a) Complete the development (net) of the desk tidy below to show the bend lines. Do **not** include the holes or slot.



(b) Complete the table below by giving details of the stages involved in finishing the sawn edges of the acrylic to a high quality.

Stage	Process
1	Draw file edges, holding the acrylic in a vice.
2	
3	
4	

[3]

(c) (i) Use sketches and notes to show how the slot could be cut out and the edges made smooth.

(ii) State two precautions you would take to prevent the acrylic from cracking when drilling the holes.

- (d) Use sketches and notes to show how the bend at **A** in Fig. 9 could be produced. Include:
 - the method of softening the acrylic;
 - the use of a former;
 - the method of retaining the shape while the acrylic cools.

(e) When the desk tidy shown in Fig. 9 is picked up and moved around, the pens, pencils and rule fall out.

Use sketches and notes to show a modification to the desk tidy to overcome this problem. Include details of materials and constructions used.


- [4]
- (f) The desk tidy shown in Fig. 9 could be made from 1 mm thick aluminium sheet. Use sketches and notes to show how the bend at B could be produced when the desk tidy is made from 1 mm thick aluminium sheet. Name the tools and equipment used.

[3]

(g) Both the acrylic and aluminium desk tidies will be self-finished. Explain what is meant by the term 'self-finished'.

......[2]

13 Fig. 10 shows details of a child's puzzle and the tray in which the puzzle is placed. The puzzle is made from six pieces of MDF and the tray is made from plywood.





(a) Give two advantages of using MDF rather than plywood for the puzzle.

	1
	2[2]
(b)	Describe three ways in which the designer has made the puzzle suitable for young children.
	1
	2
	3[3]
(c)	The tray shown in Fig. 10 is made from two pieces of 4 mm plywood glued together.

(i) Use sketches and notes to explain why the construction of plywood makes it more suitable for the tray than solid wood.

[3]

(ii) Use sketches and notes to show how the hole in the top piece of plywood could be cut out and the sides of the hole made smooth.

[5]

(iii) Use sketches and notes to show how the top and bottom pieces of plywood could be glued and clamped together. Name a suitable adhesive and the type of cramps used.

[4]

 (iv) The tray could be made from vacuum formed plastic. Give two advantages of producing the tray from vacuum formed plastic rather than from plywood.
1

(d)	The puzzle could be produced using CAD/CAM. Complete the abbreviations CAD/CAM below.
	Computer Aided D
	Computer Aided M[2]
(e)	Describe two quality control checks that would be carried out during the manufacture of the puzzle and/or the tray.
	1
	2[2]
(f)	Give two reasons why the use of manufactured boards such as MDF and plywood, rather than plastics, could be considered good for the environment.
	1
	2
	[2]

BLANK PAGE

15

BLANK PAGE

16

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2015