## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2013 series

## 0580 MATHEMATICS

0580/23 Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0580	23

## **Abbreviations**

cao correct answer only cso correct solution only

dep dependent

ft follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

www without wrong working

soi seen or implied

Qu	Answers	Mark	Part Marks
1	£ or pound[s] Correct working must be shown	2	<b>M1</b> for 425 ÷ 1.14 or 365 × 1.14
2	$\frac{30}{300}$ oe www	2	M1 for 30 seen or $\frac{k}{300}$ seen
3	1500 or 3 <u>pm</u>	2	<b>B1</b> for 1h50 or 2h[0]5 or <b>SC1</b> for 1255 + <i>their</i> 1h50 + 15mins correctly evaluated
4 (a)	[±] <b>2.28</b> or 2.282 to 2.2822	1	
(b)	<b>0.109</b> or 0.1094[3]	1	
5	$\left(\frac{2}{3}\right)^{1.5}  \left(-\frac{2}{3}\right)^{\frac{2}{3}}  (1.5)^{\frac{2}{3}}  \left(\frac{2}{3}\right)^{-1.5}$	2	M1 for at least 2 correct decimals seen 1.3[1] 0.5[4] 1.8[3] or 1.84 0.7[6]
6	6	3	M2 for $3 \times \sqrt[3]{\frac{288\pi}{36\pi}}$ or M1 for $3 \times \sqrt[3]{\frac{288\pi}{36\pi}}$ or $3 \times \sqrt[3]{\frac{36\pi}{288\pi}}$
7	260	3	M2 for $[2 \times ](4 \times 10 + 18 \times 5)$ oe or M1 for a correct area statement
8	2500	3	<b>M1</b> for $m = kr^3$ <b>A1</b> for $k = 20$
9 (a)	$1.1 \times 10^5$	2	<b>B1</b> for 110 000 oe e.g.11 × 10 <sup>4</sup>
(b)	$5 \times 10^3$	2	<b>B1</b> for 5000 oe e.g. $0.5 \times 10^4$

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0580	23

10		25	4	M1 for correct method to eliminate one
			-	variable
				<b>A1</b> for $x = 11$
				A1 for $y = 3$ B1 FT for $2 \times their \ x + their \ y$ correctly
				evaluated
11	(a)	77	2	M1 for 11,13,17,19 clearly identified, ignore numbers less than 8 with no other numbers greater than or equal to 8 besides possibly an extra 17
	<b>(b)</b>	either 18 or 19 or both	2FT	M1 for 11,13,17 clearly identified, ignore
				numbers less than 8 with no other numbers greater than or equal to 8 besides possibly an
				extra 17 or for <i>their</i> (a) – 58
1.2	( )			
12	(a)	$\frac{5}{25} \text{ oe}$ $\frac{4}{25} \text{ oe}$	2	<b>B1</b> for answer $\frac{5}{k}$ or $\frac{k}{25}$
	(b)	$\frac{4}{100}$ oe	2	<b>B1</b> for answer $\frac{4}{k}$ or $\frac{k}{25}$
	. ,	25		k 25
13		$\frac{8x}{(x-3)(x+1)}$	4	<b>B1</b> for common denominator $(x-3)(x+1)$
		(x-3)(x+1)		seen <b>B1</b> for $(x+3)(x+1) - (x-1)(x-3)$ soi
				<b>B1</b> for $x^2 + 3x + x + 3$ or $x^2 - 3x - x + 3$ soi
14	(a)	n < 9	2	M1 for $2n < 18$ or $2n - 18 < 0$ oe If 0 scored SC1 for 9 with incorrect
				inequality.
	(b)	(b+d)(a+c)	2	<b>B1</b> for $b(a+c) + d(a+c)$
				or $a(b+d)+c(b+d)$
15	(a)	4	2	M1 for attempt at sum of all numeric and <i>x</i> terms equated to 74
	<b>(b)</b>	26	1FT	$=18 + 2 \times \text{their (a)}$
	(c)	8	1	
16	(a)	1.5	2	<b>B1</b> for $[g(18) =] 4$
	<b>(b)</b>	2(x+5) or $2x+10$	2	M1 for correct first step e.g. $x = \frac{y}{5} - 5$ or
				$\frac{x}{2} = y + 5 \text{ or } 2y = x - 10$

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0580	23

17	(a)	$ \begin{pmatrix} 7 & 23 & 16 \\ 12 & 45 & 27 \end{pmatrix} $ $ \frac{1}{3} \begin{pmatrix} 6 & -3 \\ -3 & 2 \end{pmatrix} $	2	<b>B1</b> for any one row or column correct, must be in a 2 by 3 matrix
	(b)	$\frac{1}{3} \begin{pmatrix} 6 & -3 \\ -3 & 2 \end{pmatrix}$	2	<b>B1</b> for $k \begin{pmatrix} 6 & -3 \\ -3 & 2 \end{pmatrix}$ or $\frac{1}{3} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$
18		<b>15.4</b> or 15.35 to 15.36	4	M1 for $\frac{120}{360} \times \pi \times 5^2$ oe
				<b>M1</b> for $\frac{1}{2} \times 5^2 \times \sin 120$ oe
				<b>M1</b> for $\frac{120}{360} \times \pi \times 5^2 - \frac{1}{2} \times 5^2 \times \sin 120$ oe
19	(a)	hexagon	1	
	(b) (i)	$-\mathbf{b} + \mathbf{c}$	1	
	(ii)	$\mathbf{b} - \frac{1}{2}\mathbf{c}$	2	B1 for OB + BA or any correct route
	(iii)	$-\mathbf{b} + \mathbf{c}$	1FT	= their (b)(i)
20	(a)	[±] 3.1623 cao	2	M1 for √10 seen
	(b)	$\frac{4}{v^2-8}$ oe final answer	4	M1 first move completed correctly
				M1 second move completed correctly
				M1 third move completed correctly
				M1 final move completed correctly on answer line