## MARK SCHEME for the May/June 2013 series

## 0580 MATHEMATICS

0580/42

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0580	42

## Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
WWW	without wrong working
art	anything rounding to

soi seen or implied

Qu	Answers	Mark	Part Marks
1 (a) (i)	$\frac{6}{5+6+3} \times 560  [= 240]$	2	Accept 'of' used instead of × M1 for $560 \div (5+6+3)$
(ii)	120	1	
(b)	90	2	<b>M1</b> for $\frac{3}{8} \times 240$ oe
(c) (i)	96120 final answer	2	<b>M1</b> for <i>their</i> ( <i>a</i> )(ii) × 75 + (560 - <i>their</i> ( <i>a</i> )(ii)) × 198 oe
(ii)	187.5[0] final answer	3	<b>M2</b> for $\frac{198}{1+0.056}$ oe
(d)	184[.2]	3	or M1 for $(100 + 5.6)[\%] = 198$ oe seen M2 for $\frac{36 \times 0.75 - 9.5}{9.5} \times 100$ oe
(e)	69.4 and 69[.0] cao	3	or M1 for $\frac{36 \times 0.75}{9.5} \times 100$ or $36 \times 0.75 - 9.5$ [17.5] used implied by answer 84.2 or SC1 for final answer 284[.2] SC2 for one correct or both correct but reversed M1 for two of 10.85, 10.95, 23.65 or 23.75 seen or 2(23.7 + 10.9) + 4(0.05) or 2(23.7 + 10.9) - 4(0.05)

Page 3			Mark Scheme			Paper
		IGCSE – May/June 2013			0580	42
				1		
2	(a) (i)	Translation, $\begin{pmatrix} -5\\ 8 \end{pmatrix}$ oe	1,1	Brackets needed for vector Not $(-5, 8)$ , $(-5, 8)$ <b>SC1</b> for reflection in $x = -1$ or vertices only		
	(ii)	correct trapezium at (2, 2) (4, 3) (4, 5) (2, 5)	2			
	(iii)	correct trapezium at (4, 2) (5, 4) (7, 4) (7, 2)	3	M2 for 4 correct vertices on grid or in working or M1 for $\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 2 & 2 & 4 & 4 \\ -4 & -7 & -7 & -5 \end{pmatrix}$		
					ces correct <b>or</b> comp but wrong position	
	(b) (i)	Shear	1			
		<i>x</i> -axis (oe) invariant	1			
		2	1			
	(ii)	rectangle at (-3, 2) (1, 2) (1, 8) (-3, 8)	2	SC1 for all vertice or correct orientat	tices only ntation and size, wrong position	
3	(a)	0, 2, 0, -3	3	<b>B2</b> for 3 correct o	r <b>B1</b> for 2 correct	
	(b)	Correct curve	B4	<b>B3FT</b> for 8 points <b>B2FT</b> for 7 or 6 p <b>B1FT</b> for 5 or 4 p	oints	
	(c)	y = -1 indicated	<b>B</b> 1	e.g. Could be mar		
		<i>x</i> = 1.3 to 1.4 and 4.1 to 4.2	<b>B</b> 1	isw other lines if i	lot clearly used	
	(d) (i)	line drawn from (0, 2) to touch curve	M1	No daylight at point If short, must cross when extended	int of contact as at $(0, 2)$ within $\frac{1}{2}$	small square
		(2.5 to 2.75, 3 to 3.4)	A1			
	(ii)	rise/run e.g. (their $y - 2$ )/their $x$	M1	uses scales correc	om answer– check	
		0.4 to 0.48	A1	ww2 dep on attem	npt at a tangent fron	n (0, 2) in (d)(i)

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0580	42

4	(a)	227 or 226.95 to 227.01	2	<b>M1</b> for $\pi \times 8.5^2$
	(b)	5.35	1	
	(c)	39.0[0] to 39.0[1]	2	<b>M1</b> for sin [ <i>MOB</i> ] = $\frac{their \ b}{8.5}$ oe
				Dep on their $b < 8.5$
	(d)	30.2 or 30.3 or 30.24 to 30.27	3	<b>M2</b> for $\frac{360-4\times39}{360} \times 2 \times \pi \times 8.5$ oe
				or M1 for $\frac{a}{360} \times 2 \times \pi \times 8.5$ oe
				where $0 < a < 360$
				Implied by 5.78 to 5.79 or 11.5 to 11.6 or 23.14 to 23.15 or 23.1 or 23.2 or 41.83 to 41.84 or 41.8
	(e)	AB = BC $TA = TC$	1 1	isw comments or reasons
		TB = TB	1	If <b>0</b> scored <b>SC1</b> for "all <u>three sides</u> the same" oe [SSS] and no mention of angles
5	(a)	$\frac{27}{x}$ final answer	1	
	(b)	$\frac{25}{x-2}$ final answer	1	
	(c)	$\frac{25}{x-2} - 4 = \frac{27}{x}$ oe	M1	<b>FT</b> <i>their</i> (b) $-4 = their$ (a) oe must be eqn in x
		25x - 4x(x - 2) = 27(x - 2) oe	M1	<b>FT</b> $\frac{25}{x-2} + 4 = \frac{27}{x}$ or <u>only</u> for 2 <sup>nd</sup> and 3 <sup>rd</sup>
				M mark If all on one side then condone omission of = 0
		$4x^2 + 27x - 25x - 8x - 54[=0] $ oe	M1dep	Dep on 2 <sup>nd</sup> M1 Must see brackets expanded before this award and terms on one side of eqn
		$2x^2 - 3x - 27 = 0$ without error seen	A1	Must see $4x^2 - 6x - 54 = 0$ first
	(d)	-3, 4.5	3	<b>B2</b> for $(2x-9)(x+3)$ or <b>SC1</b> for $(2x+a)(x+b)$ where <i>a</i> and <i>b</i> are
				integers and $a + 2b = -3$ or $ab = -27$
	(e)	6 cao	1	

	Page 5	Mark Schen		Syllabus Paper
		IGCSE – May/Jur	10 2013	0580 42
6	(a) (i)	$\frac{12^2 + 21^2 - 15^2}{2 \cdot 12 \cdot 21}$	M2	<b>M1</b> for $15^2 = 12^2 + 21^2 - 2.12.21\cos M$
		2×12×21 44.41 to 44.42	A2	A1 for $[\cos =] 0.714$ or $0.7142$ to $0.7143$ or $\frac{360}{504}$ oe
	(ii)	88.2 or 88.15 to 88.19	2	<b>M1</b> for $0.5 \times 12 \times 21 \times \sin(44.4)$ oe
	(b)	7.74 or 7.736 to 7.737 www	4	B1 for 55 soi M2 $\frac{6.4}{\sin(their R)} \times \sin 82$ oe
				or M1 for $\frac{6.4}{\sin(theirR)} = \frac{PR}{\sin 82}$ oe
7	(a) (i)	$\begin{pmatrix} 15\\21 \end{pmatrix}$	1	
	(ii)	not possible oe	1	
	(iii)	(2) final answer	2	<b>M1</b> for 30 – 28
	(iv)	$\begin{pmatrix} 4 & 13 \\ 0 & 0 \end{pmatrix}$	1	
	(v)	$ \begin{pmatrix} 4 & 13 \\ 0 & 0 \end{pmatrix} $ $ \begin{pmatrix} -5 & -9 \\ 1 & 0 \end{pmatrix} $	2	<b>B1</b> for one correct row or column
	(b)	$\frac{1}{2} \begin{pmatrix} 3 & -4 \\ -1 & 2 \end{pmatrix}$ or better isw	2	<b>B1</b> for $k \begin{pmatrix} 3 & -4 \\ -1 & 2 \end{pmatrix}$ seen or implied
				or $\frac{1}{2} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ seen
8	(a)	hat $\frac{5}{8}, \frac{3}{8}$	1	1 mark per pair in correct place
		scarf $\frac{2}{3}$ $\frac{1}{3}$ $\frac{1}{6}$ $\frac{5}{6}$	1 1	
	(b) (i)	$\frac{15}{48}$ oe $\left[\frac{5}{16}\right]$	2FT	FT their $\frac{3}{8} \times \frac{5}{6}$ correctly evaluated
	(ii)	$\frac{5}{24}$	2FT	M1 $\frac{3}{8} \times \frac{5}{6}$ FT from <i>their</i> tree FT <i>their</i> $\frac{5}{8} \times \frac{1}{3}$ correctly evaluated 5  1
				M1 $\frac{5}{8} \times \frac{1}{3}$ FT from <i>their</i> tree

Page 6	Mark Scher	Mark Scheme			Paper
	IGCSE – May/Jui	ne 2013	0580		42
		1	[		
(iii)	$\frac{13}{48}$ cao	2	<b>M1</b> for <i>the</i>	$ir \frac{3}{8} \times \frac{1}{6} + their$ (b)	(ii) soi
(c)	$\frac{170}{240}$ or $\frac{85}{120}$ or $\frac{34}{48}$ or $\frac{17}{24}$ cao	3		$\frac{5}{8} \times \frac{2}{3} \times \frac{7}{10}$ FT their $\frac{5}{8} \times \frac{2}{3} \times \frac{3}{10}$ oe	r tree or
			or M1 for ["wears all	"=] $\frac{5}{8} \times \frac{2}{3} \times \frac{7}{10}$ FT	their tree seen
9 (a)	371 or 371.1	4		$(4 \times 12) + (2 \times 6 \times 0)$ area of 1 or 2 hexag	$5 \times 4 \times 4 \times \sin 60$ ) oe gons
				area of one relevan or rectangle within	-
			If <b>0</b> scored	SC1 for 288 shown	1
(b) (i)	1740 or 1743.6 to 1744.2	4	<b>M3</b> for $\frac{12000}{4} \div (\pi \times 0.74^2)$ oe		
				figs 174[3] or 17	
			or <b>B1</b> for $\pi \times 0.74^2$ seen [1.72] or <b>B1</b> for 12000 / 4 soi by 3000		
(ii)	87 cao www 5	5	<b>B4</b> for 87.3	39 to 87.43	
				$[r=] \sqrt{\frac{figs 12}{\pi \times figs 5}}$ of	
			or <b>M2</b> for [	$[r^2 =] = \frac{figs 12}{\pi figs 5} \text{ of}$	
			or M1 for	figs $12 = \pi r^2 \times figs$	5
10 (a) (i)	final answer $\frac{25-8x}{20}$	2	<b>M1</b> for $\frac{5\times}{-1}$	$\frac{5-4\times 2x}{5\times 4}$ or better	seen
(ii)	final answer $\frac{2x^2 + 5x + 9}{3(x+3)}$	3	<b>B1</b> for $2x^2$	+6x-x-3 soi	
	- ( )		and B1 for	denom $3(x+3)$ or	x + 9 seen
(b)	$x = \frac{2}{3}$ oe or 0.667 or 0.6666 to 0.6667	3	M1 for correct method to eliminate one variable A1 for $x = \frac{2}{3}$ oe or 0.667 or 0.6666 to 0.6667		
	y = -3		or $y = -3$		

Page 7	Mark Scher	ne	Syllabus Paper
	IGCSE – May/June 2013		0580 42
(c)	final answer $\frac{7}{2x+3}$ www	4	<b>B1</b> for $7(x+3)$ in numerator and <b>B2</b> for $(2x+3)(x+3)$ in denominator or <b>SC1</b> for $(2x+a)(x+b)$ where <i>a</i> and <i>b</i> are integers and $a+2b=9$ or $ab=9$ After <b>B1</b> scored, <b>SC1</b> for final answer $\frac{7}{2(x+1.5)}$ or $\frac{3.5}{x+1.5}$
11 (a)	$3^2 + 1^2$	1	Ignore attempt to evaluate $\sqrt{10}$
(b) (i)	$\frac{\sqrt{10}}{3}$ final answer	1	
(ii)	$\frac{10}{3}$ final answer	2	M1 for <i>their</i> $\frac{\sqrt{10}}{3} \times \sqrt{10}$ or <i>their</i> $\left(\frac{\sqrt{10}}{3}\right)^2 + \left(\sqrt{10}\right)^2$ implied by 3.33 seen
(c)	$\frac{100}{27}$ or $3\frac{19}{27}$ isw conversion or 3.7[03] to 3.7[04]	2	M1 for $3 \times \left(\frac{\sqrt{10}}{3}\right)^n$ oe where <i>n</i> is 3 or 4 or for $[OP_4 =] \sqrt{\frac{1000}{81}}$ or for their (b)(ii) $\times \left(\frac{\sqrt{10}}{3}\right)^n$ where <i>n</i> is 1 or 2
(d) (i)	18.43	2	<b>M1</b> for tan $[P_1 O P_2] = \frac{1}{3}$ oe
(ii)	18.4[3]	1	
(iii)	20	3	<b>SC2</b> for 19
()			or M1 for $\frac{360}{18.4[3]}$