## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2014 series

## 0580 MATHEMATICS

0580/41

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0580	41

## **Abbreviations**

cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

nfww not from wrong working

soi seen or implied

Qu		Answers	Mark	Part Marks
1	(a) (i)	$\begin{pmatrix} 6 & 4 \\ -2 & 2 \end{pmatrix}$	1	
	(ii)	Not possible	1	
	(iii)	$\begin{pmatrix} 6 & 4 \\ -2 & 2 \end{pmatrix}$ $\frac{1}{5} \begin{pmatrix} 1 & -2 \\ 1 & 3 \end{pmatrix} \text{ oe isw}$	2	<b>B1</b> for one row or column correct
	(iv)	$\frac{1}{5} \begin{pmatrix} 1 & -2 \\ 1 & 3 \end{pmatrix}$ oe isw	2	<b>B1</b> for $\frac{1}{5} \begin{pmatrix} a & c \\ b & d \end{pmatrix}$ seen or $k \begin{pmatrix} 1 & -2 \\ 1 & 3 \end{pmatrix}$ seen
	(b)	1 column in <b>C</b> and 2 rows in <b>D</b>	1	Any clear indication
	(c)	Enlargement [Factor] 2 [Centre] (0, 0) oe	1 1 1	
2	(a)	8	2	<b>M1</b> for 12 ÷ 1.5 oe
	(b)	[Distance =] 36 their36 ÷ 3 [= 12] oe	B1 M1	
	(c)	200	2	<b>M1</b> for 12 × 1000 ÷ 60 oe e.g. 36 000 ÷ 180
	(d)	Horizontal line at 36 to 13 45 ( <i>their</i> 13 45, 36) joined to (16 42, 0)	1 1FT	
3	(a)	62 705	2	<b>M1</b> for 75 246 ÷ 6 soi by 12 541 or 75 246 × 5
	(b)	10.9 or 10.88	3	<b>M2</b> for $\frac{(150675 - 135890)}{135890} \times 100$ oe
				or M1 for correct fraction soi by 0.1088 or $\frac{150675}{135890} \times 100$ soi by 110.88

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0580	41

Qu		Answers	Mark	Part Marks
	(c)	127 000	3	M2 for 135 890 ÷ 1.07 oe or M1 for 135 890 associated with 107%
	(d) (i)	59 112 to 59 113 or 59 100 or 59 110	3	<b>M2</b> for $\pi \times 21 \times (30^2 - 2^2)$ oe
		or 59 119 to 59 120 or 59 100 nfww		Or  M1 for $\pi \times 21 \times 30^2$ or $\pi \times 21 \times 2^2$
	(ii)	(a) 0.0125	1	
		(b) 7580 or 7582 or 7581 or 7583 nfww	4	M1 for 21 × 29.7 × their 0.0125 [=7.796 or 7.8[0]] and M1 for their (d)(i) ÷ (21 × 29.7 × their 0.0125) A1 for 7580 to 7583.2 (non integer) If 0 then SC1 for their (d)(i) ÷ (21 × 29.7 × 0.125)
4	(a)	4 – x correctly placed 5 – x correctly placed 7 correctly placed	1 1 1	SC3 for 1, 2 and 7 all correctly placed instead of expressions in <i>x</i>
	(b)	4+11+(6-x)+x+9+(4-x)+(5-x)+7=40  oe	M1	FT from their Venn diagram, condone omission of one subset
		46 - 2x = 40  nfww	A1	Must be in the form $a + bx = c$ , ie each side simplified, or better
		x = 3	B1	
	(c) (i)	$\frac{9}{40}$ or 0.225 or 22.5%	1	ISW cancelling or conversion after correct answer seen
	(ii)	2	1FT	FT from their Venn diagram and their $x$ provided $n(B \cap P \cap T') \neq 5$
	(iii)	15	1FT	FT from their Venn diagram
	(iv)	25	1FT	FT from their Venn diagram
	(v)	4	1	
	(d)	Correct region shaded.	1	

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0580	41

Qu		Answers	Mark	Part Marks
5	(a)	[0]44 to [0]48	1	
	<b>(b)</b>	12.6 to 13.2	2	<b>B1</b> for 8.4 to 8.8 seen
	(c)	340	1	
	(d)	1:150000	2	<b>M1</b> for × 100 000 soi
	(e)	Arcs for perp bisector of SL	1	Two pairs of correct arcs
		Ruled perp bisector of SL	1	Within tolerance of overlay
		Arcs for bisector of angle <i>PSL</i>	1	Marks on PS and SL plus one pair of correct arcs
		Ruled bisector of angle PSL	1	Within tolerance of overlay
		B marked within accuracy	1	Within tolerance of overlay Dep on two correct bisectors drawn
	<b>(f)</b>	3.375	2	<b>M1</b> for $1.5 \times 1.5^2$ or $(2/3)^2$ seen
6	(a) (i)	0.6 oe	2	<b>M1</b> for 0.2 + 0.4
	(ii)	1500	1	
	(iii)	0.03 oe	2	<b>M1</b> for $0.1 \times 0.3$
	(b)	$\frac{112}{132}$ oe $\frac{28}{33} = 0.848[4]$	3	<b>M2</b> for $1 - \frac{5}{12} \times \frac{4}{11}$
				or $\frac{7}{12} \times \frac{5}{11} + \frac{5}{12} \times \frac{7}{11} + \frac{7}{12} \times \frac{6}{11}$
				or $\frac{7}{12} + \frac{5}{12} \times \frac{7}{11}$
				or M1 for addition of any two of
				$\frac{7}{12} \times \frac{5}{11}, \ \frac{5}{12} \times \frac{7}{11}, \ \frac{7}{12} \times \frac{6}{11}$
				or sum of 3 products with an error in
				the numerator of one product  5 4
				or for $\frac{5}{12} \times \frac{4}{11}$ identified

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0580	41

Qu		Answers	Mark	Part Marks
7	(a) (i)	Image: (-4, -3), (-4, -1), (-3, -1)	2	SC1 for translation $\begin{pmatrix} -5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -4 \end{pmatrix}$
	(ii)	Image: $(1, -1)$ , $(3, -1)$ , $(3, -2)$	2	SC1 for rotation about the origin but 90° anticlockwise
	(b) (i)	Image: (2, 1), (2, 3), (4, 3)	3	B2 for 2 correct vertices plotted or SC2 for 3 vertices shown in working or SC1 for 2 vertices shown in working or $\mathbf{M1} \begin{pmatrix} 2 & 0 \\ 0 & 1 \end{pmatrix} \times \begin{pmatrix} 1 & 1 & 2 \\ 1 & 3 & 3 \end{pmatrix}$
	(ii)	Stretch [factor] 2 Invariant line <i>y</i> -axis oe	1 1 1	Accept $x = 0$ , stays the same
8	(a)	2.125 and 2.375	2	B1 for one correct value
	(b)	Correct curve	B4	B3FT for 11 correct plots or B2FT for 9 or 10 correct plots or B1FT for 7 or 8 correct plots
	(c)	Ruled tangent at $x = 2$	B1	No daylight at $x = 2$ . Consider point of contact as midpoint between two vertices of daylight, this must be between $x = 1.8$ and 2.2
		Gradient from 7.8 to 10.2	2	Dep on B1 awarded Allow integer/integer or a mixed number if within range or M1 dep for (change in y) ÷ (change in x) Dependent on any tangent drawn or close attempt at a tangent at any point Must see correct or implied calculation from a drawn tangent
	(d)	0 and -1.75 to -1.65 and 1.65 to 1.75	2	<b>B1</b> for two correct values
	(e)	-1.2 to $-0.8 < k < 2.8$ to $3.2$	2	B1 for each correct or SC1 for reversed answers

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0580	41

Qu		Answers	Mark	Part Marks
9	(a) (i)	37.5 to 38.5	1	
	(ii)	19.5 to 20.5 nfww	2	<b>B1</b> for [LQ =] 23.5 to 24 or [UQ =] 43.5 to 44
	(iii)	43	2	<b>B1</b> for 56 seen or horizontal line drawn at $cf = 56$
	(b) (i)	31.8[4] nfww	4	M1 for midpoints soi (condone 1 error or omission) and M1 for use of $\sum ft$ with $t$ in correct interval including both boundaries (condone 1 further error or omission) and M1 (dep on $2^{\text{nd}}$ M1) for $\sum ft \div 80$ (2547.5 ÷ 80)
	(ii)	Correct histogram	4	B1 for each correct block with correct width and height If B0 then SC1 for four correct f.d.s or four correct widths
10	(a) (i)	5	1	
	(ii)	$-2\frac{1}{3}$ oe	2	<b>B1</b> for $[h(-1)] = \frac{1}{3}$ soi
	(iii)	$\frac{x+3}{2}$ or $\frac{x}{2} + 1.5$ as final ans	2	M1 for $2(3^x) - 3$ M1 for $y + 3 = 2x$ or $x = 2y - 3$ or $\frac{y}{2} = x - 1.5$ or better or correct reverse flowchart
	(iv)	4x - 9 as final answer nfww	2	<b>M1</b> for $2(2x-3)-3$
	(v)	(2x-3)(x+1) = 1 + 2(x+1)	M1	(2x-5)(x+1) = 1  (eliminate fractions)
		$2x^2 - 3x + 2x - 3$ or better seen	B1	$2x^2 - 5x + 2x - 5 \text{ or better seen}$
		$2x^2 - 3x - 6 = 0$	<b>A1</b>	No errors or omissions seen

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0580	41

Qu		Answers	Mark	Part Marks
	(vi)	$\frac{-(-3) \pm \sqrt{(-3)^2 - 4 \times 2 \times -6}}{2 \times 2}$	B2	<b>B1</b> for $\sqrt{(-3)^2 - 4 \times 2 \times -6}$ or better $[\sqrt{57}]$ and if in form $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$
		2.64 and – 1.14 cao	B1B1	and if in form $\frac{r}{r}$ or $\frac{r}{r}$ or $\frac{r}{r}$ <b>B1</b> for $p = -(-3)$ and $r = 2 \times 2$ or better <b>SC1</b> for 2.64 and $-1.14$ seen in working or 2.6 and $-1.1$ as final ans
	a	x-1 as final answer nfww		or 2.637. <b>and</b> –1.137 as final ans or –2.64 <b>and</b> 1.14 as final ans
	(b)	$\frac{x-1}{x+5}$ as final answer nfww	4	<b>B3</b> for $(x-1)(x-2)$ and $(x+5)(x-2)$ or <b>B2</b> for $(x-1)(x-2)$ or $(x+5)(x-2)$ or <b>SC1</b> for $(x+a)(x+b)$ where $a+b=3$ or $-3$ or $ab=2$ or $-10$
11	(a) (i)	(-5,7)	1	
	(ii)	5	2	M1 for $\sqrt{(-3)^2 + 4^2}$ or better
	(b) (i)	(a) $\frac{3}{5}\mathbf{a} + \frac{2}{5}\mathbf{b}$ or $\frac{1}{5}(3\mathbf{a} + 2\mathbf{b})$ final answer	2	<b>M1</b> for any correct vector path for $\overrightarrow{ON}$
		(b) $\frac{2}{5}$ <b>a</b> $NY = \frac{2}{5}BC \text{ oe}$	2	M1 for any correct vector path for $\overrightarrow{NY}$
	(ii)	$NY = \frac{2}{5}BC$ oe	1dep	dep on (b)(i)(b) correct
		[NY] parallel to [BC]	1dep	<b>dep</b> on $\overline{NY} = k\mathbf{a}, k \neq 1$