

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME				
* 1 5	CENTRE NUMBER		CANDIDATE NUMBER		
	MATHEMATICS 0580/21				
	MATHEMATICS 058				
∞	Paper 2 (Extended)	May/June 2014		
5864014*			1 hour 30 minutes		
	Candidates answer on the Question Paper.				
	Additional Material	s: Electronic calculator G Tracing paper (optional)	Geometrical instruments		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs. Do not use staples, paper clips, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For π , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 70.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **12** printed pages.



1 Use your calculator to work out $\sqrt{\frac{3}{4}} + 2^{-1}$. Give your answer correct to 2 decimal places.

2
$$y = \frac{2}{x^2} + \frac{x^2}{2}$$

Find the value of y when x = 6. Give your answer as a mixed number in its simplest form.

Answer $y = \dots$ [2]

3 Solve the equation.

$$\frac{n-8}{2} = 11$$

Answer $n = \dots [2]$

$$p = \frac{4.8 \times 1.98276}{16.83}$$

(a) In the spaces provided, write each number in this calculation correct to 1 significant figure.

Answer(a)

×		

(b) Use your answer to part (a) to estimate the value of p.

[1]

5 Write the following in order of size, smallest first.

 0.5^2 0.5 0.5^3 $\sqrt[3]{0.5}$

6 Carlo changed 800 euros (€) into dollars for his holiday when the exchange rate was €1 = \$1.50. His holiday was then cancelled.
He changed all his dollars back into euros and he received €750.

Find the new exchange rate.

Answer $\in 1 =$ [3]

7 Make *x* the subject of the formula.

$$y = (x - 4)^2 + 6$$

Answer $x = \dots$ [3]

8 Write as a single fraction in its simplest form.

$$\frac{2}{x} - \frac{2}{x+1}$$

Day	Starting time	Finishing time	
Saturday	0600	2400	
Sunday	0600	2400	
Monday	0600	2400	
Tuesday	0600	2400	
Wednesday	0600	2400	
Thursday	0600	2400	
Friday	1300	2400	

9 A bus company in Dubai has the following operating times.

(a) Calculate the total number of hours that the bus company operates in one week.

Answer(a) h [3]

(b) Write the starting time on Friday in the 12-hour clock.

Answer(b) [1]

- **10** Factorise completely.
 - (a) ax + ay + bx + by

(b) $3(x-1)^2 + (x-1)$

11 A triangle has sides of length 2 cm, 8 cm and 9 cm.

Calculate the value of the largest angle in this triangle.


12
$$p = 4 \times 10^5$$
 $q = 5 \times 10^4$


Find, giving your answer in standard form,

(a) *pq*,

(b) $\frac{q}{p}$.







A(5, 10) and B(13, -2) are two points on the line AB. The perpendicular bisector of the line AB has gradient $\frac{2}{3}$.

Find the equation of the perpendicular bisector of AB.

© UCLES 2014

15 Solve the inequality for positive integer values of x.

 $\frac{21+x}{5} > x+1$


16 (a)
$$(2^{24})^{\frac{1}{2}} = p^4$$

Find the value of *p*.

 $Answer(a) p = \dots [2]$

(b) Simplify
$$\frac{q^2 + q^2}{q^{\frac{1}{4}} \times q^{\frac{1}{4}}}$$
.

Answer(b) [3]



A travel brochure has 72 holidays in four different countries. The pie chart shows this information.

(a) There are 24 holidays in Thailand.

Show that the sector angle for Thailand is 120°.

Answer(a)


(b) The sector angle for Malaysia is 150°. The sector angle for Singapore is twice the sector angle for Hong Kong.

Calculate the number of holidays in Hong Kong.

17

[2]





A mathematically similar cone is removed from the top as shown in the diagram. The volume of the cone that is removed is $\frac{1}{8}$ of the volume of the original cone.

(a) Explain why the cone that is removed has radius 2 cm and height 5 cm.

Answer(a)


(b) Calculate the volume of the remaining solid.


[The volume, V, of a cone with radius r and height h is $V = \frac{1}{3}\pi r^2 h$.]

Answer(b) cm³ [4]

Question 19 is printed on the next page.

[2]





The diagram shows a rectangle *ABCE*. *D* lies on *EC*. *DAB* is a sector of a circle radius 8 cm and sector angle 30° .

Calculate the area of the shaded region.

Answer cm^2 [7]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.