

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

MATHEMATICS	8		0580/42
CENTRE NUMBER		CANDIDATE NUMBER	
CANDIDATE NAME			

Paper 4 (Extended) May/June 2015

2 hours 30 minutes

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator Geometrical instruments

Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 130.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 20 printed pages.



[Turn over


(a)	Last year a golf club charged \$1650 for a family membership. This year the cost increased by 12%.	
	Calculate the cost of a family membership this year.	
	Answer(a) \$	[2]
(b)	The golf club runs a competition.	
	The total prize money is shared in the ratio 1st prize: 2nd prize = 9:5. The 1st prize is \$500 more than the 2nd prize.	
	(i) Calculate the total prize money for the competition.	
	<i>Answer(b)</i> (i) \$	[2]
	(ii) What percentage of the total prize money is given as the 1st prize?	
	<i>Answer(b)</i> (ii)%	[1]
(c)	For the members of the golf club the ratio men: children = 11:2. The ratio women: children = 10:3.	
	(i) Find the ratio men: women.	
	Anmon(a)(i)	[2]
	<i>Answer(c)</i> (i)::	[4]

© UCLES 2015 0580/42/M/J/15

1

	(ii)	The golf club has 24 members who are children.		
		Find the total number of members.		
			Answer(c)(ii)	[3]
(d)		club shop sold a box of golf balls for \$20.40 . shop made a profit of 20% on the cost price.		
	Calo	culate the cost price of the golf balls.		
			Answer(d) \$	[3]

2



In the diagram, B, C, D and E lie on the circle, centre O. AB and AD are tangents to the circle. Angle $BAD = 48^{\circ}$.

- (a) Find
 - (i) angle ABD,

$$Answer(a)$$
(i) Angle $ABD = \dots$ [1]

(ii) angle OBD,

$$Answer(a)$$
(ii) Angle $OBD = \dots$ [1]

(iii) angle BCD,

$$Answer(a)$$
(iii) Angle $BCD =$ [2]

(iv) angle BED.

$$Answer(a)$$
(iv) Angle $BED = ...$ [1]

(b) The radius of the circle is 15 cm.


Calculate the area of triangle *BOD*.

(c) Give a reason why ABOD is a cyclic quadrilateral.

			5		
3	On 1	the fi	rst part of a journey, Alan drove a distance of x km and his car used 6 litres of fuel.		
	The rate of fuel used by his car was $\frac{600}{x}$ litres per 100 km.				
	(a)	Ala	n then drove another $(x + 20)$ km and his car used another 6 litres of fuel.		
		(i)	Write down an expression, in terms of x , for the rate of fuel used by his car on this part of the journey. Give your answer in litres per $100 \mathrm{km}$.		
			<i>Answer(a)</i> (i) litres per 100 km	[1]	
		(ii)	On this part of the journey the rate of fuel used by the car decreased by 1.5 litres per 100 km.		
			Show that $x^2 + 20x - 8000 = 0$.		
			Answer(a)(ii)		
				[4]	
				[ד]	
	(b)	Solv	we the equation $x^2 + 20x - 8000 = 0$.		
			$Answer(b) x = \dots \qquad \text{or } x = \dots$	[3]	
	(c)		d the rate of fuel used by Alan's car for the complete journey. e your answer in litres per 100 km.		


Answer(c) litres per 100 km [2]

- 4 (a) A sector of a circle has radius 12 cm and an angle of 135°.
 - (i) Calculate the length of the arc of this sector. Give your answer as a multiple of π .



Answer(a)(i) cm [2]

- (ii) The sector is used to make a cone.
 - (a) Calculate the base radius, r.




Answer(a)(ii)(a) r = cm [2]

(b) Calculate the height of the cone, *h*.

Answer(a)(ii)(b)
$$h =$$
 cm [3]


(b) The diagram shows a plant pot.

It is made by removing a small cone from a larger cone and adding a circular base.



This is the cross section of the plant pot.

(i) Find *l*.



Answer(b)(i)
$$l =$$
 cm [3]

(ii) Calculate the total surface area of the outside of the plant pot. [The curved surface area, A, of a cone with radius r and slant height l is $A = \pi r l$.]

Answer(b)(ii) cm² [3]

(c) Some cones are mathematically similar. For these cones, the mass, M grams, is proportional to the cube of the base radius, rcm. One of the cones has mass 1458 grams and base radius 4.5 cm.

(i) Find an expression for M in terms of r.

 $Answer(c)(i) M = \dots [2]$

(ii) Two of the cones have radii in the ratio 2:3.

Write down the ratio of their masses.


Answer(c)(ii) [1]

5
$$y = x^2 - 2x + \frac{12}{x}, \ x \neq 0$$

(a) Complete the table of values.

X	-4	-3	-2	-1	-0.5	0.5	1	2	3	4
у	21	11		-9	-22.75	23.25	11	6		11


(b) On the grid, draw the graph of $y = x^2 - 2x + \frac{12}{x}$ for $-4 \le x \le -0.5$ and $0.5 \le x \le 4$.



[2]

(c)	By drawing a suitable tangent, find an estimate of the gradient of the graph at the point (1, 11).	
	Answer(c)	[3]
(d)	The equation $x^2 - 2x + \frac{12}{x} = k$ has exactly two distinct solutions.	
	Use the graph to find	
	(i) the value of k ,	
	$Answer(d)(i) k = \dots$	[1]
	(ii) the solutions of $x^2 - 2x + \frac{12}{x} = k$.	
	$Answer(d)(ii) x = \dots or x = \dots$	[2]
(e)	The equation $x^3 + ax^2 + bx + c = 0$ can be solved by drawing the line $y = 3x + 1$ on the grid.	
	Find the value of a , the value of b and the value of c .	
	$Answer(e) \ a = \dots$	
	<i>b</i> =	
	<i>c</i> =	[3]

6 The diagram shows the positions of two ships, A and B, and a coastguard station, C.



(a) Calculate the distance, AB, between the two ships. Show that it rounds to 138 km, correct to the nearest kilometre.

Answer(a)


[4]

(b) The bearing of the coastguard station C from ship A is 146°.

Calculate the bearing of ship B from ship A.

Answer(b) [4]

(c)



At noon, a lighthouse, L, is 46.2 km from ship B on the bearing 021°. Ship B sails north west.

Calculate the distance ship B must sail from its position at noon to be at its closest distance to the lighthouse.


Answer(c) km [2]

7 (a) A group of 50 students estimated the mass, M grams, of sweets in a jar. The results are shown in the table.

Mass (M grams)	Number of students
$0 < M \le 200$	5
$200 < M \le 300$	9
$300 < M \le 350$	18
$350 < M \le 400$	12
400 < <i>M</i> ≤ 500	6

(i) Calculate an estimate of the mean.


(ii) Complete this histogram to show the information in the table.



[3]

(b) A group of 50 adults also estimated the mass, M grams, of the sweets in the jar. The histogram below shows information about their estimates.

Use the histograms to make two comparisons between the distributions of the estimates of the students and the adults.



Answer(b)	
1	
2	
	[2]


Sim	Sima sells <i>x</i> biscuits and <i>y</i> cakes.					
(a)	(i)	She sells at least 100 biscuits.				
		Write down an inequality in x .				
		Answer(a)(i) [1]				
	(ii)	She sells at least 120 cakes.				
		Write down an inequality in y .				
		Answer(a)(ii) [1]				
((iii)	She sells a maximum of 300 biscuits and cakes altogether.				
		Write down an inequality in x and y .				
		Answer(a)(iii) [1]				
((iv)	Sima makes a profit of 40 cents on each biscuit and 80 cents on each cake. Her total profit is at least \$160.				
		Show that $x + 2y \ge 400$.				
		Answer(a)(iv)				

[1]

© UCLES 2015 0580/42/M/J/15

8

(b) On the grid, draw four lines to show the four inequalities and shade the unwanted regions.



(c) Calculate Sima's maximum profit. Give your answer in dollars.

Answer(c) \$ [2]

[6]

9 ((a)	Expand and simplify. $3x(x-2) - 2x(3x-5)$		
			Answer(a)	[3]
((b)	Factorise the following completely. (i) $6w + 3wy - 4x - 2xy$		
		(ii) $4x^2 - 25y^2$	Answer(b)(i)	[2]
((c)	Simplify. $\left(\frac{16}{9x^4}\right)^{-\frac{3}{2}}$	Answer(b)(ii)	[2]

Answer(c) [2]

(d)	n is	an integer.
	(i)	Explain why $2n-1$ is an odd number.
		Answer(d)(i)
		[1]
	(ii)	Write down, in terms of n , the next odd number after $2n - 1$.
		<i>Answer(d)</i> (ii)
	(iii)	Show that the difference between the squares of two consecutive odd numbers is a multiple of 8.
		Answer(d)(iii)

10 (a)
$$\overrightarrow{PQ} = \begin{pmatrix} 5 \\ -8 \end{pmatrix}$$

(i) Find the value of $|\overrightarrow{PQ}|$.


$$Answer(a)(i) |\overrightarrow{PQ}| = \dots [2]$$

(ii) Q is the point (2, -3).

Find the co-ordinates of the point P.



(b)



In the diagram, M is the midpoint of AB and L is the midpoint of OM. The lines OM and AN intersect at L and $ON = \frac{1}{3}OB$. $\overrightarrow{OA} = \mathbf{a}$ and $\overrightarrow{OB} = \mathbf{b}$.

- (i) Find, in terms of a and b, in its simplest form,
 - (a) \overrightarrow{OM} ,

$$Answer(b)(i)(a) \overrightarrow{OM} = \dots$$
 [2]

(b) \overrightarrow{OL} ,

$$Answer(b)(i)(b) \overrightarrow{OL} =$$
 [1]


(c) \overrightarrow{AL} .

$$Answer(b)(i)(c) \overrightarrow{AL} =$$
 [2]

(ii) Find the ratio AL:AN in its simplest form.

Incwer(h)(ii)	·	[3]
answerm, and		1.71

(c)



(i) On the grid, draw the image of triangle A after the transformation represented by the

$$\operatorname{matrix} \begin{pmatrix} -1.5 & 0 \\ 0 & -1.5 \end{pmatrix}.$$
 [3]

(ii) Find the 2×2 matrix which represents the transformation that maps triangle A onto triangle B.

$$Answer(c)$$
(ii) ([2]

Question 11 is printed on the next page.

	reth has 8 sweets in a bag. weets are orange flavoured, 3 are lemon flavoured and 1 is strawberry flavoured.	
(a)	He chooses two of the sweets at random.	
	Find the probability that the two sweets have different flavours.	
	Answer(a)	[4]
(h)	Gareth now chooses a third sweet.	
(0)	Find the probability that none of the three sweets is lemon flavoured.	
	I find the probability that none of the three sweets is lemon havoured.	
	Answer(b)	[2]

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination period.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.