

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	
MATHEMATICS Paper 2 (Extend		0580/22 May/June 2017

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator Geometrical instruments

Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 70.

This document consists of 12 printed pages.



[Turn over


1 hour 30 minutes

1	Write 0.071 64 correct to 2 significant figures.	
2	The probability that Stephanie wins her next tennis match is 0.85 . Find the probability that Stephanie does not win her next tennis match.	[1]
3	Change $6200\mathrm{cm}^2$ into m^2 .	[1]
4	Calculate $\sqrt{120} + 3.8^2 - 25$.	m ² [1]
5	Work out 85 cents as a percentage of \$2.03.	[1]
6	Factorise. $14x - 21y$	% [1]
		[1]

7 Find the value of 5a-3b when a=7 and b=-2.

.....[2]

8



NOT TO SCALE

The diagram shows a straight line intersecting two parallel lines.

Find the value of p and the value of q.

<i>p</i> =	
<i>q</i> =[2]

9 Without using a calculator, work out $\frac{5}{6} - \frac{1}{2}$.

Show all the steps of your working and give your answer as a fraction in its simplest form.

.....[2]

4.0	O 1
10	Solve.


$$2 - x = 5x + 1$$

x =	=	[2	[]
-----	---	----	----

11 (a) Write 0.0605 in standard form.

(b) Calculate $0.1 \times 5.1 \times 10^4$, giving your answer in standard form.

12



Calculate the value of x.

$$x = \dots [2]$$

13	Solve	the	inea	uality.
10	DOIVE	uic	11109	uuiity.

$$3n-11 > 5n-18$$

[2	2]
----	----

- 14 Work out.
 - (a) $125^{\frac{2}{3}}$
 - **(b)** $\left(\frac{1}{3}\right)^{-2}$


[1]

.....[1]

15 Make q the subject of the formula $p = 2q^2$.


$$q =[2]$$

16



- (a) Using a straight edge and compasses only, construct the bisector of angle BAC. [2]
- (b) Shade the region inside the triangle that is nearer to AC than to AB. [1]

17



NOT TO SCALE

Calculate AC.


AC = m [3]

18	A rectangle has length $62 \mathrm{mm}$ and width $47 \mathrm{mm}$, both correct to The area of this rectangle is $A \mathrm{mm}^2$.	o the nearest millimetre.
	Complete the statement about the value of A .	
		[3]
19	In a triangle PQR , $PQ = 8 \text{ cm}$ and $QR = 7 \text{ cm}$. The area of this triangle is 17 cm^2 .	
	Calculate the two possible values of angle <i>PQR</i> .	
	Angle	PQR =
20	Write as a single fraction in its simplest form.	
	$\frac{2x-1}{3} - \frac{2}{x+1}$	
		[3]

21	y is inversely proportional to $\sqrt{1+x}$. When $x = 8$, $y = 2$.	
	Find y when $x = 15$.	
		<i>y</i> =[3]
22	Factorise completely.	
	(a) $9t^2 - u^2$	
		[2]
	(b) $2c - 4d - pc + 2pd$	
		[2]

- 23 (a) $\mathscr{E} = \{\text{students in a class}\}\$
 - $P = \{\text{students who study physics}\}\$
 - $C = \{\text{students who study chemistry}\}\$

The Venn diagram shows numbers of students.



((i) Find the number	er of students	who study	physics or	chemistry

 - 1	1	1
 · -	1	ı

(ii) Find $n(P \cap C')$.


 Г11	ı
 11	ı

(iii) A student who does not study chemistry is chosen at random.

Find the probability that this student does not study physics.




(b) On the Venn diagram below, shade the region $D \cup E'$.



[1]

24



In the diagram, AB and CD are parallel. AD and BC intersect at X. AB = 8 cm, CD = 4 cm, CX = 2 cm and DX = 2.8 cm.

(a) Complete this mathematical statement.

(b) Calculate AX.

$$AX = \dots$$
 cm [2]

(c) The area of triangle ABX is $y \text{ cm}^2$.

Find the area of triangle DCX in terms of y.

..... cm² [1]

25 (a) Simplify. $(16x^{16})^{\frac{3}{4}}$


 	[2]

(b) $2p^{\frac{3}{2}} = 54$

Find the value of p.

$$p = \dots [2]$$

26



A, B, C, D and E lie on the circle.

AB is extended to F.

Angle $AED = 140^{\circ}$ and angle $CBF = 95^{\circ}$.

Find the values of w, x and y.


$$w = \dots$$

$$x = \dots$$

$$y = \dots$$
[5]

Question 27 is printed on the next page.

27



A is the point (-2, 0) and B is the point (0, 4).

(a) Find the equation of the straight line joining A and B.

.....[3]

(b) Find the equation of the perpendicular bisector of AB.

.....[4]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.