

#### **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education

MATHEMATICS
Paper 1 (Core)
MARK SCHEME
Maximum Mark: 56

**Published** 

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

 $\mathsf{IGCSE}^{\,\mathsf{TM}} \text{ is a registered trademark}.$ 

Cambridge Assessment
International Education

[Turn over

© UCLES 2018

### Cambridge IGCSE – Mark Scheme PUBLISHED

#### **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

#### GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

#### **GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always whole marks (not half marks, or other fractions).

#### **GENERIC MARKING PRINCIPLE 3:**

#### Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit
  is given for valid answers which go beyond the scope of the syllabus and mark scheme,
  referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these
  features are specifically assessed by the question as indicated by the mark scheme. The
  meaning, however, should be unambiguous.

#### **GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

#### **GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

#### **GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2018 Page 2 of 5

#### Cambridge IGCSE - Mark Scheme **PUBLISHED**

#### **Abbreviations**

correct answer only cao

dependent dep

FΤ follow through after error ignore subsequent working isw

or equivalent oe SC Special Case

not from wrong working seen or implied nfww

soi

Question	Answer	Marks	Partial Marks
1	2[h] 55[min]	1	
2	8 <i>g</i>	1	
3	7x - 56 final answer	1	
4	21	1	
5	24	2	<b>B1</b> for 17 or 41 identified
6	[a = ]15 [b = ]-27	2	B1 for each or SC1 for reversed answers
7	293°	2	M1 for 113 + 180 oe or a sketch with the correct angle identified
8(a)	4	1	
8(b)	4	1	
9	$\frac{2}{55}$ $\frac{1}{27}$ 0.038 5 <sup>-2</sup>	2	M1 for decimals to accuracy minimum 0.04, 0.037, 0.036 or B1 for 3 in the correct order
10	$2y^2(2x-3y)$ final answer	2	<b>B1</b> for $2y(2xy - 3y^2)$ or $2(2xy^2 - 3y^3)$ or $y(4xy - 6y^2)$ or $y^2(4x - 6y)$
11(a)	$1.36 \times 10^{6}$ oe	1	
11(b)	$5.21 \times 10^{-3}$ oe	1	
12	$\begin{pmatrix} -16 \\ -11 \end{pmatrix}$	2	<b>B1</b> for $[3\mathbf{b} =] \begin{pmatrix} -21 \\ -9 \end{pmatrix}$ or $\begin{pmatrix} -16 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -11 \end{pmatrix}$
13	$[y=] \frac{5x+7}{2} \text{ oe}$	2	M1 for $2y = 5x + 7$ or $-2y = -5x - 7$ or $\frac{5}{2}x - y + \frac{7}{2} = 0$
14	257	2	<b>B1</b> for 257.4

© UCLES 2018 Page 3 of 5

## Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer	Marks	Partial Marks
15(a)	[w =] 7	1	
15(b)	[12x =] 36	1	
16	51.3 or 51.31 to 51.32	2	<b>M1</b> for $\cos [x =] \frac{5}{8}$
17	62	3	M1 for [height = ] $21 \div 7$ M1 for $2(1 \times their3 + their3 \times 7 + 1 \times 7)$ oe
18	26.2 or 26.16()	3	<b>M2</b> for $\sqrt{35.1^2 - 23.4^2}$ or better or <b>M1</b> for $35.1^2 = 23.4^2 + BC^2$ or better
19	1410 or 1413 or 1413.1[0]	3	M2 for $1200 \left(1 + \frac{5.6}{100}\right)^3$ oe  or M1 for $1200 \left(1 + \frac{5.6}{100}\right)^2$ oe
20(a)	448 or 447.85 to 447.95	2	<b>M1</b> for $\pi \times 3.6^2 \times 11$
20(b)	[0].448 or [ 0].44785 to [0].44795	1	<b>FT</b> their <b>(a)</b> ÷ 1000
21	13.4[0]	3	<b>M2</b> for (167.9 – 20.5) ÷ 11 or <b>M1</b> for 167.9[0] – 20.5[0]
22(a)	Friday	1	
22(b)	74	2	<b>M1</b> for $(67 + 75 + 53 + 68 + 94 + 87) \div 6$
22(c)	41	1	
23(a)	140 000	1	
23(b)	Points correctly plotted at (40, 80) and (80, 150)	1	
23(c)	Correct ruled line of best fit	1	
23(d)	80 000 to 110 000	1	FT their straight line provided it has positive gradient
24(a)	$\frac{8}{12}$ and $\frac{1}{12}$ oe	M1	For correct fractions with a common denominator $12k$
	$\frac{7}{12}$ cao	A1	

© UCLES 2018 Page 4 of 5

# Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer	Marks	Partial Marks
24(b)	$\frac{24}{7}$ or $\frac{61}{14}$	B1	or equivalent improper fractions
	$\frac{their24}{7} \times \frac{14}{their61}$ oe	M1	or $\frac{their48}{14} \div \frac{their61}{14}$ oe common denominator
	$\frac{48}{61}$ cao	A1	

© UCLES 2018 Page 5 of 5