## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2012 series

## 0580 MATHEMATICS

0580/41

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	41

## **Abbreviations**

cao correct answer only cso correct solution only

dep dependent

ft follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

www without wrong working art anything rounding to soi seen or implied

Qu.		Answers	Mark	Part Marks
1	(a) (i)	126	2	<b>M1</b> for $x + x + 18 + 90 = 360$ or better
	(ii)	) 144	1 ft	ft their $x + 18$
	<b>(b)</b> 16	.66 to 16.67 or 16.7 oe	2	<b>M1</b> for 60/360 × 100 oe (implied by answer 16.6)
	(c) (i)	22.18 to 22.19 or 22.2 oe	3	<b>M2</b> for $(35 + 36)/320 \times 100$ or <b>B1</b> for 36 or 35 or 71 seen
	(ii)	) 58 www	2 ft	For 2ft, $114$ – their (a)(ii)/360 × 140 correctly evaluated (correct or to the nearest integer) or M1 for $(360 - 60 - 72)/360 \times 180$ [114] or 56ft (their (a)(ii)/360 × 140) seen
	(d) (i)	50, 70, 100, 135	M1	At least 3 correct mid-values seen
		$(5 \times 50 + 14 \times 70 + 29 \times 100 + 32 \times 135)$ [= 8450]	M1	$\sum fx$ where x is in the correct interval allow one further slip
		$\div 80$ or their $\sum f$	M1	Depend on second method
		106 or 105.6 or 105.625 or 105.62 or 105.63 cao www	A1	isw conversion to mins/secs & reference to classes
	(ii)	) 1		<b>B3</b> for 2.9 and 4.27
		2.9 oe		or <b>B2</b> for 2.9 <b>or</b> 4.27
		4.27 [4.266 to 4.267] oe	4	and <b>B1</b> for 1
				<b>Or SC2</b> for 0.25 oe and 0.725 oe and 1.066 to 1.07 oe seen
				Or SC1 for any pair of the above seen

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	41

2	(a)	(i) 14 -5.5 20	1+1+1	
		(ii) 10 correct points plotted	P3 ft	P2 ft for 8 or 9 correct
				P1 ft for 6 or 7 correct
				Centre of point must touch line if exact or be in correct square (including boundaries)
		Smooth curve through all 10 points correct shape	C1	Within 1 mm radially of potted points. In absence of plot[s], allow curve to imply plot[s]  No ruled sections
		-		
	(b)	-4.8 to -4.6, -0.4 to -0.2, 3 to 3.1 www	1+1+1	After 0 scored, SC1 for $y = 2$ soi
				Penalise first occurrence of co-ord answers in <b>(b)</b> and <b>(d)(ii)</b>
	(c)	Tangent drawn at $x = -4$	<b>T1</b>	Not chord or daylight
		Attempts $y$ step/ $x$ step with correct scales	M1	Dep on <b>T1</b> or close attempt at tangent at $x = -4$
		6 to 11	<b>A1</b>	Dep on M1 only
	(d)	(i) Ruled line through (1, 15) and (3, -5)	3	<b>L2</b> for short line but correct or freehand full length correct line.
				<b>L1</b> for ruled or freehand line through $(0, 10)$ (but not $y = 10$ ) or for ruled line with gradient $-5$
		(ii) 2.5 to 2.7	1	isw for extra solns from wrong curve/line
3	(a)			
		(g = )11	1	
		(i 15) $(h =) 5$	1ft	ft 16 – their 11
		$ \begin{array}{c c} h 5 & g 11 \\ j 8 & (i = )15 \\ \end{array} $	1ft	ft 20 – their 5
			1ft	ft 39 – (their 11 + their 5 + their 15)
	<del> </del>			ft for positive integers only
	(b)	<b>(i)</b> 5	1	
		(ii) 51	1 ft	ft 36 + their <i>i</i>
	(c)	<b>(i)</b> 15	1	
		<b>(ii)</b> 10	1	
	(d)	(i) $\frac{13}{90}$ oe [0.144]	1	In (d) and (e) accept fraction, %, dec equivalents (3sf or better) throughout but not ratio or words
				isw incorrect cancelling/conversion
		(ii) $\frac{15}{90}$ oe [0.167]	1	

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	41

	(e) (	i) $\frac{20}{8010}$ oe $[0.0025[0]]$	2	<b>M1</b> for $\frac{5}{90} \times \frac{4}{89}$ oe
				After <b>M0</b> , <b>SC1</b> for $\frac{5}{90} \times \frac{5}{90}$ oe
	(	<b>ii)</b> $\frac{598}{8010}$ oe [0.0747]	3	<b>M2</b> for $\left(\frac{23}{90} \times \frac{13}{89}\right) + \left(\frac{13}{90} \times \frac{23}{89}\right)$ oe
				or M1 for one product soi [0.0373]
				After <b>M0</b> , <b>SC1</b> for $2\left(\frac{23}{90} \times \frac{13}{90}\right)$ oe
4	(a) (	i) 2.5 or $\frac{5}{2}$	2	M1 for one correct step collected i.e $6x = k$ or $ax = 15$ or for $4x + 2x = 8 + 7$
	(	ii) 13	2	<b>M1</b> for $x - 7 = 2 \times 3$ or better
	(b) (	i) $27x^3y^{12}$ final answer	2	<b>B1</b> for 2 correct elements
	(	ii) $4a^3b^{[1]}$ final answer	2	<b>B1</b> for 2 correct elements
	(	iii) $\frac{x+1}{x+8}$ www final answer	4	M2 for $(x - 8)(x + 1)$ seen or SC1 for $(x + a)(x + b)$ where $a + b = -7$ or $ab = -8$ and B1 for $(x + 8)(x - 8)$ seen
5	(a) 5	5.6 to 55.61 www	3	M2 for $\sqrt{46^2 + 24^2 + 20^2}$ oe $\left[\sqrt{3092}\right]$ or M1 for $46^2 + 24^2$ oe [soi by 2692 or art 51.9] or $46^2 + 20^2$ oe [soi by 2516 or art 50.2] or $24^2 + 20^2$ oe [soi by 976 or art 31.2]
	<b>(b)</b> 9	0.6 or 90.57 to 90.58	3	M2 for $\frac{20000}{(20 \times 24 \times 46)} \times 100$ oe or M1 for $20 \times 24 \times 46$ [22080]
		25.19 to 25.21, 30.23 to 30.246 or 30.2, 57.95 to 57.97 or 58[.0]	3	<b>M2</b> for $20 \times \sqrt[3]{2}$ or $24 \times \sqrt[3]{2}$ or $46 \times \sqrt[3]{2}$ <b>M1</b> for $\sqrt[3]{2}$ oe seen [1.259 to 1.261]
	(d)	16.8 to 16.842	3	M2 for $\sqrt[3]{\frac{20000}{4/3\pi}}$ oe or answer figs 168 to 16842 or M1 for $\sqrt[3]{\frac{20000}{4/3\pi}}$ [4770 – 4780] seen

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	41

6	(a)	(i)	$\begin{pmatrix} -2 \\ -1 \end{pmatrix}$	1	
		(ii)	7.28 [0] or $\pm \sqrt{53}$ as final answer	2	<b>M1</b> for $\sqrt{2^2 + (-7^2)}$ oe
		(iii)	[m = ] 3.5  oe and [n = ] -1.5  oe	6	<b>B1</b> for $-2m + 2n = -10$ oe and <b>B1</b> for $3m - 7n = 21$ oe and <b>M1</b> for correct attempt to equate one set of coefficients and <b>M1dep</b> for elimination allow 1 arithmetic error overall ft their sim eqns for both m's or <b>M1</b> for correct rearrangement (allow 1 slip) and <b>M1dep</b> for correct substitution ft their sim eqns for both m's and <b>A1</b> for 3.5 or $-1.5$
	(b)	(i)	$-\mathbf{p} + \mathbf{q}$	1	Condone column vector used
		(ii)	$-\frac{3}{5}$ <b>p</b> + $\frac{3}{5}$ <b>q</b> oe	1 FT	Correct or ft $\frac{3}{5}$ (their <b>(b)(i))</b> dep on $ap + bq$ , $[a \neq 0, b \neq 0]$ Condone column vector used
		(iii)	Parallel similar 9:25 oe	1 1 1	Accept enlargement e.g 1: 2.77 [7] or 0.36: 1
7	(a)	(i)	360 ÷ 5	1	Accept longer correct methods
		(ii)	$(180 - 72) \div 2$	M1	Accept $[(5-2) \times 180]$ or $360 / 5$ <b>M1</b>
			54 × 2	<b>E</b> 1	Then ÷ 5 180 – 72 <b>E1</b>
		(iii)	180 – 90 – 72	1	Accept other methods provided they are fully explained
	(b)	2 ×	7 × sin(72/2) oe	M2	M1 for $7 \times \sin(72/2)$ oe  Alt methods  M2 for $[DC^2 =] 7^2 + 7^2 - 2.7.7 \cos 72$ or M1 for implicit version or  M2 for $(7 \sin 72)/\sin 54$ or M1 for $DC/\sin 72 = 7/\sin 54$ oe
		8.22	28 to 8.229	<b>E</b> 1	Dep on M2 and with no errors seen

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	41

	(c)	(i) 23.3[0]	2	M1 for $\frac{1}{2} \times 7 \times 7 \times \sin 72$ oe
		(ii) 116.5 to 116.52 or 117	1 ft	ft their (c)(i) $\times$ 5
		(iii) 30.78 to 30.8	2	<b>M1</b> for $72/360 \times \pi 7^2$
		(iv) 12.66 to 12.67 or 12.7	2	<b>M1</b> for 7 + 7 cos 36 oe [7 + 5.66] e.g 8.23 cos54 + 8.23 sin72 oe [4.84 + 7.83]
	(d)	1.43 or 1.432 to 1.453 cao	5	<b>B4</b> for area of rectangle = 168.3 to 169.2 www or area of triangular corners = 51.6 to 52.5 www or <b>B3</b> for 13.3 to 13.32 seen or <b>M2</b> for $[ZY = ]$ 8.23 + 2(8.23sin18) oe or 2 (8.23 sin 54) or 2 × 7 sin 72 oe or <b>B1</b> for $[CY = ]$ 2.54[3] or 5.08 to 5.09 seen or $[AX = ]$ 6.65 to 6.66 seen
8	(a)	2x + 7 final answer $x + 9$ final answer	2	B1 for each, accept in either order After 0 scored allow SC1 mark for both correct but unsimplified
	(b)	2(2x + 3)(x + 5) at any stage $2x^2 + 3x + 10x + 15$ or better	M1 B1	The $\times$ 2 could be embedded within one of the brackets e.g. $(4x + 6)(x + 5)$ Expands brackets correctly
		$4x^2 + 26x + 30$	<b>E</b> 1	No errors seen and two previous stages shown
	(c)	(i) $4x^2 + 26x - 45 = 0$ soi	<b>B</b> 1	
		$\frac{-26\pm\sqrt{(26)^2-4(4)(-45)}}{2(4)}$		ft their $4x^2 + 26x \pm k$ $[k \neq 0]$ oe In square root <b>B1 ft</b> for $(26)^2 - 4(4)(-45)$ or better $(1396)$
				If in form $\frac{p+\sqrt{q}}{r}$ or; $\frac{p-\sqrt{q}}{r}$ <b>B1</b> ft for -26 and 2(4) or better
		-7.92, 1.42 final answers	B1 B1	If <b>B0</b> , <b>SC1</b> for -7.9 <b>and</b> 1.4 or <b>both</b> answers -7.920, 1.420 or for-7.92, 1.42 seen
		(ii) 6.42 [0]	1 ft	ft their greatest positive root
				If their $x \le 2$ then ft $x + 5$ If their $x > 2$ then ft $2x + 3$

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	41

9	(a) $5.79 \times 10^7$ oe $5.21$ $39.5$	1 1 1	Accept ans in range 57890000 to 57900000 5.207 39.50 or 39.51 Accept answers to greater than 3sf
	<b>(b) (i)</b> 498.6 to 499	2	<b>M1</b> for $1.496 \times 10^8 \div 300\ 000$
	(ii) 328 or 328.3	2	<b>M1</b> for figs 197 or figs 328[3 ] seen
			Or their 39.5 × their (b)(i)
	(c) $9.46[0]$ to $9.461 \times 10^{12}$	3	B2 for any correct equivalent
			or <b>M1</b> for $300\ 000 \times 3600 \times 24 \times 365$ oe
			or for answer figs 946 to 9461
	(d) 63200 or 63235 to 63242 oe	2	M1 for figs (their (c) ÷ 1496). Implied by first 3 figs correct