MARK SCHEME for the October/November 2014 series

0580 MATHEMATICS

0580/42

Paper 4 – Extended, maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0580	42

Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
	~

SC Special Case

not from wrong working seen or implied nfww

soi

Qu	•	Answer	Mark	Part marks		
1	(a) (i)	49.5[0]	3	M2 for 16.5[0] ÷ 5 × (5 + 3 + 7) or M1 for 16.5[0] ÷ 5		
	(ii)	66	1FT	FT <i>their</i> (a)(i) \div 75 × 100 to 3 sf or better		
	(b)	2 hours 39 mins 45 secs	3	B2 for 159.75 oe, e.g. 2.6625 [h] 9585 [s] or M1 for 3 hrs 33 mins oe / (2 + 9 + 1) oe		
	(c)	18.75 final answer	3	M2 for 16.5[0] ÷ 0.88 oe or M1 for 16.5[0] associated with 88[%]		
2	(a) $x > 0.5$ oe final answer nfww		3	B2 nfww for 0.5 with no/incorrect inequality or equals sign as answer or M2 for $7x + 15x > 6 + 5$ or better or $-6 - 5 > -7x - 15x$ or better or M1 for $6 - 15x$ seen		
	(b) (i)	(p-2)(q+4) final answer	2	M1 for $q(p-2) + 4(p-2)$ or $p(q+4) - 2(q+4)$		
	(ii)	(3p-5)(3p+5) final answer	1			
	(c)	(5x-9)(x+2)	M2	M1 partial factorisation, e.g. $x(5x-9)+2(5x-9)$ or SC1 for $(5x + a)(x + b)$ where $ab = -18$ or $a + 5b = 1$		
		$\frac{9}{5}$ oe and -2 final answer	B1			

Pa	ge 3	Mark Scheme			Syllabus	Paper	
	Cambridge IGCSE – Octob			vember 2014	0580	42	
	I						
3	(a)	$35 < t \le 40$	1				
	(b)	22.5, 27.5, 32.5, 37.5, 42.5, 47.5	M1	At least 4 correct mid-val	correct mid-values soi		
		$(2 \times 22.5 + 6 \times 27.5 + 7 \times 32.5 + 19 \times 37.5 + 9 \times 42.5 + 7 \times 47.5)$	M1	$\sum_{x \to 1} fx \text{ where } x \text{ is in the correct interval allow one further slip} \\ [45 + 165 + 227.5 + 712.5 + 382.5 + 332.5 \\ = 1865] \end{cases}$			
		$\div 50$ or their $\sum f$	M1dep	Dependent on second me	endent on second method		
		37.3	A1	SC2 for correct answer w	vith no workir	ng	
	(c) (i)	15, 19, 16	1				
	(ii)	rectangular bars of height 1, 3.8 and 1.6	B2FT	FT their (c)(i), on correct boundary lines B1FT for 2 correct heights If 0 scored for heights then SC1 for 3 correct frequency densities soi			
		correct widths of 15, 5,10 and no gaps	B1	frequency densities ser			
4	(a)	Enlargement [SF] $-\frac{1}{2}$ oe [centre] (2, 5)	3	B1 for each			
	(b) (i)	Image at (-2, 6), (-8, 3), (-4, 3)	2	SC1 for reflection in any or for 3 correct points not			
	(ii)	Image at (3, -2), (3, 2), (6, 4)	2	SC1 for rotation 90° [anti clockwise] around origin at (-3, 2) (-3, -2) (-6, -4) or for 3 correct points not joined SC1 for translation by $\begin{pmatrix} -1 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -5 \end{pmatrix}$ or for 3 correct points not joined			
	(iii)	Image at (-5, 1), (-3, -2), (1, -2)	2				
	(c) (i)	$\begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$	2	B1 for a correct row or co	olumn		
	(ii)	Rotation, 90° [anticlockwise] oe origin oe	2	B1 for two elements corr	ect		

Page 4			Mark Sc	Syllabus	Paper		
		Cambridge IGCSE – October/November 2014			0580	42	
5	(a)	(i) (ii)	8	1 2	M1 for $[g(17) =] \frac{7}{2}$ or 2	$2\left(\frac{7}{2}\right)^{2}+7$	n(<u>7</u>)
	(b)		4 or – 4	3	M1 for $[g(17) =] \frac{7}{14}$ or $2\left(\frac{7}{x-3}\right)^2 + 7\left(\frac{7}{x-3}\right)$ M2 for $x^2 = 16$ or $x^2 - 16 = 0$ or M1 for $7 = (x-3)(x+3)$ or better		
	(c)		$2x^2 + 7x - 11 = 0$ soi	B1			
			$\frac{-7\pm\sqrt{(7)^2-4(2)(-11)}}{2(2)}$	B1FT B1FT	FT $2x^2 + 7x \pm \text{their } k \ [k]$ B1FT for $\sqrt{7^2 - 4(2)(-1)}$ oe If in form $\frac{p + \sqrt{q}}{r}$ or $\frac{p}{r}$ B1FT for -7 and 2(2) or $-\frac{7}{4} + or -\sqrt{\frac{137}{16}}$ oe	$\frac{1}{1}$ or better of $\frac{-\sqrt{q}}{r}$,	$\operatorname{Dr}\left(x+\frac{7}{4}\right)^2$
			-4.68, 1.18 final answers	B1B1	If B0 , SC1 for answers – or –4.676 and 1.176 so or for –4.68 and 1.18 see or for answer 4.68 and –1	een en	
	(d)		$\frac{x+2}{5}$ or $\frac{x}{5} + \frac{2}{5}$	2	M1 for correct first step of or $x = \frac{y+2}{5}$ or $x = 5y-2$ $\frac{y}{5} = x - \frac{2}{5}$	for better, e.g. 2 or $y + 2 = 5$	5y = x + 2 fx or
	(e)		- 2	1			

Page 5			Mark Sc	heme		Syllabus	Paper	
	Cambridge IGCS			ober/No	vember 2014	0580	42	
				I	1			
6	(a)		-3, 7.375, 8.875	1, 1, 1	Accept 7.4 or 7.37 or 7.38 for 7.375 and 8.9 or 8.87 or 8.88 for 8.875			
	(b)		Correct curve	4	 B3FT for 8 or 9 correct plots B2FT for 6 or 7 correct plots B1FT for 4 or 5 correct plots Point must touch line if exact or be in correct square if not exact (including boundaries) 			
	(c)	(i)	Any integer less than 7 or greater than 10	1				
		(ii)	7, 8 or 9	1				
	(d)		y = 15x + 2 ruled and fit for purpose	B2	B1 for short line but correct or freehand full length correct line or for ruled line through (0, 2 (but not $y = 2$) or for ruled line with gradient 15 (acc ±1 mm vertically for 1 horizontal unit)			
			-1.45 to -1.35 and 0.4 to 0.5	B2	B1 for each			
	(e)		Tangent ruled at $x = 1.5$	B1	No daylight at point of contact. Consider point of contact as midpoint between two vertices of daylight, the midpoint must be between $x = 1.4$ and 1.6			
			7 to 12	2	Dep on B1 or close attem M1 for $y - \frac{\text{step}}{x} - \frac{\text{step}}{y}$			
7	(a)	(i)	120 × 55 × 75 [= 495000]	M1				
			÷ 1000 [= 495] or 495[1] × 1000 = 495000[ml]	M1				
	(b)	(i)	11	2	M1 for 495000 ÷ 750 [÷ After 0 scored, SC1 for a			
		(ii)	37.5 or 37.50 to 37.51	3	M2 for $\sqrt{\frac{figs495}{112\pi}}$ oe			
					or M1 for $[112r^2 =]\frac{figs}{r}$	l		
					$[\pi r^2 =] \frac{figs 495}{112} \text{ or better}$	r		

Pa	ge 6		Mark Scheme			Syllabus	Paper
			Cambridge IGCSE – Oct	ober/No	vember 2014	0580	42
	(c)		15	4	B3 for answer 60 or M3 for $75 - \sqrt{145^2 - (55^2 + 120^2)}$ oe M2 for $\sqrt{145^2 - (55^2 + 120^2)}$ oe or M1 for $\sqrt{55^2 + 120^2}$		
	(d)		24.4[4] to 24.45	3	M2 for $\cos^{-1} (\sqrt{55^2 + 120^2} / 145)$ oe, e.g. or $\sin^{-1} (75 - \text{their (c)}) / 145$ or $\tan^{-1} ((75 - \text{their (c)}) / \sqrt{55^2 + 120^2})$ or M1 for $\cos = \sqrt{55^2 + 120^2} / 145$ oe or $\sin = (75 - \text{their (c)}) / \sqrt{55^2 + 120^2}$		
8	(a)		Angle $LPQ = 32$ soi $58^2 + 74^2 - 2 \times 58 \times$ 74 cos their P	B1 M2	M1 for correct implicit cos rule		
			39.50[1]	A2	A1 for 1560.3 to 1560.4	or 1560	
	(b)		$\sin PQL = \frac{58\sin their P}{39.5} \text{ oe}$	M2	M1 for $\frac{\sin PQL}{58} = \frac{\sin(their P)}{39.5}$ oe		
			51.1 or 51.08 to 51.09	B1			
	(c)	(i)	322	2	M1 for 180 + 142 oe		
		(ii)	[0]13[.1] or 13.08 to 13.09	1FT	FT their (b) – 38		
	(d)		17.8 or 17.77 to 17.78	3	M1 for 74 ÷ 2.25 oe soi better M1 for dist or speed ÷ 1.5		to 3 sf or
	(e)		30.7 or 30.73 to 30.74	3	M2 for 58 sin <i>their</i> P oe or 39.5 sin <i>their</i> (b) or M1 for $\frac{x}{58} = \sin their P$ oe		aeir (b)
					or $\frac{x}{39.5} = \sin their$ (b)		
9	(a)		28 45 17 21 45 66	1, 1 1 1			
	(b)	(i)	4n - 3 oe	2	M1 for $4n + k$		
		(ii)	237	1			
		(iii)	50	2FT	FT <i>their</i> (b)(i) = 200 solv truncated dep on linear er an + k M1 for <i>their</i> $4n - 3 = 200$	xpression of	form

Pag	e 7	Mark Scheme					Paper	
			Cambridge IGCSE – Oct	ober/No	r/November 2014 0580 42			
					1			
	(c)		p = 2 and $q = -5$ with some correct supporting working leading to the solutions	5	M2 for any 2 of $p + q + 3 = 0$ oe, $2^2 p + 2q + 3 = 1$ oe, $3^2 p + 3q + 3 = 6$ oe, $4^2 p + 4q + 3 = 15$ oe, $5^2 p + 5q + 3 = their$ 28 oe, etc. or M1 for any one of these M1 indep for correctly eliminating p or q from pair of linear equations A1 for one correct value If 0 scored SC1 for 2 values that satisfy one of their original equations After M0, 2 correct answers SC1			
	(d)		$2n^2 - n$ or $n(2n - 1)$	2	B1 for answer $2n^2 + k[n]$ or M1 for <i>their quadratic</i> from (c) + <i>their linear</i> from (b)(i)			
10	(a)	(i)	$\frac{1}{36}$ final answer	2	M1 for $\frac{1}{6} \times \frac{1}{6}$			
		(ii)	$\frac{1}{12}$ final answer	3	M2 for $3\left(\frac{1}{6} \times \frac{1}{6}\right)$ oe or M1 for identifying 3 co	orrect pairs (1 6) (6 4)	
					and (5, 5)	oncer pairs (-	f, 0), (0, 1)	
	(b)		7	1				
			Refers to most combinations oe	1	Dependent on previous n	nark		
	(c)		$\frac{141}{1296} \text{ oe } \left[\frac{47}{432}\right]$	5	M4 for $\frac{2}{36} + \left(\left[1 - \frac{3}{36} \right] \times \frac{3}{36} \right)$ or M3 for 2 correct probation from those above		/	
					or M1 for $\left(1-\frac{3}{36}\right) \times \frac{2}{36}$ s And M1 for $\frac{1}{36} \times \frac{3}{36}$ seen or $\frac{1}{6} \times \frac{1}{6} \times \frac{1}{6} \times \frac{1}{6}$ oe all probability not of the form	one or added	to a	