



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
MATHEMATICS			0580/43
Paper 4 (Extended)		Octo	ober/November 2014
			2 hours 30 minutes
Candidates answer on	the Question Paper.		
Additional Materials:	Electronic calculator	Geometrical instrume	nts

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Tracing paper (optional)

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For  $\pi$ , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

The total of the marks for this paper is 130.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

CAMBRIDGE
International Examinations

1 (a) ABCD is a trapezium.



(i) Calculate the length of AD.

$$Answer(a)(i) AD = \dots cm [2]$$

(ii) Calculate the size of angle *BCD*.

$$Answer(a)$$
(ii) Angle  $BCD = ...$  [3]

(iii) Calculate the area of the trapezium ABCD.

**(b)** A **similar** trapezium has perpendicular height 9.4 cm.


Calculate the area of this trapezium.

*Answer(b)* ..... cm<sup>2</sup> [3]

2	There are three different areas, A, B and C, for seating in a theatre.  The numbers of seats in each area are in the ratio A:B:C = 11:8:7.  There are 920 seats in area B.			
	(a)	(i)	Show that there are 805 seats in area C.	
			Answer(a)(i)	
		(ii)	[1] Write the number of seats in area B as a percentage of the total number of seats.	
		(11)	write the number of seats in area B as a percentage of the total number of seats.	
			Answer(a)(ii) % [2]	
	(b)	The	cost of a ticket for a seat in each area of the theatre is shown in the table.	
			Area A \$11.50	
			Area B \$15	
			Area C \$22.50	
			a concert 80% of area B tickets were sold and $\frac{3}{5}$ of area C tickets were sold. total amount of money taken from ticket sales was \$35 834.	
		Cal	culate the number of area A tickets that were sold.	
			<i>Answer(b)</i> [5]	
	(c)	The	total ticket sales of \$35 834 was 5% less than the ticket sales at the previous concert.	
		Cal	culate the ticket sales at the previous concert.	

*Answer(c)* \$...... [3]

3



A, B, C and D are points on a circle, centre O. CE is a tangent to the circle at C.

(a) Find the sizes of the following angles and give a reason for each answer.

(i)	Angle $DAC = \dots$	because	
			[2]

<b>(b)</b> <i>CE</i> =	8.9 cm and	$CB = 7 \mathrm{cm}$ .
------------------------	------------	------------------------

(i) Calculate the length of *BE*.

$$Answer(b)(i) BE = \dots cm [4]$$


(ii) Calculate angle BEC.

$$Answer(b)$$
(ii) Angle  $BEC =$  [3]

	_	and Ariven compete in a triathlon race. Dability that Yeung finishes this race is $\frac{3}{5}$ .		
The	prob	pability that Ariven finishes this race is $\frac{2}{3}$ .		
(a)	(i)	Which of them is more likely to finish this race Give a reason for your answer.	?	
		Answer(a)(i)		Γ1 <sup>-</sup>
	(ii)	Find the probability that they both finish this ra	ce.	
			Answer(a)(ii)	[2]
	(iii)	Find the probability that only one of them finish	nes this race.	
			Answer(a)(iii)	[3]

© UCLES 2014 0580/43/O/N/14

- **(b)** After the first race, **Yeung** competes in two further triathlon races.
  - (i) Complete the tree diagram.



(ii) Calculate the probability that Yeung finishes all three of his races.

(iii) Calculate the probability that Yeung finishes at least one of his races.

5

$$\mathbf{P} = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}$$

$$\mathbf{P} = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \qquad \mathbf{Q} = \begin{pmatrix} 1 & -2 \\ 0 & 1 \end{pmatrix} \qquad \mathbf{R} = \begin{pmatrix} -3 \\ 5 \end{pmatrix}$$

$$\mathbf{R} = \begin{pmatrix} -3 \\ 5 \end{pmatrix}$$

(a) Work out

(i) 4P,

Answer(a)(i)

[1]

(ii) P-Q,

Answer(a)(ii)

[1]

(iii)  $P^2$ ,

Answer(a)(iii)

[2]

(iv) QR.

*Answer(a)*(iv)

[2]

**(b)** Find the matrix **S**, so that  $QS = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$ .

*Answer(b)* 

[3]

6	(a)	Simplify.
U	(a)	omipiny.

(i) 
$$x^3 \div \frac{3}{x^5}$$

*Answer(a)*(i) ...... [1]

(ii) 
$$5xy^8 \times 3x^6y^{-5}$$

(iii) 
$$(64x^{12})^{\frac{2}{3}}$$


Answer(a)(iii) ......[2]

(b) Solve  $3x^2 - 7x - 12 = 0$ . Show your working and give your answers correct to 2 decimal places.

Answer(b) 
$$x = .....$$
 or  $x = .....$  [4]

(c) Simplify  $\frac{x^2 - 25}{x^3 - 5x^2}$ .

7



The diagram shows a triangle and a sector of a circle. In triangle ABC, AB = AC = 8 cm and angle  $BAC = 56^{\circ}$ . Sector OPQ has centre O, sector angle x and radius 6.5 cm.

(a) Show that the area of triangle ABC is  $26.5 \,\mathrm{cm}^2$  correct to 1 decimal place.

Answer(a)


[2]

- **(b)** The area of sector *OPQ* is equal to the area of triangle *ABC*.
  - (i) Calculate the sector angle x.

(ii) Calculate the perimeter of the sector *OPQ*.

Answer(b)(ii) ..... cm [3]

(c) The diagram shows a sector of a circle, radius rcm.



NOT TO SCALE

(i) Show that the area of the shaded segment is  $\frac{1}{4}r^2(\frac{1}{3}\pi - 1)$  cm<sup>2</sup>. Answer(c)(i)

[4]

(ii) The area of the segment is  $5 \text{ cm}^2$ .

Find the value of r.

$$Answer(c)(ii) r =$$
 [3]

- 8 (a) A straight line joins the points (-1, -4) and (3, 8).
  - (i) Find the midpoint of this line.


Answer	(a)	(i`	١ (	,	)	[2]	ĺ
$\alpha ns wer$	$u_{j}$	<b>(1</b>	, ,		,	4	ı

(ii) Find the equation of this line. Give your answer in the form y = mx + c.

$$Answer(a)(ii) y = \dots [3]$$

**(b) (i)** Factorise  $x^2 + 3x - 10$ .

(ii) The graph of  $y = x^2 + 3x - 10$  is sketched below.



Write down the values of a, b and c.


Answer(b)(ii) 
$$a = \dots$$

$$b = \dots$$

$$c = \dots$$
[3]

(iii) Write down the equation of the line of symmetry of the graph of  $y = x^2 + 3x - 10$ .

(c) Sketch the graph of  $y = 18 + 7x - x^2$  on the axes below. Indicate clearly the values where the graph crosses the x and y axes.



[4]

(d) (i) 
$$x^2 + 12x - 7 = (x+p)^2 - q$$

Find the value of p and the value of q.

 $Answer(d)(i) p = \dots$ 

$$q =$$
.....[3]

(ii) Write down the minimum value of y for the graph of  $y = x^2 + 12x - 7$ .

**9 (a)** Ricardo asks some motorists how many litres of fuel they use in one day. The numbers of litres, correct to the nearest litre, are shown in the table.

Number of litres	16	17	18	19	20
Number of motorists	11	10	p	4	8

(i)	For this	table	the mean	number	of litres	is 17	17

Calculate the value of *p*.

$$Answer(a)(i) p = \dots [4]$$

(ii) Find the median number of litres.

- **(b)** Manuel completed a journey of 320 km in his car. The fuel for the journey cost \$1.28 for every 6.4 km travelled.
  - (i) Calculate the cost of fuel for this journey.

(ii) When Manuel travelled 480 km in his car it used 60 litres of fuel. Manuel's car used fuel at the same rate for the journey of 320 km.

Calculate the number of litres of fuel the car used for the journey of 320 km.

(iii) Calculate the cost per litre of fuel used for the journey of 320 km.


*Answer(b)*(iii) \$......[2]

(c)	Ellie drives a car at a constant speed of 30 m/s correct to the nearest 5 m/s
	She maintains this speed for 5 minutes correct to the nearest 10 seconds.

Calculate the upper bound of the distance in **kilometres** that Ellie could have travelled.

*Answer(c)* ...... km [5]

10 (a)



(i) Write an expression, in terms of x, for the perimeter of the quadrilateral. Give your answer in its simplest form.

*Answer(a)*(i) ...... cm [2]


(ii) The perimeter of the quadrilateral is 32 cm.


Find the length of the longest side of the quadrilateral.

Answer(a)(ii) ..... cm [3]

Question 10(b) is printed on the next page.

**(b)** 





The triangle has a perimeter of 32.5 m. The quadrilateral has a perimeter of 39.75 m.

Write two equations in terms of a and b and simplify them. Use an algebraic method to find the values of a and b. Show all your working.

 $Answer(b) \ a = \dots$ 

 $b = \dots$  [6]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.