

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the May/June 2015 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/22

Paper 2 (Extended), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	22

Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfw	not from wrong working
soi	seen or implied

1	(a)	0.09	1	
	(b)	20	1	
2	(a) (i)	1	1	
	(ii)	1000	1	
	(b)	5^7	1	
3		$2\sqrt{13}$	3	M1 for $\sqrt{(-6)^2 + 4^2}$ oe A1 for $\sqrt{52}$
4	(a)	0.23, 0.3, 0.15, 0.2	2	M1 for at least 2 of $\frac{46}{200}, \frac{12}{40}, \frac{15}{100}, \frac{100}{500}$ soi
	(b)	Dieter, More throws oe	1	
	(c)	246	1	
5	(a)	(4, 4)	1	
	(b)	-2	2	M1 for clear evidence of $\frac{\text{rise}}{\text{run}}$
6		$28 + 10\sqrt{3}$ or $2(14 + 5\sqrt{3})$ final answer	2	M1 for $25 + 5\sqrt{3} + 5\sqrt{3} + \sqrt{3} \times \sqrt{3}$ or better
7		$x \geq 5.5$ or $5\frac{1}{2}$ or $\frac{11}{2}$ final answer	3	M1 for $2x + 3 \leq 4x - 8$ oe M1 FT for $3 + 8 \leq 4x - 2x$ oe
8		396π	3	M1 for $\pi \times 6^2 \times 10$ or better M1 for $\frac{1}{3} \times \pi \times 6^2 \times 3$ or better

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	22

9	$x = 3, y = -2$	4	<p>M1 for correctly equating one set of coefficients M1FT for correct method to eliminate one variable A1 for $x = 3$ or $y = -2$ If zero scored SC1 for correct substitution into one of the original equations and correct evaluation, to find the other variable</p>
10 (a)	4	1	<p>M1 for correct use of a $a \log x = \log a^x$ M1 for correct use of $\log a + \log b = \log ab$ or $\log a - \log b = \log \frac{a}{b}$</p>
(b)	1000	1	
(c)	10	3	
11 (a)	110	2	M1 for angle $DCO = 90 - 55$
(b)	55	1FT	FT $\frac{1}{2}$ their (a)
(c)	105	1	
12	F E D A	1 1 1 1	