

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the May/June 2015 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/43

Paper 4 (Extended), maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.


Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	43

Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfw	not from wrong working
soi	seen or implied

1	(a)	13 h 35 mins or 13 h 34.8 to 35 mins	3	M1 for $11585 \div 852.9$ A1 for 13.58...
	(b)	[0]7 50 oe	2	B1 for 13 50 or 17 20 or 25 50
	(c)	825 or 825.0 to 825.1...	3	B1 for 28.08... hours or $28\frac{5}{60}$ oe M1 for $23170 \div$ <i>their</i> 28.08
2	(a) (i)	Triangle (-1, 1), (-1, 2) (-3, 1)	2	SC1 for rotation 90° clockwise about (0, 0) or rotation 90° anticlockwise about another point
	(ii)	Triangle (-1, -1), (-1, -2), (-3, -1)	2FT	FT <i>their</i> (i) or SC1FT for reflection in $x = 0$
	(iii)	Reflection $y = -x$	1 1	
	(b)	Stretch [stretch factor] 3 Invariant line $x = 0$ oe	1 1 1	
3	(a) (i)	74.4[0]	2	M1 for 80×0.93 oe or SC1 for 18.4[0]
	(ii)	21.7 or 21.73 to 21.74	4	M1 for 80×0.88 oe A1 for reduction = \$4 M1A1 implied by 70.4[0] or 14.4[0] M1 for $\frac{\textit{their} \text{ reduction}}{18.4} \times 100$
	(b) (i)	132.5[0]	2	M1 for $143.1 \div 1.08$
	(ii)	2.33 or 2.332	2FT	M1 for $22 \times (1.431 - \textit{their} 1.325)$ oe


Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	43

4	(a)	$(-4, 11)$	1, 1	or M1 for $\begin{pmatrix} 2 \\ 7 \end{pmatrix} + \begin{pmatrix} -6 \\ 4 \end{pmatrix}$ or SC1 for (8, 3)
	(b)	7.21 or 7.211... or $2\sqrt{13}$	2	M1 for $\sqrt{4^2 + 6^2}$
	(c)	$y = -\frac{2}{3}x + 4$ oe	2	B1 for gradient = $-\frac{2}{3}$ or SC1 for $y = mx + 4$
	(d)	(3, 2)	1	
	(e)	$y = \frac{3}{2}x - \frac{5}{2}$ oe	3	M1 for grad = $\frac{-1}{\text{their gradient}}$ M1 for subs of <i>their</i> (d) into $y = mx + c$ oe
	(f)	Kite	1	
5	(a)	$x(40 - 2x)(30 - 2x)$ $1200 - 80x - 60x + 4x^2$	2 1	or B1 for $40 - 2x$ or $30 - 2x$ indep
	(b)		2	B1 for any cubic curve ($+x^3$) with max & min
	(c)	2.19 or 2.192... 10 22.8 or 22.80 to 22.81	1 1 1	
	(d)	22.8 would produce negative width/length	1	oe
	(e)	3030 or 3032 to 3032.3... 28.7 or 28.68 to 28.69 or 18.7 or 18.68 to 18.69	1 1	
	6	(a) (i)	$4n - 2$	2
(ii)		$(4n - 2) \times 10^{(n+1)}$ oe	1FT	<i>their</i> (a) $\times 10^{(n+1)}$
(b) (i)		$2 \times 10^{[1]}$, 2×10^{-1} , 2×10^{-3} , 2×10^{-5}	2	B1 for 2 correct or 2×10^{-3} , 2×10^{-1} , $2 \times 10^{[1]}$, 2×10^{-3}
(ii)		$(2n - 1) \times 10^{(3n-2)}$	3	B1 for $2n - 1$ B2FT for $10^{(3n-2)}$ or M1 for $10^{(n+1) - (3-2n)}$ FT dep on (a)(ii) in correct form


Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	43

7	(a)	86 [.0] or 86.03 to 86.04	2	M1 for $\frac{AB}{150} = \cos 55$ oe
	(b)	246° or 245.5 to 245.6	4	M2 for $[\cos =] \frac{120^2 + 150^2 - 235^2}{2 \times 120 \times 150}$ (120.6) or M1 for $235^2 = 120^2 + 150^2 - 2 \times 120 \times 150 \cos \theta$ M1 for 125 + <i>their</i> 120.6
	(c)	13 000 or 13 030 to 13 035	3	M2 for $\frac{1}{2} \times 150 \times \text{their} 86 \times \sin 55$ oe $+\frac{1}{2} \times 120 \times 150 \times \sin(\text{their} DAC)$ oe or M1 for 1 of above areas soi by 5283 to 5285. ... or 7746. ...
8	(a)	6.8 or 6800	2	M1 for clear evidence of midpoints used soi by figs 68
	(b)	Correct plotting 7 correct points and drawing smooth curve	5	All FTS dep on increasing curve B2 for correct cfs seen 8, 29, 60, 83, 93, 98, 100 or SC1 for correct cfs with 1 error B1FT for 7 corrects height plotted B1FT for points plotted at 5, 6, 7, 8, 9, 10, 12 B1 dep FT for smooth curve dependent on increasing and dependent on B1 for heights
	(c) (i)	10	2FT	B1 dep for 90 FT dependent on increasing curve
	(ii)	1600 to 1900	2FT	B1dep FT for 5.8 (or 5800) or 7.6 (or 7600) seen or answer 1.8 dependent on increasing curve
9	(a) (i)	$\frac{x}{x+40} = \frac{15}{20}$ oe $20x = 15x + 40 \times 15$ oe	1	Accept 600 for 40×15
	(ii)	121 or 120.9... or $15\sqrt{65}$	2	M1 for $\sqrt{120^2 + 15^2}$
	(iii)	40.3 or 40.24 to 40.35 or $5\sqrt{65}$	2FT	M1 for <i>their</i> (a)(i) $\times \frac{40}{120}$ oe

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	43

(b) (i)	38 700 or 38 740 to 38 752	3	M2 for $\frac{1}{3}\pi \times 20^2 \times 160 - \frac{1}{3}\pi \times 15^2 \times 120$ oe or M1 for either $\frac{1}{3}\pi \times 20^2 \times 160$ or $\frac{1}{3}\pi \times 15^2 \times 120$
(ii)	5140 or 5139 to 5142	4	M3FT for $\pi \times 20 \times (\text{their (a)(ii)} + \text{their(a)(iii)}) - \pi \times 15 \times (\text{their(a)(ii)}) + \pi \times 15^2$ or M2FT for $\pi \times 20 \times (\text{their (a)(ii)} + \text{their(a)(iii)}) - \pi \times 15 \times (\text{their(a)(ii)})$ or M1 for for $\pi \times 20 \times (\text{their (a)(ii)} + \text{their(a)(iii)})$ or $\pi \times 15 \times (\text{their(a)(ii)})$
10 (a)	$\frac{6}{10}, \frac{4}{10}$ oe $\frac{4}{9}, \frac{3}{9}, \frac{2}{9}$ correctly positioned twice	1 1	
(b) (i)	$\frac{18}{90}$ oe	2	M1 for $\frac{6}{10} \times \frac{3}{10}$
(ii)	$\frac{24}{90}$ oe	3	M2 for $\frac{6}{10} \times \frac{2}{9} + \frac{4}{10} \times \frac{2}{9}$ or M1 for one of above products
(iii)	$\frac{64}{90}$ oe	3	M2 for $1 - \text{their (b)(i)} - \frac{4}{10} \times \frac{3}{9}$ oe M1 for one of $\frac{6}{10} \times \frac{4}{9}, \frac{6}{10} \times \frac{2}{9}, \frac{4}{10} \times \frac{4}{9}, \frac{4}{10} \times \frac{3}{9}$
11 (a)		3	M1 Basic shape A1 RH branch cuts both +ve axes A1 asymptotes approximately right with no overlap
(b)	$x = -3$ $y = -2$	1 1	
(c)	$-2 < y \leq \frac{1}{3}$	2	May be separate, B1 for either

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	43

<p>(d)</p>  <p>(e)</p> <p>-4.75 -2.125 or -2.12 or -2.13</p>		<p>2</p> <p>1</p> <p>1</p>	<p>Correct shape B1 for reflection of any part of (a) in x-axis</p>
<p>12 (a) (i)</p> <p>(ii)</p> <p>(b) (i)</p> <p>(ii)</p> <p>(iii)</p>	<p>-2</p> <p>-7</p> <p>$6 - 6x$ oe</p> <p>$\frac{4-x}{2}$ or $2 - \frac{x}{2}$ oe</p> <p>$\frac{11-13x}{(3x-1)(4-2x)}$</p>	<p>1</p> <p>1FT</p> <p>2</p> <p>2</p> <p>3</p>	<p>B1 for $4 - 2(3x - 1)$</p> <p>B1 for $x = 4 - 2y$ or $2x + y = 4$</p> <p>M2 for $\frac{2(4-2x)-3(3x-1)}{(3x-1)(4-2x)}$</p> <p>or B1 for $2(4-2x)-3(3x-1)$</p> <p>or SC2 for $\frac{5-13x}{(3x-1)(4-2x)}$</p> <p>or M1 for common denominator $(3x-1)(4-2x)$</p>