UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/03

Paper 3 (Core), maximum raw mark 96

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

| Page 2 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – October/November 2011 | 0607 | 03 |

| 1 | (a) | 112 | 1 | |
|---|-------------|-------------------|-----|---|
| 1 | () | 112 | • | |
| | (b) | 210 | 1 | |
| | | | | |
| | (c) (i) | 2:3 | 1 | |
| | (ii) | 84 | FT2 | FT their (b) and (c)(i) |
| | | | | M1 for <i>their</i> $210 \div their 5 \times 2$ oe |
| | (iii) | 1638 | FT2 | FT their (b) and (c)(ii) |
| | | | | B1 for either <i>their</i> (c)(ii) \times 6 or <i>their</i> 126 \times 9 soi |
| 2 | (a) | 1090 | 1 | |
| | , | | | |
| | (b) | 900 | 1 | |
| | | | | |
| | (c) | 700 | 1 | |
| | | | | 2 |
| | (d) | 30 | 2 | B1 for $\frac{3}{10}$ soi |
| | | | | |
| | (e) | $\frac{6}{10}$ oe | 1 | isw |
| | (c) | 10 | • | 15 ** |
| | (f) | 050 | 1 | |
| | (f) | 950 | 1 | |
| 3 | (a) | 8x + 6 oe | 3 | B2 for $kx + 6$ or $6x + k$ or M1 for $2x - 6 + 6x + 12$ |
| | | | | |
| | (b) | 3x(x-3y) | 2 | B1 for $x(3x - 9y)$ or $3(x^2 - 3xy)$ |
| | | | | |
| | (c) | 3.5 oe | 2 | M1 for $2x = 7$ oe |
| | (4) | 12 | • | M1 C 2 × 2 - 2 - 1 - 4 |
| | (d) | 12 | 2 | M1 for $2 \times 3 - 3 \times -2$ or better |

| Page 3 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – October/November 2011 | 0607 | 03 |

| 4 | (a) | Correct sketch | 2 | B1 for smooth curve opening upwards B1 for vertex on <i>y</i> -axis above –5 |
|---|------------|---|-----|---|
| | (b) | (0,-4) | 1 | |
| | (c) | x = 0 | 1 | |
| | (d) | $(y) \ge -4 \text{ or } -4 \le y \le 5$ | 1 | isw |
| | (e) | (-2, 0) (2, 0) | 2 | B1 for each co-ordinate pair |
| | (f) | Correct sketch | 1 | Positive gradient with y-intercept above the origin |
| | (g) | (-2.21, 0.89) (-2.212., 0.8938 to 0.8939) (2.71, 3.36) (2.712, 3.356.) | 2 | B1 for any two or three co-ordinates correct |
| 5 | (a) | 150 | 2 | B1 for $\frac{3}{100}$ soi |
| | (b) | 5000×1.03^{2} or $(5000 + 150) \times \frac{3}{100} + 5150$ oe | M2 | M1 for $(5000 + 150) \times \frac{3}{100}$ |
| | (c) (i) | 5627.54 (or 5630 or 5627 to 5628) | 2 | M1 for continuing <i>their</i> sequence correctly for another year or for sight of compound interest formula |
| | (ii) | 627.54 (or 630 or 627 to 628) | FT1 | FT their (c)(i) – 5000 |
| 6 | (a) | 6x | 1 | |
| | (b) | 6x + 4y = 27 | 1 | |
| | (c) | 2x + 3y = 14 | 1 | |
| | (d) | (x) = 2.5(0) (y) = 3 | FT3 | FT their (b) and (c) M1 for elimination of one variable, condoning 1 numerical slip, or a sketch of the two straight lines. A1A1 (B1 if answers reversed in answer spaces) SC1 for answers in either order if no working seen |

| Page 4 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – October/November 2011 | 0607 | 03 |

| 7 | (a) | 20 | 1 | |
|---|---------|-----------------|-----|--|
| | (b) | 38.3 | 3 | M2 for $cos 40 = \frac{x}{50}$ oe If M0 then B1 for correct distance indicated on diagram |
| | (c) | 220° | 1 | |
| 8 | (a) | x = 140, y = 80 | 2 | B1 B1 for each angle |
| | (b) | p = 90, q = 150 | 2 | B1 B1 for each angle |
| | (c) (i) | 60 | 1 | |
| | (ii) | 120 | 1 | |
| | (iii) | 80 | 1 | |
| | (d) | 16 | 4 | M2 for $\sqrt{10^2 - 6^2}$ (M1 for $x^2 + 6^2 = 10^2$) M1ft for their $\sqrt{} \times 2$ but only if answer less than 20 |
| 9 | (a) | 150 | 1 | |
| | (b) | 130 (129 – 131) | 1 | |
| | (c) (i) | 15 | FT1 | their (a) |
| | (ii) | 64 to 66 | FT2 | their (c)(i) M1 their (a) – (c)(i) |

| Page 5 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – October/November 2011 | 0607 | 03 |

| 10 | (a) | Kite | 1 | |
|----|---------|---|-----|---|
| | (b) | Reflection, x-axis $(y = 0)$ or Rotation 180°, centre $(4, 0)$ or Enlargement scale factor -1 , centre $(4, 0)$ | 2 | B1 B1 independent B1 for 180°, B1 for centre (4, 0) B1 for scale factor -1, B1 for centre (4, 0) |
| | (c) | Translation $\begin{pmatrix} -12 \\ -10 \end{pmatrix}$ | 2 | B1 B1 independent |
| | (d) | Correct rotation | 2 | B1 for any 90° rotation with any centre |
| | (e) | Correct enlargement | 2 | B1 for any enlargement scale factor 2 |
| 11 | (a) (i) | 3 | 1 | |
| | (ii) | 4 | FT1 | 7 – their (a)(i) |
| | (b) | 24 | FT1 | 6 × their (a)(ii) |
| | (c) | 14 | FT3 | FT $\pi \times their\ 3^2$ M1 for $\pi \times their\ 3^2$ A2 or A1 for 14.13 to 14.14 SC1ft for answer to 2 significant figures if seen with more |
| | (d) | 1 330 000 (1 334 000 to 1 335 000) | FT2 | FT (their (b) + their (c)) ×35000 M1 for (their (b) + their (c)) ×35 soi |
| | (e) (i) | 20 | 2 | M1 for 35 ÷ 105 soi |
| | (ii) | 32 | FT2 | FT 52 – their (e)(i) B1 for 52 minutes seen |

| Page 6 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – October/November 2011 | 0607 | 03 |

| 12 (a) | $\frac{8}{12}$ oe (0.667 or 0.6666 to 0.6667) | 1 | |
|--------|--|-----|--|
| (b) | $\frac{7}{11}$ (0.636 or 0.6363 to 0.6364) | 2 | B1 for 7 as numerator, B1 for 11 as denominator. |
| (c) | $\begin{array}{ c c c c c c c c c c c c c c c c c c c$ | FT2 | their (a) and their (b) B1 for any one correct pair |
| (d) | $\frac{64}{132}$ oe (0.485 or 0.4848) | FT3 | M1 for one (<i>their</i>) correct pair multiplied M1 for addition of two fractions |