

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME			
	CENTRE NUMBER		CANDIDATE NUMBER	
* 3		NTERNATIONAL MATHEMATICS	0607/23	
8 1 6	Paper 2 (Extend		October/November 2014	
8 6 9			45 minutes	
7	Candidates ans	wer on the Question Paper.		
3 3	Additional Mater	rials: Geometrical Instruments		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, glue or correction fluid.

You may use an HB pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets $\left[\ \right]$ at the end of each question or part question.

The total number of marks for this paper is 40.

This document consists of 8 printed pages.

Formula List

For the equation	$ax^2 + bx + c = 0$	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Curved surface area, A, of cylin	nder of radius r, height h.	$A = 2\pi rh$
Curved surface area, A, of cone	e of radius r, sloping edge l.	$A = \pi r l$
Curved surface area, A, of sphe	ere of radius <i>r</i> .	$A = 4\pi r^2$
Volume, V , of pyramid, base an	rea A , height h .	$V=\frac{1}{3}Ah$
Volume, V , of cylinder of radiu	as r, height h.	$V = \pi r^2 h$
Volume, V , of cone of radius r ,	, height <i>h</i> .	$V = \frac{1}{3}\pi r^2 h$
Volume, <i>V</i> , of sphere of radius	Γ.	$V = \frac{4}{3}\pi r^3$
\bigwedge^A		$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$
		$a^2 = b^2 + c^2 - 2bc \cos A$
		Area = $\frac{1}{2}bc\sin A$
B a	\longrightarrow_C	

© UCLES 2014

Answer **all** the questions.

1	Her	Here are the first five terms of a sequence.									
			3	7	11	15	19				
	(a)	Write down the next	term.								
						Ansv	wer(a)		[1]		
	(b)	Find the <i>n</i> th term of	the sec	luence.							

Answer(b) [2]

2 Solve these equations.

(a) $\frac{x}{5} + 7 = 3$

Answer(a) x = [2]

(b) 7(x+3) - 2(x+4) = 10

Answer(b) x = [3]

3 Estimate the value of this calculation.

$$\frac{8.89 \times 61.3}{8.3 + 11.86}$$

Show clearly the values you use.

Answer [3]

4 (a) Simplify $25^{-\frac{3}{2}}$, giving your answer as a fraction.

Answer(a) [2]

(b) Simplify.

(i) $(x^3)^4$


Answer(b)(i) [1]

(ii)
$$\sqrt{\frac{x^{10}}{x^4}}$$


Answer(b)(ii) [2]

5 In the Venn diagram, show the sets *A*, *B* and *C* so that

 $A \cup B = A, \ B \cap C = \emptyset \text{ and } A \cap C \neq \emptyset.$



[3]



AB = 5 cm, BC = 12 cm and angle $ABC = 90^{\circ}$. BCD is a straight line.

Find

6

(a) $\tan x^{\circ}$,

Answer(a) [1]

(b) $\cos y^{\circ}$.

Answer(b) [3]

7 Factorise completely.

(a)
$$3x^2 - 75y^2$$

Answer(a) [2]

(b) 15ap + 10bp - 9a - 6b

Answer(b) [2]

$$\mathbf{8} \quad \mathbf{i} = \begin{pmatrix} 1 \\ 0 \end{pmatrix} \qquad \mathbf{j} = \begin{pmatrix} 0 \\ 1 \end{pmatrix} \qquad \mathbf{a} = \begin{pmatrix} 4 \\ -6 \end{pmatrix}$$

(a) $\mathbf{a} = p\mathbf{i} + q\mathbf{j}$


Find the values of p and q.

Answer(a) p = [2]

(b) Calculate $|\mathbf{a}|$, giving your answer in the form $m\sqrt{n}$ where m and n are prime numbers.

Answer(b) [3]

https://xtremepape.rs/



7

B, *D* and *P* are points on the circumference of a circle, centre *O*. *TBA* and *TDC* are tangents to the circle. *DP* is a diameter and angle $BTD = 40^{\circ}$.

Find the size of angle *ABP*.

Answer [2]

Question 10 is printed on the next page.

9

- **10** f(x) = 2x + 3 g(x) = 5 3x
 - (a) Find g(x) when f(x) = 11.

Answer(a) [2]

(b) Find and simplify an expression for f(g(x)).

Answer(b) [2]

(c) Find $g^{-1}(x)$.

Answer(c) $g^{-1}(x) =$ [2]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.