

# **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education

### **CAMBRIDGE INTERNATIONAL MATHEMATICS**

0607/41

Paper 4 (Extended)

October/November 2017

MARK SCHEME
Maximum Mark: 120

## **Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

 ${\rm \rlap{R}\hskip-1pt B}$  IGCSE is a registered trademark.

Cambridge Assessment
International Education

[Turn over

© UCLES 2017

# October/November 2017

### MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

## Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

### **Abbreviations**

awrt answers which round to cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working nfww not from wrong working

oe or equivalent

rot rounded or truncated

SC Special Case soi seen or implied

© UCLES 2017 Page 2 of 7

Question	Answer	Marks	Partial Marks
1(a)(i)	18	1	
1(a)(ii)	10	1	
1(a)(iii)	12.5 cao	1	
1(a)(iv)	13.25	1	
1(a)(v)	6.5 nfww	2	<b>B1</b> for 17 or 10.5 seen
1(b)	It is the largest oe	1	
2(a)	3167.94	3	<b>M2</b> for $3000 \times 1.025 \times 1.015^2$ oe or <b>M1</b> for $3000 \times 1.025 \ [\times k^n]$ soi by 3075 or for $3000 \times 0.025$ soi by 75
2(b)	3144	3	M2 for $3000 \times 0.016 \times 3 + 3000$ oe or M1 for $3000 \times 0.016 \times 3$ soi by 144 or for $3000 \times 0.016 \times n + 3000$ , $n > 1$
2(c)	$\log\left(\frac{3500}{3000 \times 1.025}\right) \div \log 1.015 \text{ oe}$	M2	or <b>M1</b> for $3000 \times 1.025 \times 1.015^n = 3500$ implied by at least two correct attempts with $n > 2$ , $n$ integer
	$3000 \times 0.016 \times n + 3000 = 3500$ oe or $3000 \times 0.016 \times n = 500$ oe	M1	
	9.7[0] or 9.695 and 10.4 or 10.41 to 10.42 oe	A1	A1 depends on corresponding years
3(a)	4, 10, 18, 28	2	<b>B1</b> for any 2 in correct position or 0, 4, 10, 18
3(b)(i)	13, 15	1	
3(b)(ii)	2n+3 oe	2	<b>B1</b> for $2n \ [+c]$ , or $kn + 3$ , $k \neq 0$
3(c)	$n^2 + 7n + 6$ or $(n + 6)(n + 1)$	2	M1 for 2 their $(2n + 3) + n^2 + 3n$ or 2nd differences = 2, 2, [2] and quadratic or correct unsimplified
4(a)	6 points correctly plotted	2	± small square, <b>B1</b> for 4 or 5 points correct.
4(b)	Positive	1	
4(c)(i)	10.6x + 5.7[0]	2	or $a = 10.57, b = 5.702$ <b>B1</b> for $y = ax + b$ with either $a$ or $b$ correct. <b>SC1</b> for $11x + 5.7$
4(c)(ii)	29[.0] or 28.95 to 29.02	1	Strict <b>FT</b> (their $10.6 \times 2.2$ ) + their $5.7$
4(c)(iii)	[Too far] outside range of data oe	1	

Question	Answer	Marks	Partial Marks
5(a)	$\frac{45}{360} \times 2\pi \times 22.5 = 2\pi r$ or $\frac{45}{360} \times \pi \times 22.5^2 = \pi \times r \times 22.5$	M2	or M1 for $\frac{45}{360} \times 2\pi \times 22.5$ or $\frac{45}{360} \times \pi \times 22.5^2$
	2.812 to 2.813	A1	
5(b)	241 or 240.7 to 241.0	5	M3 for $\frac{45}{360} \times \pi (32.5^2 - 22.5^2)$ oe or M2 for $\frac{45}{360} \times \pi \times 32.5^2$ or $\frac{45}{360} \times \pi \times 22.5^2$ and M1 for $\pi \times 2.81^2$
5(c)	963 or 964 or 962.8 to 963.6	2	FT their (b) × 4  B1 for length scale factor = 2, $\sqrt[3]{8}$ , $\frac{1}{2}$ soi, or area factor = $2^2$ oe
6(a)	Translation $\begin{pmatrix} -5 \\ 6 \end{pmatrix}$	2	B1 for each
6(b)	Triangle at (2, 6), (3, 6), (2, 12)	2	<b>B1</b> for any stretch with x-axis invariant or stretch with scale factor 3 and $y = k$ invariant or stretch with y-axis invariant, s.f. = 3
6(c)	90° [anti-clockwise] or 270° clockwise Centre $(a, a + 1)$ x = a + 3 OR 90° clockwise or 270° [anticlockwise] Centre $(b + 5, b)$ y = b + 3	3	B1 for each  Dep on 90° anti-clockwise or 270° clockwise  Dep on previous mark  If 0 scored, SC1 for centre $(a, a + 1)$ and $x = a + 3$ OR  B1 for each  Dep on 90° clockwise or 270° anti-clockwise  Dep on previous mark  If 0 scored, SC1 for centre $(b + 5, b)$ and $y = b + 3$
7(a)	192.5	3	<b>B1</b> for 2.75 oe <b>M1</b> for 70 × <i>their</i> 2.75

Question	Answer	Marks	Partial Marks
7(b)(i)	69.4 or 69.36 to 69.41	4	M1 for $180 \div 85$ A1 for $2.12$ or $2.117$ or $\frac{36}{17}$ oe M1dep for <i>their</i> total distance $\div$ <i>their</i> total time (dependent on first M1)
7(b)(ii)	04 12[]	2	M1 for correctly converting <i>their</i> total time to hours and minutes. or B1 for 02 05 seen or total time = 5h 22min or 322 min
8(a)	300°	3	<b>B1</b> for <i>ABN'</i> = 150 or <i>ABS'</i> = 30 <b>B1</b> for <i>N'BC</i> = 120 or <i>CBS'</i> = 60 OR <b>B1</b> for <i>ACB</i> = 35 <b>B1</b> for <i>N'CB</i> = 60
8(b)	$\frac{60}{\cos 55}$ oe	M2	or <b>M1</b> for $\cos 55 = \frac{60}{AC}$ oe
	104.60 to 104.62	A1	
8(c)	9780 or 9776 to 9782	6	<b>B1</b> for angle $ADC = 41$ <b>M2</b> for $[AD=] \frac{104.6 \sin 76}{\sin(their 41)}$ (154.7) or <b>M1</b> for $\frac{104.6}{\sin(their 41)} = \frac{AD}{\sin 76}$ <b>M1</b> for $\frac{1}{2} \times 60 \times 104.6 \times \sin 55$ oe <b>M1</b> for $\frac{1}{2} \times 104.6 \times their AD \times \sin 63$ oe
8(d)	93.2 or 93.16 to 93.23	2	<b>M1</b> for 104.6 × sin 63 oe
9(a)	$\frac{3}{8}$ , $\frac{5}{8}$ correctly placed $\frac{2}{7}$ , $\frac{5}{7}$ correctly placed $\frac{6}{9}$ , $\frac{3}{9}$ correctly placed	3	B1 for each pair
9(b)(i)	$\frac{6}{56}$ oe	2	M1 for their $\frac{3}{8} \times$ their $\frac{2}{7}$
9(b)(ii)	$\frac{115}{168}$ oe	3	M2 for their $\frac{3}{8} \times their \frac{5}{7} + their \frac{5}{8}$ $\times their \frac{6}{9}$ oe or M1 for 1 of above products

Question	Answer	Marks	Partial Marks
10(a)	8 - 3x final answer	1	
10(b)(i)	$x^2 + (their (8 - 3x))^2 = 25$	M1	
	$64 - 24x - 24x + 9x^2$	B1	or <i>their</i> $(8-3x)^2$ expanded correctly
	Completion to $10x^2 - 48x + 39 = 0$	A1	
10(b)(ii)	(1.04 or 1.036, 4.88 to 4.89) with working (3.76 or 3.763 to 3.764, –3.29 to –3.28) with working	5	M1 for $\frac{48 \pm \sqrt{(-48)^2 - 4(10)(39)}}{2 \times 10}$ or sketch of parabola with both zeros > 0 or sketch of circle centre $O$ with straight line B1 for each $x$ co-ordinate B1 for each $y$ co-ordinate or B1, B1 for correct pairs reversed
11(a)	Correct sketch  10 y 8 6 4 2 2 4 6 6	3	B1 for each branch
11(b)	(-0.93[0], -0.252) or (-0.9303, 0.2521)	2	B1 for each co-ordinate
11(c)	x = -2 final answer x = 3 final answer	2	B1 for each
11(d)(i)	-2.12 or -2.117 -0.747 or -0.7465 2.53 or 2.530 to 2.531	3	B1 for each
11(d)(ii)	$   \begin{array}{r}     x < -2.12 \\     -2 < x < -0.747 \\     2.53 < x < 3   \end{array} $	3	FT B1 for each only if three answers in (i) and asymptotes used
12(a)	-2	2	M1 for $-3x = 11 - 5$ oe
12(b)	$\frac{5-x}{3}$ oe final answer	2	M1 for $3x = 5 - y$ or $x = 5 - 3y$ or $y - 5 = -3x$ or $\frac{y}{5} = \frac{5}{3} - x$ or better
12(c)	$\frac{5}{3}$ oe $-\frac{3}{2}$ oe final answers	2	B1 for each

Question	Answer	Marks	Partial Marks
12(d)(i)	x	1	
12(d)(ii)	11x - 7	3	M2 for $5 - 3(5 - 3x) + 2x + 3$ or M1 for $5 - 3(5 - 3x)$
12(d)(iii)	$\frac{26-8x}{(5-3x)(2x+3)}$ final answer	3	M1 for $2(2x+3)+4(5-3x)$ oe M1 for common denominator (5-3x)(2x+3)
13(a)(i)	$\mathbf{c} - \mathbf{a}$ oe	1	
13(a)(ii)	$\frac{2}{3}\mathbf{a} + \frac{1}{3}\mathbf{c} \text{ or } \frac{1}{3}(2\mathbf{a} + \mathbf{c})$	2	<b>B1</b> for correct unsimplified or correct route e.g. $\mathbf{c} + \frac{2}{3}\overrightarrow{CA}$ or $\mathbf{a} + \frac{1}{3}$ their (i)
13(a)(iii)	2 <b>a</b>	2	<b>B1</b> for correct unsimplified or correct route e.g. $-\mathbf{c} + 3 \times their$ (ii)
13(b)	Collinear oe	1	