

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/43

Paper 4 (Extended)

October/November 2017

MARK SCHEME
Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

 ${\rm \rlap{R}\hskip-1pt B}$ IGCSE is a registered trademark.

Cambridge Assessment
International Education

[Turn over

© UCLES 2017

Cambridge IGCSE – Mark Scheme

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy A marks to be given, the associated Method mark must be earned or implied.
- В Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

answers which round to awrt correct answer only cao

dep dependent

follow through after error FT ignore subsequent working isw not from wrong working nfww

or equivalent oe

rounded or truncated rot

Special Case SC seen or implied soi

© UCLES 2017 Page 2 of 7

| Question | Answer | Marks | Partial Marks |
|----------|--|-------|--|
| 1(a)(i) | 10 | 1 | |
| 1(a)(ii) | 0.1 | 1 | |
| 1(b) | 5 | 2 | M1 for $g(5) = 0.2$ oe |
| 1(c) | 0 and –4 nfww | 3 | M1 for h(x) = 4 or $3(x+2)^2 - 2[=10]$ B1 for $(x+2)^2 = 4$ oe or $3x^2 + 12x = 0$ oe |
| 1(d) | $\frac{1}{9x^2}$ or $\frac{1}{(3x)^2}$ oe final answer | 2 | M1 for $(3x-2+2)^2$ |
| 2(a) | 88, 181.5, 110 | 5 | B4 for any two correct or all three correct values seen OR M1 for converting times to same units |
| | | | e.g. $160:330:200$ M2 for correct method to find any part e.g. $\frac{their 160 \text{ or } 330 \text{ or } 200}{their 690} \times 379.5$ oe or M1 for correct use of total e.g. $\frac{379.5}{their 690}$ soi 0.55 A1 for any one value correct, correctly placed |
| 2(b)(i) | 66.69 | 2 | M1 for 70.2×0.95 oe |
| 2(b)(ii) | 65[.00] cao | 3 | M2 for $\frac{70.2}{1.08}$ oe or M1 for $70.2 = 108\%$ soi |
| 2(c)(i) | $450 \times \frac{3.5}{100} [\times 5]$ or $5 \times \frac{3.5}{100} [\times 450]$ or better | M1 | |
| | $450 + 450 \times 5 \times \frac{3.5}{100}$ leading to $450 + 78.75$ or better. | A1 | i.e. full and correct conclusion to $450 + 78.75$ [= 528.75] |
| 2(c)(ii) | 3.35 or 3.350 | 3 | M2 for $\sqrt[5]{\frac{530.6}{450}}$ or M1 for $450 \times []^5 = 530.6$ oe |
| 3(a)(i) | Points correctly plotted | 2 | B1 for 2 or 3 correct points |
| 3(a)(ii) | Negative | 1 | |

| Question | Answer | Marks | Partial Marks |
|-----------|----------------------------------|-------|--|
| 3(b)(i) | 8 | 1 | |
| 3(b)(ii) | 18.3 or 18.33 or $18\frac{1}{3}$ | 1 | |
| 3(c)(i) | y = 97[.0] - 9.84x | 2 | or 97.02 and -9.836 B1 for 97[.0] + kx , or $a - 9.84x$, If 0 scored SC1 for 97 – 9.8 x |
| 3(c)(ii) | 21.2 to 21.3 or 21 | 1 | Strict FT <i>their</i> (c)(i) provided a linear expression |
| 4(a) | 171 cao nfww | 3 | B2 for 171.25 or 171.3 or M2 for complete method with 1 numerical error or M1 for at least 3 mid-pts (60, 135, 165, 195, 230, 275) soi |
| 4(b) | $\frac{44}{595}$ cao | 3 | B2 for $\frac{1056}{14280}$ oe accept 0.0739 or 0.07394 to 0.07395 or M1 for $\frac{33}{120} \times \frac{32}{119}$ |
| 4(c)(i) | 0.1, 0.9, 1.1, 0.5, 0.7, [0.1] | 2 | B1 for 3 or 4 correct |
| 4(c)(ii) | Correct histogram | 4 | B1 for suitable scale B1 for correct column widths B1FT for 4 or more correct heights |
| 5(a)(i) | -6 p + 6 q oe | 1 | |
| 5(a)(ii) | $-2\mathbf{p} + 2\mathbf{q}$ oe | 2 | FT their (a)(i) ÷ 3 provided in form ap +bq B1 for $-2\mathbf{p} + k\mathbf{q}$ or for $k\mathbf{p} + 2\mathbf{q}$ M1 for $\overrightarrow{AD} = 2\mathbf{p}$ oe or $\overrightarrow{AE} = 2\mathbf{q}$ or correct route |
| 5(a)(iii) | 4p cao | 1 | |
| 5(a)(iv) | −6 p +2 q oe | 2 | B1 for $-6\mathbf{p} + k\mathbf{q}$ or for $k\mathbf{p} + 2\mathbf{q}$ M1 for a correct route |
| 5(b)(i) | 216 | 2 | M1 for $\left(\frac{1}{3}\right)^2$ or 3^2 oe soi |
| 5(b)(ii) | 96 | 3 | M2 for $\left(\frac{1}{2}\right)^2$ or 2^2 oe soi or M1 for triangle <i>EFC</i> is similar to triangle <i>EDA</i> soi |

| Question | Answer | Marks | Partial Marks |
|----------|----------------------------------|-------|---|
| 6(a) | 192 | 2 | M1 for $\frac{1}{3} \times (\sqrt{72})^2 \times 8$ oe |
| | cm ³ | 1 | |
| 6(b) | 12 | 2 | M1 for $(\sqrt{72})^2 + (\sqrt{72})^2$ oe |
| 6(c) | 10 | 3 | M2 for $8^2 + (0.5 their (b))^2$ or M1 for [PD oe =] $0.5 \times their (b)$ |
| (d) | 53.1 or 53.13 | 2 | M1 for tan = $\frac{8}{0.5 \times their(b)}$ or $sin = \frac{8}{their(c)}$ or $cos = \frac{0.5 \times their(b)}{their(c)}$ |
| 6(e)(i) | $\sqrt{82}$ or 9.06 or 9.055 | 3 | M2 for $8^2 + (0.5 \times \sqrt{72})^2$ or $(their (c))^2 - (0.5 \times \sqrt{72})^2$ or M1 for $(0.5 \times \sqrt{72})^2$ |
| 6(e)(ii) | 62.1 or 62[.0] or 62.00 to 62.10 | 2 | $\mathbf{M1} \text{ for } \tan = \frac{8}{0.5 \times \sqrt{72}} \text{ oe}$ |
| 6(f) | 4 cao | 3 | M2 for $\sqrt[3]{\frac{24}{their(a)}}$ or $\sqrt[3]{\frac{their(a)}{24}}$ soi by 2 or $\frac{1}{2}$ or M1 for $\frac{24}{their(a)}$ or $\frac{their(a)}{24}$ soi by 8 or $\frac{1}{8}$ |
| 7(a) | 6810 or 6806 to 6808 | 3 | M2 for $\frac{1}{2} \times \frac{4}{3} \pi (15^3 - 5^3)$ or M1 for either $[\frac{1}{2} \times] \frac{4}{3} \pi \times 15^3$ or $[\frac{1}{2} \times] \frac{4}{3} \pi \times 5^3$ |
| 7(b) | 2200 or 2199 | 5 | M4 for $2 \times \pi \times 5^2 + 2 \times \pi \times 15^2 + \pi \times (15^2 - 5^2)$ or M1 for each term |
| 8(a) | (-1, 5) | 2 | B1 for each |
| 8(b) | (-1, -5) | 2 | B1 for each |
| 8(c) | Reflection y-axis oe | 2 | B1 for each |
| 9(a)(i) | Correct graph | 2 | B1 for correct shape with a max |

| Question | Answer | Marks | Partial Marks |
|-----------|--|-------|---|
| 9(a)(ii) | (0, 10) (3.7[0], 0) or (3.701 to 3.702, 0) | 2 | B1 for each |
| 9(a)(iii) | 3.54 or 3.541 | 1 | |
| 9(b)(i) | Correct graph | 2 | B1 for correct shape with a min |
| 9(b)(ii) | (1.47, 0.488) or (1.473 to 1.474, 0.4877) | 2 | B1 for each |
| 9(b)(iii) | 0.0982 or 0.09819 to 0.09820 and 2.98 or 2.975 or 2.976 | 2 | B1 for each |
| 9(b)(iv) | 1.1[0] or 1.098 3.98 or 3.975 to 3.976 | 2 | FT their (iii) + 1 B1 for each |
| 10(a) | appropriate sketch giving one positive and one negative answer or fully correct use of formula | M2 | M1 for sketch of parabola or parabola and straight line or $\sqrt{3^2 - 4(4)(-12)}$ or $\frac{-3 \pm \sqrt{\dots}}{2(4)}$ oe |
| | 1.4[0] and –2.15 final answers | B2 | B1 for each If 0 scored B1 for 1.397 and –2.147 or SC1 for 2.15 and –1.4[0] |
| 10(b) | x > 1.40 and $x < -2.15$ | 2 | FT $[x] > their \max(a), [x] < their \min(a)$ B1 for each |
| 10(c) | $-1.75 \leqslant x \leqslant 1$ nfww | 4 | B3 for 1, -1.75 oe B2 for 1 inequality correct B1 for 1 correct value seen or M2 for appropriate sketch or correct factorising or correct use of formula or M1 for $4x^2 + 3x - 7 \le 0$ |
| 11(a) | [$x = $] 5 [$y = $] 2 with correct working | 4 | M1 for correctly equating one set of coefficients M1 for correct method to eliminate one variable OR M1 for equation x = or y = from one equation M1 for correct substitution into other equation B1 for x = 5 B1 for y = 2 If zero scored SC1 for correct subst into one of original equs and evaluation to find other variable |
| 10(b) | [a =] 10 [b =] 4 | 2 | B1 for each FT their (a) × 2 |

| Question | Answer | Marks | Partial Marks |
|-----------|--|-------|---|
| 10(c)(i) | [$p = $] log 5 and [$q = $] log 2 Final answers | 3 | B2 FT <i>their</i> (a) for either seen or B1 FT for each correct decimal answer 0.699 or 0.6989 to 0.6990 0.301 or 0.3010 or M1 for $10^p = their 5$ or $10^q = their 2$ |
| 10(c)(ii) | 1 cao | 1 | |

Page 7 of 7