

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

PHYSICAL SCIENCE 0652/11

Paper 1 Multiple Choice October/November 2012

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

This document consists of 13 printed pages and 1 plank



1 Which diagram shows the arrangement of particles in a liquid?



- 2 Which method can be used to obtain crystals from aqueous copper(II) sulfate?
 - **A** diluting
 - **B** dissolving
 - **C** evaporating
 - **D** stirring
- 3 Statements 1, 2 and 3 are about diamond and graphite.
 - 1 They are different solid forms of the same element.
 - 2 They each conduct electricity.
 - 3 They have atoms that form four equally strong bonds.

Which statements are correct?

- A 1 only
- **B** 3 only
- **C** 1 and 3
- **D** 2 and 3
- 4 What is different for isotopes of the same element?
 - A number of electrons
 - B number of full shells
 - C number of nucleons
 - **D** number of protons
- 5 Which compound has the largest relative molecular mass, M_r ?
 - $A CO_2$
- B NO₂
- C SiO₂
- D SO_2

© UCLES 2012 0652/11/O/N/12

6 The equation below shows the reaction that occurs when hematite is heated with carbon.

process X

hematite + carbon
$$\longrightarrow$$
 iron + carbon dioxide

 $2Fe_2O_3 + 3C$
 $4Fe + 3CO_2$

What is the chemical name of hematite and what is process X?

	chemical name	process X
Α	iron(II) oxide	oxidation
В	iron(II) oxide	reduction
С	iron(III) oxide	oxidation
D	iron(III) oxide	reduction

7 Magnesium reacts with acids to produce hydrogen gas.

Under which set of conditions is hydrogen produced most slowly?

	magnesium	acid	temperature/°C
Α	ribbon	concentrated	40
В	ribbon	dilute	20
С	powder	concentrated	40
D	powder	dilute	20

8 The chart shows the colour of Universal Indicator at different pH values.

colour	red			orange green						l	violet				
рН	1		2	3	4	5	6	7	8	9	10	11	12	13	14

Lemon juice contains citric acid which is only slightly acidic.

What colour does lemon juice give with Universal Indicator?

- A blue
- **B** green
- **C** orange
- **D** red


9 Aqueous ammonia is added to a solution of a metal sulfate.

A green precipitate forms that is insoluble in excess of the aqueous ammonia.

Which metal ion is present?

- A Cu²⁺
- **B** Fe^{2+} **C** Fe^{3+}
- **D** Zn²⁺

10 The position of an element, X, in the Periodic Table is shown.



Which correctly describes X?

	density (g/dm³)	melting point (°C)
Α	0.97	98
В	1.96	119
С	3.12	– 7
D	8.90	1455

11 Metal M is formed when its oxide is heated with carbon.

Which deductions from this information are correct?


- 1 M is similar in reactivity to iron.
- 2 M is more reactive than potassium.
- 3 The oxide of M is acidic.
- 1 only
- **B** 1 and 3 only **C** 2 only **D** 2 and 3 only

12 Copper, iron and zinc are all used to make things.

Which of these three metals are also used in the form of alloys?

	copper	iron	zinc
Α	✓	✓	✓
В	✓	✓	X
С	X	✓	✓
D	X	X	✓

13 Which stage is **not** used to obtain the public supply of drinking water from polluted water?




14 In some reactions, carbon dioxide and water are both formed.

For which examples below is this statement correct?

- 1 burning of coal
- 2 reaction between an acid and a carbonate
- 3 respiration
- **A** 1 and 2 only **B** 1, 2 and 3 **C** 1 and 3 only **D** 2 and 3 only

15 The diagram shows the pH range of soil in which a certain plant grows well.




The plant is to be grown in a field with a soil pH of 6.

What can be added to the soil to make the pH suitable?

- A lime
- **B** litmus
- C nitric acid
- D sodium chloride

16 Which structure is **not** correct?





- 17 Three carbon-containing fuels are listed below.
 - 1 coal
 - 2 natural gas
 - 3 petroleum

Which of these fuels are classified as 'fossil fuels' and which are fractionally distilled?


	fossil fuels	fractionally distilled
Α	1, 2 and 3	1 and 3 only
В	1, 2 and 3	3 only
С	1 and 3 only	1 and 3 only
D	1 and 3 only	3 only

18 Which two substances are in the same homologous series?







19 Which compound is the monomer used to make poly(ethene)?



20 Which molecular structure shows an alcohol?



21 A student uses two blocks and a ruler to find the radius of a ball.




What is the radius of the ball?

- **A** 0.5 cm
- **B** 1.0 cm
- C 2.0 cm
- **D** 3.0 cm

22 Three balls made of different materials are dropped from a bench.








Which balls fall with the same acceleration?

- A aluminium and lead only
- **B** aluminium and wood only
- **C** lead and wood only
- **D** aluminium, lead and wood

23 The speed/time graph shown is for a bus as it travels from one bus stop to the next.




How far apart are the two bus stops?


- **A** 120 m
- **B** 600 m
- **C** 780 m
- **D** 960 m

24 What is the unit of weight?

- A joule
- **B** kilogram
- C newton
- **D** watt

25 The diagrams show a rectangular box empty and filled with liquid.





total mass = 300 g

The box has a mass of 60 g when empty. When filled with a liquid, the total mass of the box and the liquid is 300 g. The density of the liquid is 1.2 g/cm³.

What is the volume of the liquid in the box?

- 50 cm³ Α
- 200 cm³ В
- 250 cm³ C
- 300 cm³ D

26 Which property of an object **cannot** be changed by a force?

- its mass
- В its motion
- C its shape
- D its size

27 Which energy source stores gravitational energy?

- Α coal
- В geothermal
- hydroelectric
- D nuclear


28 A car starts from rest and climbs a hill.

At the top of the hill, the car has gained 200 000 J of gravitational energy and 25 000 J of energy of motion. The thermal energy of the car and the surroundings has increased by 100 000 J.

How much chemical energy is used by the car?


- 125 000 J
- **B** 225 000 J
- **C** 300 000 J
- **D** 325 000 J

- 29 Which process involves convection?
 - A bread toasting under a grill
 - **B** heat energy passing through a copper bar
 - C heat from the Sun warming a road surface
 - **D** hot air rising to the top of a cool room
- 30 Which diagram represents the reflection of water waves?




31 A small object P is placed in front of a plane mirror as shown.

Where is the image of P formed?




32 A ray of light strikes a plane mirror and reflects. The angle between the ray of light and the mirror is 20°.



What is the size of the angle of reflection?


- **A** 20°
- **B** 70°
- **C** 140°
- **D** 160°
- 33 What is the approximate range of frequencies that can be heard by the human ear?
 - **A** 1 Hz to 1000 Hz
 - **B** 1 kHz to 1000 kHz
 - C 20 Hz to 20 000 Hz
 - **D** 20 kHz to 20 000 kHz
- 34 An aluminium bar is suspended near the north pole of a magnet.



What happens to the aluminium bar?

- **A** A north pole forms at X and the bar is attracted.
- **B** A north pole forms at X and the bar is repelled.
- **C** A south pole forms at X and the bar is attracted.
- **D** No pole forms at X and the bar is not affected.


35 An electric circuit contains a battery connected to a resistor.



Which values of electromotive force (e.m.f.) and resistance will produce the largest current?

	e.m.f./V	resistance/ Ω
Α	3	5
В	3	10
С	12	40
D	12	80

36 A 20Ω resistor and a 10Ω resistor are connected in parallel.



What is their combined resistance?

- **A** less than 10Ω
- **B** 10Ω
- \mathbf{C} 20 Ω
- **D** more than 20Ω
- 37 The live, neutral and earth wires inside a mains lead are each covered by plastic insulation.


What is one purpose of the plastic?


- A It increases the resistance of the wires.
- **B** It makes the wires stronger.
- **C** It stops current passing between the wires.
- **D** It stops heat escaping from the wires.


38 The diagrams show patterns which you might see on the screen of a cathode-ray oscilloscope.

Which pattern would appear if an alternating potential difference is applied to the Y-plates, with the time-base switched off?


A _____







39 The graph shows the decay curve for one particular radioactive isotope.



What is the half-life of this nuclide?

- **A** 1.0 day
- **B** 1.5 days
- **C** 2.0 days
- **D** 2.5 days

40 A radium nuclide is represented by ${}^{226}_{88}$ Ra.

How many nucleons are there in this nuclide?

- **A** 88
- **B** 138
- **C** 226
- **D** 314

© UCLES 2012

0652/11/O/N/12

BLANK PAGE

© UCLES 2012 0652/11/O/N/12

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	20 Neon 10 A 40	Ar Argon	8 7	Krypton 36	131	×	xenon 54		R	Kadon 86			175	Lutetium 71		בֿ	Lawrencium
	II/		19 Fluorine		® ¤	Bromine 35	127	H	fodine 53		¥	Astatine 85			173 X	E			Nobelium
			16 Oxygen	Sulfur 16	% Se	Selenium 34	128	e F	52 5			Polonium 84 8			169 T	_			Mendelevium
	>		Nitrogen 8	Phosphorus		Arsenic 3	122	Sp.	Anumony 51	509	Ö	Bismuth 83 8			167 Er	_			Fermium
	2		Carbon 6	Silicon		Germanium 32		Sn		207	Рр	82 Lead 8			165 H				Einsteinium
	=			Auminium		Gallium 31	115	u	49	204	1_	Thallium 81			162	Ę			Californium
		'			Sp Zn	Zinc 30	112	ဦဒ	Cadmium 48	201	Ε̈́	Mercury 80			159 H	_			Berkelium
					C 64	Copper 29	108	Ag		197	Αn	Gold 79			157 Gd	Gadolinium 64			Curium
Group					⁶⁹ Z	Nickel 28	106	Pd	Palladium 46	195	Ŧ	Platinum 78			152 Fu	Europium 63		Am	Americium
Ş					ී දි	Cobalt 27	103	돈	knodium 45	192	Ä	Iridium 77			150 SR	Samarium 62		Pu	Plutonium
		1 Hydrogen			56 He	Iron 26	101	R.	Kumenium 44	190	s O	Osmium 76			P	Promethium 61		d V	Neptunium
					S5 Mn	Manganese 25		ဥ	ecnnetium 43	186	Re	Khenium 75			4 Z	Neodymium 60	238	D	Uranium
					ن د	Chromium 24	96		Woiybaenum 42	184	>	T4			141 P	Praseodymium 59			Protactinium
					51	Vanadium 23	93	S N	Niobium 41	181	Та	Tantalum 73			140 G	Cerium 58	232	H	Thorium
					48	Titanium 22	91	Ż	Zirconium 40	178	Ξ	Hamium 72					nic mass	lod	nic) number
					Sc	Scandium 21	89	> ,	39 rtmum	139	La	Lanthanum 57 *	227 Ac	Adinium 89	series .	series	a = relative atomic mass	X = atomic symbol	b = proton (atomic) number
	=		Be Beryllium 4	Mg Magnesium	0 PQ	Calcium 20	88	ัง	Strontium 38	137	Ва	Barium 56	226 Ra	Radium 88	*58-71 Lanthanoid series	190-103 Actinoid series	а	×	<u>q</u>
	_		7 Lithium 3	Sodium Sodium	® ×	Potassium 19	85	요	Kubidium 37	133	S	Caesium 55	ŗ	Francium 87	*58-71 L	190-103		Key	q

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.