

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

## 9 8 8 8 1 1 2 7 6 2

PHYSICAL SCIENCE

0652/31

Paper 3 (Extended)

October/November 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of 20 printed pages.



**1** A metre rule is clamped to a ramp. Fig. 1.1 shows the experimental set up.




Fig. 1.1

- The ramp is tilted and a toy car is held at the top of the ramp.
- The car is given a gentle push and it moves down the ramp.
- The positions of the car after successive time intervals of 0.20 s are shown.
- (a) (i) Read off the positions of the front of the car after each time interval.

Record the values, to the nearest centimetre, in Table 1.1.

Calculate the total distance travelled after each time interval and complete the table.

Table 1.1

time/s	0.0	0.20	0.40	0.60	0.80
position/cm	99				
total distance travelled/cm	0				

[2]

For Examiner's Use

(ii) On the grid in Fig. 1.2, draw a distance/time graph for the car's journey.

/cm






Fig. 1.2

[2]

**(b)** The graph in Fig. 1.3 shows a speed/time graph for the car on a similar journey.

For Examiner's Use





Fig. 1.3

Use the graph to determine the acceleration of the car.

Do your working in the box.



acceleration = \_\_\_\_ unit \_\_\_ [3]

**2** (a) Table 2.1 shows the number of sub-atomic particles in several different atoms and ions.

For Examiner's Use

Complete Table 2.1 by writing in the symbol of each atom or ion. Include the charge on each ion. The first one has been completed for you.

Table 2.1

number of protons	number of electrons	number of neutrons	symbol
3	3	4	Li
9	10	10	
11	10	12	
15	15	16	

[2]

**(b)** The symbol for an iron(III) ion is Fe<sup>3+</sup>.

The symbol for an oxide ion is  $O^{2-}$ .

Deduce the formula for the compound iron(III) oxide.

r . , 1		[1]
---------	--	-----

3 Table 3.1 gives information about four elements in Group 0 (noble gases) of the Periodic Table

For Examiner's Use

Table 3.1


element	electron arrangement	density of gas in kg/m³	melting point/°C	boiling point/°C
helium	2	0.17	-272	-269
neon	2.8	0.84	-248	-246
argon	2.8.8	1.67		-186
krypton	2.8.18.8	3.50	-157	-152

(a)	Describe the trend in boiling point down Table 3.1, from helium to krypton.
	[1]
(b)	Predict the melting point of argon.   C [1]
(c)	A balloon is filled with one of the noble gases.
	The material of the balloon increases the average density of the filled balloon by $0.45\mathrm{kg/m^3}$ .
	The density of air at 25 °C is 1.18 kg/m <sup>3</sup> .
	In order for the balloon to rise in air, its average density must be less than that of air.
	State which of the noble gases could be used to fill this balloon so that it will rise in air at 25 °C and explain your answer.
	noble gas
	explanation
	[2]

**4** Fig. 4.1 shows the structure of a thermocouple thermometer.


For Examiner's Use

[3]



	meter
	Fig. 4.1
(a)	Wires 2 and 3 are made from the same material.
	Suggest suitable materials from which the three wires could be made.
	wire 1
	wires 2 and 3[2]
(b)	Junction 1 is placed in a cup of warm water and junction 2 is placed in melting ice.
	Describe and explain what is observed.
	[3]
(c)	An engineer uses a thermocouple to investigate the temperature at one point in a jet engine. He takes measurements from the time that the engine is first switched on until it reaches a steady temperature.
	Give <b>two</b> reasons why a thermocouple is a suitable thermometer to use.
	Give an explanation for <b>one</b> of your reasons.
	reason 1
	reason 2
	explanation

**5** Fig. 5.1 shows the arrangement of atoms in two forms of carbon, diamond and graphite.



For Examiner's Use



Fig. 5.1

Table 5.1 gives information about some of the properties of diamond and graphite.

Table 5.1

	diamond	graphite
hardness	10	2
melting point/°C	4227	3927
electrical conductivity	low	high

Use	e ideas about the structure of diamond and graphite to explain the	
(i)	difference in hardness,	
		[2]
		[4]
(ii)	difference in electrical conductivity,	
		[2]
(iii)	high melting points.	
		•••••
		[2]
	(i) (ii)	(ii) difference in electrical conductivity,  (iii) high melting points.

		ıd					
Met	thane has covalent bonding. At room temperature, methane is a gas.						
Exp	plain why methane has a very low boiling point.						
		•••					
[2							
[							
Plants make carbon compounds by the process of photosynthesis.							
In this process plants react carbon dioxide with water to make glucose, $C_6H_{12}O_6$ , and oxygen, $O_2$ .							
(i)	(i) Write a balanced equation for photosynthesis.						
		2]					
(ii)	Photosynthesis is an endothermic process.						
	Explain how plants obtain the energy for photosynthesis.						
	[2	2]					
	Med Exp	Plants make carbon compounds by the process of photosynthesis.  In this process plants react carbon dioxide with water to make glucose, C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> , an oxygen, O <sub>2</sub> .  (i) Write a balanced equation for photosynthesis.  [2]  (ii) Photosynthesis is an endothermic process.  Explain how plants obtain the energy for photosynthesis.					

6 Air traffic control uses radar ranging to track an aircraft. A radar transmitter sends out a pulse of microwaves. The waves reflect back from an aeroplane and are detected by the radar station.

For Examiner's Use

Fig. 6.1 shows how the system works.




Fig. 6.1

(a) Fig. 6.2 shows the screen of a cathode ray oscilloscope (c.r.o.) at air traffic control.




Fig. 6.2

The time-base of the c.r.o. is set at 0.05 ms/division.

(1)	pulse.		•		amplitude		
		 	 	 	 	 	 [1]

(ii) Calculate the time between the emission and detection of the pulse.

(iii)	Calculate the distance of the aeroplane from the transmitter. (speed of microwaves = $3 \times 10^8 \text{m/s}$ )		For Examiner's Use
	distance = unit	[2]	
(b) (i)	The microwaves used have a wavelength of 7.5 mm.		
	Calculate the frequency of the microwaves.		
	frequency =unit	[2]	
(ii)	State <b>one</b> other use of microwaves.		
		[1]	

7 Marble chips are made of calcium carbonate. They react with hydrochloric acid.

$$CaCO_3 + 2HCl \rightarrow CaCl_2 + CO_2 + H_2O$$

A student uses the apparatus in Fig. 7.1 to measure the carbon dioxide given off in this reaction.




Fig. 7.1

The results of this investigation are shown in Table 7.1.

Table 7.1

time/s	0	20	40	60	80	100	120
volume of carbon dioxide/cm <sup>3</sup>	0	15	27	35	39	40	40

(a) (i) Plot the results on the grid.


[2]

For Examiner's

Use

(ii) Draw a best-fit curve.

[1]



volume of carbon dioxide / cm<sup>3</sup>

(b)	Sta	te how the student could test the gas to show that it is carbon dioxide.	For Examiner's Use
	เษรเ		
	resi	ult[2]	
(c)	(i)	After 100 seconds, no more carbon dioxide was given off. Some of the marble chips remained.	
		Explain why no more carbon dioxide was given off.	
		[1]	
	(ii)	The volume of carbon dioxide was measured at room temperature and pressure.	
		Calculate the mass of calcium carbonate that reacted with the hydrochloric acid. [relative atomic masses, $A_r$ : C, 12; O, 16; Ca, 40]	
		The volume of one mole of any gas is 24 dm <sup>3</sup> at room temperature and pressure.	
		Show your working in the box.	
		mass of calcium carbonate =g [3]	
(d)		student repeated the experiment using the same mass of powdered calcium conate instead of marble chips.	
	Ske	etch on the grid in <b>(a)</b> the results you would expect from this second experiment. [2]	

**8** Fig. 8.1 shows the use of transformers in the transmission of electrical energy.




Fig. 8.1

	<u> </u>	
(i)	State the function of each of the two transformers.	
	transformer 1	
		••••
	transformer 2	
		[2]
(ii)	Explain why electrical energy is transmitted at very high voltages.	
		••••
		••••
		[2]

For Examiner's Use

© UCLES 2013 0652/31/O/N/13

(a)

**(b)** Power lines can be made from several strands of copper, with a strand of steel, as shown in Fig. 8.2.

For Examiner's Use




Fig. 8.2

(י)	suitable material for the transmission of electricity.	Га
		[4]
(ii)	Suggest why a steel strand is included in the power-line.	
		[1]

a) Dra onl	aw a dot and cross diagram to show the bonding in a molecule of ethene. Include by the outer shell electrons of carbon and hydrogen.
	[2]
<b>o)</b> Eth	[2] nene can be made from long chain alkanes obtained from crude oil.
o) Eth (i)	nene can be made from long chain alkanes obtained from crude oil.
	nene can be made from long chain alkanes obtained from crude oil.  State the name given to the process used to produce ethene from long chain alkanes.
	State the name given to the process used to produce ethene from long chain alkanes.
(i)	nene can be made from long chain alkanes obtained from crude oil.  State the name given to the process used to produce ethene from long chain alkanes.
(i)	nene can be made from long chain alkanes obtained from crude oil.  State the name given to the process used to produce ethene from long chain alkanes.  [1]  State the <b>two</b> conditions needed for the process.
(i)	nene can be made from long chain alkanes obtained from crude oil.  State the name given to the process used to produce ethene from long chain alkanes.  [1]  State the <b>two</b> conditions needed for the process.
(i)	nene can be made from long chain alkanes obtained from crude oil.  State the name given to the process used to produce ethene from long chain alkanes.  [1]  State the <b>two</b> conditions needed for the process.
(i)	nene can be made from long chain alkanes obtained from crude oil.  State the name given to the process used to produce ethene from long chain alkanes.  [1]  State the <b>two</b> conditions needed for the process.
(i)	nene can be made from long chain alkanes obtained from crude oil.  State the name given to the process used to produce ethene from long chain alkanes.  [1]  State the <b>two</b> conditions needed for the process.

© UCLES 2013 0652/31/O/N/13

9

(c) Ethene is reacted with steam to produce ethanol.
--

For
Examiner's
Use

C <sub>2</sub> H <sub>4</sub>	+	$H_2O$	$\rightarrow$	$C_{2}H$	<sub>ε</sub> Oŀ	Н
<b>O</b> /I I4		11/0		O/1 1	~~·	

(i)	Calculate the mass of ethanol that can be made from each kg of ethene. [relative atomic masses, $A_r$ : H, 1; C, 12; O, 16]
	Show your working in the box.

	mass of ethanol =kg	[2]
(ii)	Name and describe another process that can be used to make ethanol.	
		••••
		••••
		[3]

10	Nuc	clear	r fusion takes place in the sun.	
	(a)	(i)	Explain what is meant by nuclear fusion.	
				[2]
		(ii)	Energy released as radiation from the sun reaches the earth.	
			Name <b>two</b> types of this radiation.	
			1	
			2	[2]
	(b)		a fusion reaction between two deuterium nuclei $\binom{2}{1}$ H), each of mass 3.3434 $\times$ 10 <sup>-2</sup> total mass of the products of this reaction is 6.6810 $\times$ 10 <sup>-27</sup> kg.	<sup>7</sup> kg,
		(i)	Show that the mass lost during this reaction is $5.8 \times 10^{-30}  \mathrm{kg}$ .	
			Do your working in this box.	
				[4]
		(ii)	Calculate the energy released in this reaction.	[1]
			Do your working in this box.	
			energy released =J	[2]

(iii)	The output from the sun is approximately $4 \times 10^{26}  \text{W}$ .		
	Estimate the number of fusion reactions which occur each second. You massume that this is the only type of fusion reaction that occurs in the Sun.		
	Do your working in this box.		
	number of reactions per second =	[2]	

DATA SHEET
The Periodic Table of the Elements

	0	4 Helium	20 <b>Ne</b> Neon	40 <b>Ar</b> Argon	84 Krypton	36	×	Xenon 54	ı	Radon 86		Lutetium 77	Lr Lawrencium 103
	NII/		19 <b>–</b> Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine	35	н	lodine 53		At Astatine 85		173 <b>Yb</b> Ytterbium 70	Nobelium 102
	I/		16 O Oxygen 8	32 <b>S</b> Sulfur	79 <b>Se</b> Selenium	34	<u>L</u>	Tellurium 52	ı	Polonium 84		169 <b>Tm</b> Thulium	Md Mendelevium 101
	>		14 <b>N</b> Nitrogen 7	31 <b>P</b> Phosphorus 15	75 <b>As</b> Arsenic	33	Sb	Antimony 51	509	Bismuth 83		167 <b>Er</b> Erbium 68	Fm Fermium
	>		12 <b>C</b> Carbon 6	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium	32		Tin 50	207	Pb Lead		165 <b>Ho</b> Holmium 67	<b>ES</b> Einsteinium 99
	=		11 <b>B</b> Boron 5	27 <b>A1</b> Auminium 13	70 <b>Ga</b> Gallium	31	In	Indium 49	204	Thallium 81		162 <b>Dy</b> Dysprosium 66	Cf Californium 98
					65 <b>Zn</b> Zinc	30	S	Cadmium 48	201	Hg Mercury 80		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97
Group					64 Copper	108			197	Au Gold		157 <b>Gd</b> Gadolinium 64	Curium 96
					59 Nickel	28	Pq	Palladium 46	195	Pt Platinum 78		152 <b>Eu</b> Europium 63	Am Americium 95
					59 Cobalt	27	格	Rhodium 45	192	<b>Lr</b> Iridium 77		Sm Samarium 62	<b>Pu</b> Putonium
		1 Hydrogen			56 <b>Fe</b> Iron	26	Ru	Ruthenium 44	190	Osmium 76		Pm Promethium 61	Neptunium
					55 <b>Mn</b> Manganese	25	<b>1</b> 2	Technetium 43	186	<b>Ke</b> Rhenium 75		Neodymium 60	238 <b>U</b> Uranium 92
					52 <b>Cr</b> Chromium	24	<sup>⊗</sup> W	Molybdenum 42	48 :	Tungsten 74		141 <b>Pr</b> Praseodymium 59	Pa Protactinium 91
					51 Vanadium	23		Niobium 41	181	<b>La</b> Tantalum 73		140 <b>Ce</b> Cerium	232 <b>Th</b> Thorium 90
					48	22	Ž	Zirconium 40	178	Hafnium × 72		1	nic mass Ibol nic) number
					Scandium	21	<b>&gt;</b>	Yttrium 39	139	La Lanthanum 57	227 <b>Ac</b> Actinium 89	l series eries	a = relative atomic mass  X = atomic symbol b = proton (atomic) number
	=		9 <b>Be</b> Beryllium	24 Mg Magnesium 12		20	š	Strontium 38	137	Barium 56	226 <b>Ra</b> Radium 88	*58-71 Lanthanoid series	v × v
	_		7 <b>Li</b> Lithium	23 <b>Na</b> Sodium	39 <b>X</b> Potassium	19	g S	Rubidium 37	133	Caesium 55	<b>Fr</b> Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.