

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

PHYSICAL SCIENCE 0652/21

Paper 2 Multiple Choice October/November 2018

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.






1 When smoke particles collide with molecules in the air, the smoke particles move randomly.

How is the movement of the smoke particles described?


- A Brownian motion
- **B** condensation
- **C** diffusion
- **D** evaporation
- 2 The diagram shows a chromatogram obtained using five felt-tip pens.





Which statement about the pens is **not** correct?

- A One of the dyes is found in three pens.
- **B** Pen R contains a mixture of dyes.
- **C** Three pens contain two dyes.
- **D** Two pens contain only one dye.
- 3 Which statement describes how an ionic compound is formed from two elements?
 - **A** A pair of electrons is shared between a metal and a non-metal.
 - **B** A pair of electrons is shared between two non-metals.
 - **C** Electrons are transferred from a metal to a non-metal.
 - **D** Electrons are transferred from a non-metal to a metal.

4 What is the electron arrangement in a molecule of ethene?







Н

Н

С

- 5 Which statement about the properties and structures of diamond and graphite is correct?
 - A Diamond has a high melting point as it has a giant structure with each carbon atom connected to three others.
 - **B** Diamond is a good conductor of electricity as it has a large number of shared pairs of electrons.
 - **C** Graphite has a low melting point as it has a layered structure with weak bonds between the layers.
 - **D** Graphite is a good conductor of electricity as it has delocalised electrons between layers.
- **6** An ionic compound has the formula Ga_2S_3 .

What are the formulae of the ions?

- A Ga^{2-} and S^{3+}
- **B** Ga^{3-} and S^{2+}
- \mathbf{C} Ga²⁺ and S²⁻
- **D** Ga^{3+} and S^{2-}

7 Butane gas is used as the fuel in camping stoves.

Butane burns in air to produce carbon dioxide and water. The equation is shown.

$$2C_4H_{10} + 13O_2 \rightarrow 8CO_2 + 10H_2O$$

What are the volumes of oxygen used and carbon dioxide produced by burning 40 cm³ of butane?

	oxygen /cm³	carbon dioxide / cm³
A	40	80
В	40	160
С	260	160
D	260	240

8 Anhydrous copper(II) sulfate is placed in a test-tube.

When water is added to the test-tube, the temperature changes from 17 °C to 27 °C.

Which type of reaction takes place?

- **A** addition
- **B** endothermic
- C exothermic
- **D** oxidation

9 Photographic film is coated with a layer of silver salts that contain silver ions.

Some photographic film is exposed to light.

Which row describes the colour change and the reaction of the silver ions?

	colour change	reaction of silver ions
Α	turns black	oxidised to silver
В	turns black	reduced to silver
С	turns white	oxidised to silver
D	turns white	reduced to silver

10 Which reaction is an oxidation?

$$\textbf{A} \quad 2SO_2 \, + \, O_2 \, \rightarrow \, 2SO_3$$

B NaOH + HC
$$l \rightarrow$$
 NaC $l +$ H₂O

$$\mathbf{C}$$
 CaCO₃ \rightarrow CaO + CO₂

D
$$NH_3 + HCl \rightarrow NH_4Cl$$

11 Hydrochloric acid reacts with aqueous sodium hydroxide to form a salt and compound Y.

Which row shows the action of sodium hydroxide and the name of compound Y?


	action of sodium hydroxide	compound Y
Α	as a proton acceptor	hydrogen
В	as a proton acceptor	water
С	as a proton donor	hydrogen
D	as a proton donor	water

12 Aluminium, magnesium and phosphorus are elements in Period III of the Periodic Table.

Which row describes the oxides of the elements?

	aluminium oxide	magnesium oxide	phosphorus oxide
Α	amphoteric	acidic	basic
В	amphoteric	basic	acidic
С	basic	amphoteric	acidic
D	basic	basic	amphoteric

13 The diagram shows the electronic structure of an atom of an element.



In which group of the Periodic Table is this element?

- A Group II
- **B** Group III
- C Group V
- **D** Group VIII

A 1, 2 and 3


14 The noble gases make up a group in the Periodic Table.

Which statements describe the properties of noble gases?

B 1 and 2 only

- 1 They have full outer shells.
- 2 They are diatomic.
- 3 They are very unreactive.
- C 1 and 3 only
- **D** 2 and 3 only
- **15** The diagram shows the properties of four substances.

Which one is magnesium?



© UCLES 2018 0652/21/O/N/18

16 Iron is extracted from its ore, hematite, in the Blast Furnace.

Which equation does **not** represent a reaction that occurs in the Blast Furnace?

- $\textbf{A} \quad \textbf{C} \ \textbf{+} \ \textbf{O}_2 \ \rightarrow \ \textbf{CO}_2$
- $\textbf{B} \quad \text{CaO} \, + \, \text{SiO}_2 \, \rightarrow \, \text{CaSiO}_3$
- **C** Fe₂O₃ + 3CO \rightarrow 2Fe + 3CO₂
- **D** Mg + FeSO₄ \rightarrow Fe + MgSO₄
- **17** Which row describes the correct use for a fraction obtained from petroleum by fractional distillation?

	fraction	use
Α	bitumen	making waxes and polishes
В	diesel	fuel for oil stoves
С	lubricating	making roads
D	paraffin	aircraft fuel

18 Long-chain alkanes are broken down into shorter-chain compounds and an element.


Which statement about the process is correct?

- **A** Alkenes are formed during the reaction.
- **B** The element is nitrogen.
- **C** The process is polymerisation.
- **D** The reaction occurs at room temperature.
- 19 Which compound is the monomer used to make poly(ethene)?

20 Which row describes the starting material and conditions used to make ethanol?

	starting material	conditions
Α	ethene	high temperature, low pressure and a catalyst
В	ethene	yeast and low temperature
С	glucose	high temperature, low pressure and a catalyst
D	glucose	yeast and low temperature

21 A girl uses a rule to measure the length of a metal rod. The end of the rule is damaged so she places one end of the rod at the 1 cm mark as shown.



How long is the metal rod?

- **A** 43 mm
- **B** 46 mm
- **C** 53 mm
- **D** 56 mm

22 A steel ball is dropped from a window.

Air resistance can be ignored.

Which row describes the speed and the acceleration of the ball as it is falling?

	speed	acceleration
Α	constant	constant
В	constant	increasing
С	increasing	constant
D	increasing	increasing


23 The diagram shows a man in a small boat.



Why does the boat become less stable when the man stands up?


- **A** The centre of mass of the man and the boat is higher.
- **B** The centre of mass of the man and the boat is lower.
- **C** The total mass of the man and the boat is greater.
- **D** The total mass of the man and the boat is less.

24 A student wishes to investigate how the mass of a trolley affects its acceleration. She applies a constant horizontal force *F* to the trolley.



Different masses are placed on the trolley, and acceleration is measured.

The graph shows the student's results.



What is the value of *F*?

0.28 N

В 0.66 N $0.80 \, N$

1.51 N

25 A stone is at rest at a height of 3.2 m above the ground. It is released and falls to the ground.

The acceleration of free fall g is $10 \,\mathrm{m/s^2}$. Air resistance can be ignored.

At what speed does the stone hit the ground?

 $3.2\,\mathrm{m/s}$

B 8.0 m/s

C 32 m/s

64 m/s

26 In a nuclear reaction, the total mass decreases by 1.0 g.


How much energy is released?

A $3.0 \times 10^5 \text{ J}$ **B** $3.0 \times 10^8 \text{ J}$ **C** $9.0 \times 10^{13} \text{ J}$ **D** $9.0 \times 10^{16} \text{ J}$

© UCLES 2018 0652/21/O/N/18 **27** A chemical process causes energy to be released.

Which type of power station makes use of this type of process?

- A a gas-fired power station
- **B** a geothermal power station
- **C** a hydroelectric power station
- **D** a nuclear power station
- **28** The diagram shows a heater in a box that contains air. A thermometer is fixed in the box. The thermometer bulb is in the position shown.



Which row shows how thermal energy from the heater reaches the thermometer bulb?

	conduction	convection	radiation
Α	✓	✓	X
В	✓	X	✓
С	X	✓	✓
D	X	X	✓

29 Water waves are refracted as they pass from deep water into shallow water.

Which property of the waves must stay the same when this happens?

- **A** direction
- **B** frequency
- C wavelength
- **D** velocity

30 A convex lens of focal length 15 cm is used as a magnifying glass.

Which position of the object gives a virtual, magnified image?

- A object 8.0 cm from the lens
- B object 16 cm from the lens
- C object 32 cm from the lens
- D object 64 cm from the lens
- **31** A vibrating object produces waves of different frequencies in air.

Which frequency is a sound wave that someone with normal hearing is able to hear?

- **A** 2.5 Hz
- **B** 1000 Hz
- **C** 25 000 Hz
- **D** 100 000 Hz
- 32 Why is iron a suitable material for the core of an electromagnet?
 - A It is a good conductor of electricity.
 - **B** It is a poor conductor of electricity.
 - C It loses its magnetism when the current is switched off.
 - **D** It stays magnetised when the current is switched off.
- 33 Which combination of units can be used to measure current?
 - A coulomb per joule
 - B coulomb per second
 - C joule per coulomb
 - **D** joule per second
- **34** Four wires are made from copper. The table gives information about the wires.

wire	length /cm	cross-sectional area/mm²
1	20	3.0
2	30	2.0
3	40	6.0
4	40	1.5

Which two wires have the same resistance?

A 1 and 2

B 1 and 3

C 2 and 3

D 3 and 4

35 Two resistors, each of resistance *R*, are connected in parallel.


What is their combined resistance?

- A R
- $\mathbf{B} R^2$
- c $\frac{R}{2}$
- **D** 2R
- **36** A 12V power supply produces a current of 2.0 A in a resistor.


How much energy is transferred in the resistor in 2.0 minutes?


- **A** 12 J
- **B** 48 J
- **C** 720 J
- **D** 2880 J
- **37** The diagrams show two forces acting on the coil of an electric motor.

In which diagram do the two forces cause the coil to rotate?




В





38 The diagram shows a magnet being moved slowly downwards into a stationary coil to induce an e.m.f. across a voltmeter.



Which change does **not** induce a larger e.m.f.?

- A keeping the magnet stationary and moving the coil upwards quickly
- **B** moving both the magnet and the coil downwards at the same speed
- **C** using a stationary coil with a larger number of turns and moving the magnet at the same speed
- **D** using a stronger magnet and moving it more quickly
- **39** A cathode-ray oscilloscope is used to display a waveform.

The time-base is set at 5.0 ms/cm.

The Y-gain is set at 2.0 V/cm.

The amplitude of the waveform is too large to fit on the screen.

The oscilloscope is adjusted so that the waveform fits on the screen.


Which adjustment is made?

- **A** The time-base is adjusted to 2.0 ms/cm.
- **B** The time-base is adjusted to 10 ms/cm.
- **C** The Y-gain is adjusted to 1.0 V/cm.
- **D** The Y-gain is adjusted to 5.0 V/cm.

© UCLES 2018 0652/21/O/N/18

40 The graph shows the decay curve for one particular radioactive isotope.

The count rate is corrected to remove the effect of background radiation.



What is the half-life of this isotope?

A 1.0 day

B 1.5 days

C 2.0 days

D 2.5 days

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2018 0652/21/O/N/18

The Periodic Table of Elements

	 	5	Ηœ	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	II/				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
					∞	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъ	polonium —	116		livermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	2				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ър	lead 207	114	Fl	flerovium –
	≡				2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	lΊ	thallium 204			
											30	Zu	zinc 65	48	ပ္ပ	cadmium 112	80	БĤ	mercury 201	112	S	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
dn											28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	뫈	rhodium 103	77	Ľ	iridium 192	109	¥	meitnerium -
		- 1	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						loc	SS				24		chromium 52		Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	<u>n</u>	tantalum 181	105	Ср	dubnium -
					to	ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	弘	rutherfordium -
											21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	-				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	뇬	francium -

		υ	3.1	62	63	64	65	99	29	89	69	70	71
PZ	PZ		Pm	Sm	Ш	В	Тр	ò	웃	щ	Tm	Υp	Γſ
neodymium p	neodymium p	ā.	romethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
			93	94	92	96	97	86	66	100	101	102	103
Ра	⊃		ď	Pu	Am	Cm	益	Ç	Es	Fm	Md	8	۲
uranium	uranium	n	ptunium	plutonium	americium	curium	berkelium	califomium	einsteinium	ferminm	mendelevium	nobelium	lawrencium
238	238		ı	ı	1	ı	ı	ı	ı	ı	ı	ı	ı

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).