

## **MARK SCHEME for the May/June 2014 series**

### **0625 PHYSICS**

**0625/51**

Paper 5 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	51

- 1 (a)  $l_0$  recorded in mm [1]
- (b)(i)(ii)  $l$  recorded and  $> l_0$ ,  $e$  correctly calculated [1]
- (iii) correct calculation of  $k$  with matching unit [1]
- (c) (i)  $t$  recorded with sensible value [1]
- (ii)  $T$  correct and to 2 or 3 significant figures [1]
- (d)  $t$  and  $T$  both recorded and ratio  $T_{500}/T_{300}$  in range 1.17 – 1.43 [1]
- unit s in (c) and (d) at least once and not contradicted [1]
- (e) statement matches results (expect NO) [1]
- justified with reference to results, must include idea of too big a difference (to be due to experimental inaccuracy), ecf [1]
- (f) clear diagram or explanation that indicates:  
perpendicular viewing of spring or scale  
OR rule touching / very close to spring  
OR appropriate use of horizontal pointer/set square/rule, etc. [1]
- [Total: 10]**
- 2 (a) sensible value for  $\theta_H$  [1]
- table:**  
s, °C, °C [1]
- correct  $t$  values 30, 60, 90, 120, 150, 180 [1]
- temperatures decreasing [1]
- evidence of temperatures to 1°C or better [1]
- with insulation, smaller decrease in temperature [1]
- (c) sensible new value for  $\theta_H$  [1]
- (e) statement to match results [1]
- justified by reference to results, giving numbers referring to temperature drops [1]

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	51

- (f) any one from:
- room temperature (or suitable reference to draughts or similar)
  - starting temperature
  - density of packing/amount of cotton wool
  - size of beaker

[1]

**[Total: 10]**

3 (a) (i)  $V$  to at least 1 d.p. and  $< 3V$  [1]

$I$  to at least 2 d.p. and  $< 1A$  [1]

(ii)  $R$  calculated correctly [1]

(b) (i)  $V$  and  $I$  recorded with  $I$  greater than in (a) [1]

(ii)  $V$  in  $V$ ,  $I$  in  $A$ ,  $R$  in  $\Omega$  in (a), (b) and (c) at least once, not contradicted [1]

(c)  $R$  to 2 or 3 significant figures [1]

(d)  $R$  increases, ecf [1]

- (e) one from:
- exact placement of S
  - width of S
  - battery running down/voltage changed
  - wire/lamp getting hot (and so resistance changing)
  - lamp remaining hot

[1]

(f) increases [1]

$V$  increases more quickly than  $I$  (accept greater rate)  
 or  $V$  increases proportionately more than  $I$   
 or doubling  $V$  causes  $I$  to increase by less than double  
 allow gradient is increasing [1]

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	51

- 4 trace:**
- normal at  $90^\circ$  in correct position [1]
- angle of incidence  $30^\circ \pm 2^\circ$  and **AB**  $8.0 \text{ cm} \pm 2 \text{ mm}$  [1]
- all lines present and neat and in approximately correct positions [1]
- $\theta$  values correctly measured from ray-trace to  $\pm 2^\circ$  [1]
- $P_1P_2$  distance  $\geq 5.0 \text{ cm}$  [1]
- table:**
- first three  $\alpha$  values  $30^\circ$ ,  $50^\circ$ ,  $70^\circ$  all to  $\pm 5^\circ$  (no ecf) [1]
- graph:**
- axes correctly labelled and correct way round [1]
- suitable scales [1]
- all plots correct to  $\frac{1}{2}$  small square [1]
- good line judgement, single, thin, continuous line [1]
- [Total: 10]**