



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME						
CENTRE NUMBER				CANDIDATE NUMBER		

CO-ORDINATED SCIENCES

0654/32

Paper 3 (Extended)

May/June 2014

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 30 printed pages and 2 blank pages.



1 (a) Select elements from the list below to complete the left hand column in Table 1.1.

Each element may be used once, more than once or not at all.

aluminium	chlorine	copper	gold
helium	potassium	sulfur	zinc

Table 1.1

element	use of element
	filling weather balloons
	galvanising steel
	making food containers
	sterilising drinking water

[2]

(b) Table 1.2 shows properties of four elements A, B, C and D.

Table 1.2

element	melting point/°C	electrical conductivity	reaction with water
Α	1455	high	none
В	-220	very low	reacts quickly
С	-112	very low	none
D	181	high	reacts quickly

Use the information in Table 1.2 to suggest which element could be found in Group I of the Periodic Table.

Explain your answer.	
element	
explanation	
	[2]

(c) Fig. 1.1 shows what happens when a student dips a nail made of zinc into a solution of copper sulfate for one minute.




Fig. 1.1

(i)	Suggest the word equation for the reaction that occurs between zinc and copper sulfate solution.
	[1]
(ii)	Explain the change in appearance of the nail in terms of the reactivity series of metals.
	[2]

(d) The student then carries out another experiment involving copper sulfate solution, using the apparatus shown in Fig. 1.2.




Fig. 1.2


(1)	Name the gaseous ele	ment present in	the gas bubbles	produced at the anode.

(ii)	Describe, in terms of copper ions, Cu ²⁺ , what happens to cause the formation of th orange layer on the surface of the cathode.	е
		••
		21
	l.	51

2 (a) A skier takes part in a downhill race.

He accelerates from rest. After 30 seconds he reaches a maximum speed of $12\,\text{m/s}$. He continues at this speed for another 10 seconds. The race is then completed and he slows down and stops after a total time of 50 seconds.

On the grid, draw a speed/time graph of the motion of the skier.



(b) The speed/time graph for another skier is shown in Fig. 2.1.




Fig. 2.1

(i)	Describe how to use the graph in Fig. 2.1 to determine the total distance travelled in 6 by the skier.	0 s
		[1]
(ii)	Calculate the total distance travelled by the skier from 0 to 60 s.	
	Show your working.	

distance = _____ m [2]

(c) Fig. 2.2 shows the skier as he is pulled up a mountain by a cable (lift).




Fig. 2.2

The skier has a mass of 80 kg. The cable pulls him 150 m up the slope. He rises through a total vertical distance of 60 m.

Calculate the work done lifting the skier from the bottom to the top of the slope. You should ignore the work done against friction. (Use gravitational field strength $g = 10 \,\text{N/kg}$).

State the formula used, show your working and state the unit of your answer.

formula

working

work done = unit [3]

3	(a)	Explain what is meant by <i>negative feedback</i> in homeostasis.	
			[2]
	(b)	In the homeostatic control of blood glucose concentration, name	
		(i) the hormone that causes blood glucose concentration to fall,	
			[1]
		(ii) the gland that secretes this hormone.	
			[1]
	(c)	Fig. 3.1 shows some blood vessels in skin.	
		skin surface Y blood flow	
		Fig. 3.1	
		Describe the changes that take place at X and Y when a person is feeling too hot,	and

explain how these changes help to keep the person cool.

description	
explanation	
•	[3]

(d) Some people suffer from a disease called Raynaud's syndrome, in which the blood supply to the fingers may be severely reduced for a period of time varying from just a few minutes up

to s	several hours.
(i)	Suggest what changes in the body to cause the blood supply to the fingers to be reduced.
	[1]
(ii)	People with Raynaud's syndrome are told to take special care to keep their hands warm in cold weather.
	Suggest the reason for this advice.
	[1]
(iii)	Explain what might be the effect on the fingers if the blood supply to them is severely reduced for several hours.
	[2]

1	(a) (i)	Hydrogen and carbon are elements.
		The gaseous hydrocarbon, propane, is a compound.
		Use these examples to explain the difference between elements and compounds.
		[2]
	(ii)	State one raw material from which hydrocarbons like propane can be obtained.
		[1]
	(iii)	State the name of a process that can be used to separate propane gas from the raw material you have named in (ii).
		[1]
	(iv)	State one use of propane.
		[1]
		. 4.1 shows a simplified diagram of the catalytic cracking of propane, a saturated drocarbon.
		reaction vessel containing a catalyst at high temperature mixture of gases includes methane, ethene and propene
		Fig. 4.1
	(i)	State what is meant by the word <i>saturated</i> when it is used to describe hydrocarbon molecules.
		[1]

(ii)	Complete the diagram below to show the structure of one molecule of p	ropene.
١	••,	Complete the diagram below to only the off dotale of one molecule of	nopene.

(iii) A teacher says that 'When propane is passed into the apparatus in Fig. 4.1, chemical bonds between the carbon atoms in some of the propane molecules are broken.'

State and explain which information in Fig. 4.1 supports this statement.

5 (a) A bar magnet is brought close to a piece of iron as shown in Fig. 5.1. The piece of iron moves towards the bar magnet but does not touch it.




Fig. 5.1

		plain why the piece of iron is attracted to the bar magnet by referring to the magnet perties of iron.	ic
	•••••	[2	2]
(b)	Rela	ays are often used as switches in circuits that use large currents for operating machinery	
	(i)	Explain why relays are used in this way.	
		[2	2]
	(ii)	Describe how a relay switches electrical machinery on and off. You may draw a diagram if it helps your answer.	n
			••
		[1]	•• 21

(c) Fig. 5.2 shows a circuit containing three identical lamps. The circuit is switched on.




Fig. 5.2

(i)	The current flowing through lamps L ₁ and L ₂ is 0.15 A. The current flowing through	h lamp
	L ₃ is 0.3 A.	

State the reading on the ammeter.

Α	[1]

(ii) The voltage across lamp L_3 is 3.0 V.

State the voltage across the battery.

(iii) Calculate the resistance of lamp L₃.

State the formula that you use and show your working.

formula

working

resistance =
$$\Omega$$
 [2]

(iv) Write down the combined resistance of lamps L_1 and L_2 .

resistance =
$$\Omega$$
 [1]

(v)	Using your answers to parts (iii) and (iv) lamps in the circuit.	calculate the co	mbined resistance of the	ne th	iree
	State the formula that you use and show	your working.			
	formula				
	working				
		resistance =		Ω	[3]

Please turn over for Question 6.

6 The picture shows an animal called a mongoose. The mongoose is a mammal that feeds on insects and small vertebrates such as lizards.



Table 6.1 shows what happens to the energy in a mongoose's food. The figures are per 100 kJ of energy in the food eaten.

Table 6.1

type of energy transfer	energy transferred (kJ per 100 kJ in food eaten)			
lost in faeces	20			
absorbed into the body	80			
used in production of new tissue	24			
used in respiration	56			

(a)	Using Table 6.1,					
	(i)	state the percentage of the animal's food energy that is absorbed into the body.				
		[1]				
	(ii)	calculate the percentage of the food energy absorbed into the body that is used in the production of new tissue.				
		Show your working.				

[2]

(b)		of the energy in the mongoose's food will eventually be transferred into the same formergy.	ı of
	Sta	te this form of energy.	
			[1]
(c)	Sug	ggest one way in which the mongoose would use energy released from respiration.	
			[1]
(d)	Sug	ggest and explain how the values in Table 6.1 would be different for	
	(i)	a mammal in a colder climate,	
			••••
			[2]
	(ii)	an animal that eats mainly grass.	
			[2]

- 7 The isotope technetium-99 is used in medical tests as a radioactive tracer. It emits γ -(gamma) radiation that medical equipment can detect in the human body.
 - (a) Fig. 7.1 shows the results of an experiment to measure how the radioactivity of technetium-99 changes with time.




Fig. 7.1

(i) The results plotted in Fig. 7.1 have already been corrected for a background radiation of 50 counts per second.

Sketch on Fig. 7.1, the graph for the results before the correction for background radiation. [2]

(ii) Use Fig. 7.1 to find the half-life of the isotope in hours.

Show your working.

	nait-life =	nours	[2]
(iii)	Suggest why the half-life you calculated in (ii) makes the isotope suitable for radioactive tracer in the human body.	its use a	as a
		· · · · · · · · · · · · · · · · · · ·	•••••
			[2]

(b)	The is	sotope releases	γ -radiation but	t not $lpha$ -radiation	n or β-radiation	l .	
		est why this man	akes technetiu	ım-99 suitable	for its use as	a radioactive	tracer in the
							[2]
(0)	o, rove	are one part of	the electroma	anotic cooctrur	n		
(6)		are one part of					
	rig. /	.2 shows an inc	Tompiete electr	The specific	strum.	T	
gamm	a-rays	X-rays		visible light	infra-red	microwaves	
				Fig. 7.2			
	(i) U	lse words from t	the list to comp	olete the spectr	um in Fig. 7.2.		
infra	-sour	nd radio wav	es seismic	: waves ultr	asound ult	raviolet wat	er waves
	/ii\	toto the port of	the electromos	anatia anaatrum	which has the	abortoot wovo	[1]
	(ii) S	tate the part of	me electromaç	gnetic spectrum	WINCH HAS THE	s shortest wave	
	=						[1]
(-	xplain what is n	-	_			
	Y	ou may draw a	diagram if it he	elps your answe	er.		
	•••						
							[1]
(d)	β-part	icles are electro	ons. Electrons	are involved in	the production	of electrostation	charges.
(-,	Descr	ribe in terms of ce of cloth.			-		_
	•						
							171


(a)	Def	ine the tern	n <i>chrom</i>	osome.						
										[2]
(b)	Fig.	8.1 shows	all the o	chromoso	omes in a h	ıuman skir	n cell, arra	inged in p	oairs.	
				7 (1)		***	XX			
			% %	***	XX X	%	XX	XX		
			XX	MM	M	XX	XX	XX		
			XX	XX	XX Fig	XX . 8.1		X &		
	(i)	A student	examine	es the ch			1. He des	scribes the	e skin cell a	as 'haploid'.
		Explain who been used		tudent's	description	was wror	ıg. State t	he descri	ption that s	should have
			•••••					••••		
										[2]
	(ii)	State two in Fig. 8.1.	-		ne chromos					t from those
		1								

2 ______[2]

© UCLES 2014 0654/32/M/J/14

8

(c) Fig. 8.2 shows the number of chromosomes in each cell in some of the stages of the life-cycle of a peach aphid (a small insect). The young aphids are called nymphs.



On Fig. 8.2,

- (i) mark with the letter **M** a point at which meiosis occurs,
- (ii) fill in the empty squares to show the number of chromosomes per cell in the remaining stages of the life-cycle. [2]

[1]

(d) Insects such as the peach aphid show both sexual and asexual reproduction.

Suggest an advantage to the peach aphid of

(i) sexual reproduction,

		[1]
(ii)	asexual reproduction.	

			22
9	(a)	Fig.	9.1 shows the nucleus of an atom of the element sulfur, proton number 16.
			0
			Fig. 9.1
		Cor	nplete Fig. 9.1 to show how all of the electrons are arranged in an atom of sulfur. [2]
		001	
	(b)	(i)	Fig. 9.2 shows a diagram of the structure of one molecule of sulfur dioxide, SO ₂ . In this molecule, the atoms of oxygen and sulfur are held together by double covalent bonds.
			bond B
			8(=)0
			Fig. 9.2
			Deduce the number of shared electrons in bond B .
			[1]
		(ii)	Explain why the presence of sulfur dioxide in the atmosphere causes the water in some lakes to become acidic.

(c) Fig. 9.3 shows apparatus used to measure the rate of reaction between magnesium and dilute sulfuric acid.




Fig. 9.3

(i)	State the effect of changing the temperature of the acid on the time taken for measuring cylinder to fill with hydrogen gas.	the
		[1]
(ii)	Explain your answer to (i) in terms of collisions between particles.	
		[2]

(d) The balanced symbolic equation for the reaction between magnesium and excess dilute sulfuric acid is

$$Mg(s) + H_2SO_4(aq) \longrightarrow MgSO_4(aq) + H_2(g)$$

A student was asked to use the apparatus in Fig. 9.3 to collect 120 cm³ of hydrogen gas.

(i) Calculate the number of moles of hydrogen gas in 120 cm³. The volume of one mole of hydrogen gas under the conditions in the laboratory is 24.0 dm³.

Show your working.

number of moles = [1]

(ii)) Calculate the minimum mass of magnesium that the student should use to mathat she has enough to produce 120 cm³ of hydrogen gas.	ke s	ure
	Show your working.		
	mass of magnesium =	g	[2]

			25	
10	(a)	Define the term <i>nutrition</i> .		
				[2]
	(b)	Fig. 10.1 shows some stages in the	production of yoghurt from milk.	
			fresh milk	
			concentration and fat reduction	
			modified milk	
			pasteurisation	
			pasteurised milk	
		culture of microorganisms	fermentation	
			yoghurt	
			flavouring and packaging	
			end product	
			Fig. 10.1	
		(i) Name the type of microorganism	ns used in producing yoghurt from milk.	
				[1]
		(ii) During the fermentation stage, a	air is kept out of the fermentation vessel.	
		Explain why this is important.		

(iii)	Before fermentation, the milk is heat treated during the process of pasteurisation.
	Suggest two reasons why this is important.
	1
	2
	[2]
(iv)	In this production process, fat is removed from the milk before the milk is converted to yoghurt.
	Explain why, as a result of this, the yoghurt might be healthier to eat than yoghurt from full-fat milk.
	[2]
(v)	During the fermentation stage, the pH of the mixture falls.
	Explain why this happens.
	[1]

11 Fig. 11.1 shows a ray diagram of a lens producing an image.




Fig. 11.1

- (a) (i) On Fig. 11.1 draw another ray of light from the top of the object, that passes through the centre of the lens and crosses the first ray on the right hand side of the lens. [1]
 - (ii) On Fig. 11.1 draw the image of the object and label it 'image'. [1]
 - (iii) State the name given to point **F** on Fig. 11.1.

[1]
ַון.

- **(b)** The image produced in Fig. 11.1 is a real image.
 - (i) State **two** other characteristics of the image formed in Fig. 11.1.

1	
2	[

(ii) State the difference between a real image and a virtual image.

	[1]

12 Compounds containing ammonium ions are added to soil as fertilisers.

Ammonia gas manufactured by the Haber process is used to produce ammonium nitrate and ammonium sulfate.

- (a) Ammonium nitrate is made in a neutralisation reaction between the base, ammonia, and an acid.
 - (i) Name the acid that reacts with ammonia to produce ammonium nitrate.

[1]

(ii) Ammonium sulfate has the chemical formula $(NH_4)_2SO_4$. The formula of the sulfate ion is $SO_4^{2^-}$.

Deduce the formula of the ammonium ion.

Show your working.

ammonium ion = [2]

(b) Fig. 12.1 shows a simplified diagram of part of the Haber process.




Fig. 12.1

(i) Hydrogen gas is made in a reaction between methane and steam. In this reaction methane reacts with steam, $H_2O(g)$, to produce carbon monoxide, CO, and hydrogen gas.

Deduce the balanced symbolic equation for this reaction.

[3]

(11)) State the three imp	ortant reaction condition	ons inside the reaction	vessel in Fig. 12.1.	
	1				
	2				
	3				[2

BLANK PAGE

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	He Helium	20 Neon 10 Neon 40 Ar Argon	84 Krypton 36	131 Xe Xenon 54	Rn Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103
	IIΛ		19 Fluorine 9 35.5 C 1	80 Br Bromine 35	127 T lodine 53	At Astatine 85		173 Yb Ytterbium 70	Nobelium
	>		16 Oxygen 8 32 S Sulfur 16	79 Selenium 34	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium	Md Mendelevium 101
	^		14 Nitrogen 7 31 Phosphorus 15	75 AS Arsenic 33	Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium 100
	<u> </u>		12 Carbon 6 Si Siicon 14	73 Ge Germanium 32	Sn Tin 50	207 Pb Lead 82		165 Ho Holmium 67	ES Einsteinium 99
	≡		11 B 80 con 5 27 A1 Aluminium 13	70 Ga Gallium 31	115 In Indium	204 T 1 Thallium		162 Dy Dysprosium 66	Cf Californium 98
				65 Zn Zinc 30	Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	Bk Berkelium
				64 Cu Copper	108 Ag Silver	197 Au Gold		157 Gd Gadolinium 64	Cm Curium 96
Group				59 X Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95
Ş				59 Co Cobalt 27	103 Rh Rhodium 45	192 Ir Iridium 77		Sm Samarium 62	Pu Plutonium 94
		1 Hydrogen		56 Fe Iron	Ruthenium	190 Os Osmium 76		Pm Promethium 61	Neptunium
				55 Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75		144 Nd Neodymium 60	238 U Uranium 92
				52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
				51 Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum 73		140 Ce Cerium 58	232 Th Thorium
				48 Ti Titanium 22	2 r Zronium 40	178 Hf Hafnium 72			nic mass bol nic) number
				Scandium 21	89 ≺ Yttrium 39	La Lanthanum 57 *	227 Ac Actinium 89	series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Be Beryllum 4 24 Mg Magnesium 12	40 Ca Calcium 20	Strontium	137 Ba Barium 56	226 Ra Radium	*58-71 Lanthanoid series 190-103 Actinoid series	e × ≅
	_		7 Lithium 3 23 Na Sodium 11	39 K Potassium	Rb Rubidium	133 Cs Caesium 55	Francium 87	*58-71 L 190-103,	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.